



CONTACT

Web www.bradleycollection.com

Email info@bradleycollection.com

Follow     

WORLD

The Bradley Collection Ltd

Lion Barn • Maitland Road

Needham Market • Suffolk

IP6 8NS • UK

Telephone +44 (0)1449 722 724

Fax +44 (0)1449 722 728

USA & Canada

The Bradley Collection Inc.

3625 Hayden Avenue, Suite E

Culver City • CA • 90232 • USA

Telephone +1 (310) 815 8255

Fax +1 (310) 815 9255

the**bradley**collection

EXPRESS

19|20

Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard.
Steel items are not recommended for damp conditions such as shower rooms.
Crystal finials and acrylic poles should not be positioned in direct sunlight, and are not suitable for use in conservatories.
Brass items are supplied unlacquered and will tarnish over time.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement. Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988.

Bradley®, The Bradley Collection® and  Logo are registered Community trademarks of The Bradley Collection Ltd. In Europe and registered trademarks of the Bradley Collection, Inc. in the USA.

Printed: 0819 • Copyright © The Bradley Collection Ltd. 2019




EXPRESS

Made to measure cutting & bending
48 hours from order to dispatch*

IN DETAIL

Pole diameters - Ø19mm (3/4") • 25mm (1")

Traditional & Modern styles
Easy install, drop-in brackets
Passing system
Made to measure cutting & bending service



Traditional waxed poles



Modern styling in brushed nickel

Pictured: ø25mm (1") Pole • Ball • Brushed Nickel

* Order cut-off deadline 3pm UK local time. Large orders and international orders may have longer lead-times. All lead times subject to stock availability.

CLASSIC

WAXED



FINIALS



Stud

ø19mm (3/4") Inclusive Length 16mm (5/8")
 ø25mm (1") Inclusive Length 19mm (3/4")




Ball

ø19mm (3/4") Inclusive Length 60mm (2 3/8")
 ø25mm (1") Inclusive Length 73mm (2 7/8")

BRACKETS

Side Mid Passing



Projection from wall to pole centre

ø19mm (3/4") - 60mm (2 3/8")
 ø25mm (1") - 100mm (4")

Side Fixing plate size

ø19mm (3/4") - w18mm (1 1/16") x H80mm (3 1/8")
 ø25mm (1") - w20mm (1 3/16") x H87mm (3 3/8")

Mid/Passing Fixing plate size

ø19mm (3/4") - w65mm (2 7/16") x H18mm (1 1/16")
 ø25mm (1") - w80mm (3 1/8") x H20mm (1 3/16")

RINGS

Ring Passing Ring



Ring drop from top of pole to bottom of ringlet

ø19mm (3/4") - 44mm (1 3/4")
 ø25mm (1") - 49mm (1 15/16")

Passing Ring drop from top of pole to bottom of ringlet

ø19mm (3/4") - 49mm (1 15/16")
 ø25mm (1") - 54mm (2 1/8")

POLESET


Whats Included

Hardware is professionally cut to your requested pole size, and includes all of the components shown.

Additional bends available

Pole length up to	Straight Pole 2000mm (6'6")	Straight Pole 3000mm (9'10")	Straight Pole 4000mm (13'1")	Bay Pole 4800mm (15'9")
Finials	2	2	2	2
Side brackets	2	2	2	2
Mid brackets	--	1	1	1
Passing brackets	--	--	--	2
Hoop rings	20	30	40	--
Passing rings	--	--	--	48
Bay Bend	--	--	--	2

MODERN BRUSHED NICKEL



FINIALS



Disc

ø19mm (3/4") Inclusive Length 8mm (5/16")
ø25mm (1") Inclusive Length 10mm (3/8")



Ball

ø19mm (3/4") Inclusive Length 53mm (2 1/16")
ø25mm (1") Inclusive Length 72mm (2 13/16")

BRACKETS

Side Mid Passing



Projection from wall to pole centre

ø19mm (3/4") - 60mm (2 3/8")
ø25mm (1") - 100mm (4")

Side Fixing plate size

ø19mm (3/4") - w34mm (1 5/16") x h70mm (2 3/4")
ø25mm (1") - w34mm (1 5/16") x h70mm (2 3/4")

Mid/Passing Fixing plate size

ø19mm (3/4") - w70mm (2 3/4") x h34mm (1 5/16")
ø25mm (1") - w70mm (2 3/4") x h34mm (1 5/16")

RINGS

Ring Passing Ring



Ring drop from top of pole to bottom of ringlet

ø19mm (3/4") - 53mm (2 1/16")
ø25mm (1") - 57mm (2 1/4")

Passing Ring drop from top of pole to bottom of ringlet

ø19mm (3/4") - 45mm (1 3/4")
ø25mm (1") - 49mm (1 5/16")

POLESET

Whats Included

Hardware is professionally cut to your requested pole size, and includes all of the components shown.

Additional bends available
£56.00 per bend

Pole length up to	Straight Pole 2000mm (6'6")	Straight Pole 3000mm (9'10")	Straight Pole 4000mm (13'1")	Bay Pole 4800mm (15'9")
Finials	2	2	2	2
Side brackets	2	2	2	2
Mid brackets	--	1	1	1
Passing brackets	--	--	--	2
Hoop rings	20	30	40	--
Passing rings	--	--	--	48
Bay Bend	--	--	--	2