


CONTACT

Web www.bradleycollection.com Email info@bradleycollection.com



IP6 8NS • UK







WORLD The Bradley Collection Ltd Lion Barn • Maitland Road Needham Market • Suffolk

Telephone +44 (0)1449 722 72 Fax +44 (0)1449 722 728

USA & Canada The Bradley Collection Inc. 3625 Hayden Avenue, Suite E Culver City • CA • 90232 • USA Telephone 1 (310) 815 8255

Fax 1 (310) 815 9255

Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard. Steel items are not recommended for damp conditions such as shower rooms.

Crystal finials and acrylic poles should not be positioned in direct sunlight, and are not suitable for use in conservatories. Brass items are supplied unlacquered and will tarnish over time.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement. Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988.

Bradley®, The Bradley Collection® and 💯 Logo are registered Community trademarks of The Bradley Collection Ltd. in Europe and registered trademarks of the Bradley Collection, Inc. in the USA.

Printed 0819 • Copyright © The Bradley Collection Ltd. 2019

thebradleycollection

GLIDERPOLE® EDITION SEVEN 19 | 20



GLIDERPOLE®

This sophisticated collection embraces simplicity of form, authentic materials and exceptional functionality.

Sharp, streamlined, minimal, modern.





THE LONG VIEW

On occasions, less is more and a long window with a big view deserves understated hardware.

The unbroken line of Flat Gliderpole suits long bay windows perfectly and with the right colour selection achieves a pleasing, 'barely there' aesthetic.

Pictured: Flat #36mm $(1^7/16'')$ Gliderpole® - Hand Drawn Flush End Cap \cdot Bone - Satin

Curtain design: Erik Bruce • @erikbrucestudio - New York - USA



IN DETAIL

Hand drawn & corded curtain control options Bespoke bay service for hand drawn and corded gliderpoles High strength brackets for minimal fixing points Wall fixed brackets have magnetic cover plates for concealed fixings Flush & adjustable length ceiling brackets Double gliderpole system Standard and Wave® gliders and rollers

- Inclusive end cap
- Inclusive end cap
 High strength brackets with magnetic cover
 Wave® curtain option
 Bay bending & continuous curves
 Flush ceiling brackets
 Double brackets
 Recess fitting option

- 8 Hand operation using draw rod
- 9 Internal cord mechanism with hidden cord
- 10 Discrete Cord Retainer
- 11 Concealed twin cord system for heavy applications



IN DETAIL CONTROL OPTIONS

Hand Drawn

Square • Flat • Ø30mm (1³/16") • 50mm (2")

Unlimited system length[¤] Bespoke bay service Standard gliders and rollers & Wave® gliders and rollers

Corded

Square • Ø30mm (1³/16") • 50mm (2")

Maximum length 6.0 Metres (20ft)^{II} Standard gliders and rollers & Wave® gliders and rollers Internal cording mechanism with cord offset behind drapes Concealed cord system

Control cord available in black or white on request Twin cord system available for long or heavy applications Metal cord retainer included as standard.




Pictured Right: square μ 27mm ($1^{1}/\iota_{\epsilon}$ ") Gliderpole® - Hand Drawn • Flint - Satin Pictured Above: Round ø30mm ($1^{3}/\iota_{\epsilon}$ ") Gliderpole® - Hand Drawn • Pebble • Frame Grey - Satin



FINISHES The following finishes are available on all gliderpoles and components. Flot H36mm (17/1-2") Gliderpole® - Hand Drawn \cdot Flush Cap \cdot Clay - Matte square H27mm (17/1-2") Gliderpole® - Hand Drawn \cdot Flush Cap \cdot Dove - Matte Round ø30mm (17/1-2") Gliderpole® - Hand Drawn \cdot Flush Cap \cdot Millstone - Matte Round ø50mm (2") Gliderpole® - Hand Drawn \cdot Flush Cap \cdot Bone - Matte

Coat options Matte (M) • Satin (s) • Gloss (G)




Polished Nickel+®

Due to printing limitations colours in this brochure may not be accurate Samples are available on request - www.bradleycollection.com/samples/

M Matte finishes have a maximum section length of 2.4m (94")

+ A finishing charge will apply ① Longer lead-times will apply ^ Not available on Square or 50mm (2") poles

Bright Aluminium ^



FINIALS

This edit offers tight design integrity with minimalist intent.

Flush End Cap - Supplied as standard

 $\begin{array}{lll} \mbox{Square H27mm } \left(1^{1}/\iota_{\delta}^{\prime\prime}\right) & \mbox{Inclusive Length } 3mm \left(1^{1}/\iota_{\delta}^{\prime\prime}\right) \\ \mbox{Flat H36mm } \left(1^{7}/\iota_{\delta}^{\prime\prime}\right) & \mbox{Inclusive Length } 3mm \left(1^{1}/\iota_{\delta}^{\prime\prime}\right) \\ \mbox{Round } \mbox{\emptyset30mm } \left(1^{3}/\iota_{\delta}^{\prime\prime}\right) & \mbox{Inclusive Length } 3mm \left(1^{1}/\iota_{\delta}^{\prime\prime}\right) \\ \mbox{Round } \mbox{\emptyset50mm } \left(2^{\prime\prime}\right) & \mbox{Inclusive Length } 3mm \left(1^{1}/\iota_{\delta}^{\prime\prime}\right) \\ \end{array}$

Flush Stud

Square H27mm ($1^1/16''$) Inclusive Length 12mm (1/2'') Flat H36mm ($1^7/16''$) Inclusive Length 12mm (1/2'') Round Ø30mm ($1^3/16''$) Inclusive Length 12mm (1/2'') Round Ø50mm (2'') Inclusive Length 18mm ($1^1/16''$)

Stud

Round ø30mm ($1^3/16''$) Inclusive Length 12mm (1/2'') Round ø50mm (2'') Inclusive Length 18mm ($1^1/16''$)



Pebble

Round ø30mm ($1^3/16''$) Inclusive Length 42mm ($1^5/8''$) Round ø50mm (2'') Inclusive Length 68mm ($2^{11}/16''$)



Round ø30mm ($1^3/16''$) Inclusive Length 12mm ($1^2/2''$) Round ø50mm (2'') Inclusive Length 18mm ($1^1/16''$)



Ball

Round ø30mm ($1^3/16''$) Inclusive Length 66mm ($2^5/8''$) Round ø50mm (2'') Inclusive Length 112mm ($4^7/16''$)





Halo

ø30mm (1³/₁₆") Inclusive Length 5mm (³/₁₆") ø50mm (2") Inclusive Length 2mm (1/16")



Squat Globe

ø30mm (1³/16") Inclusive Length 69mm (211/16") ø50mm (2") Inclusive Length 117mm (4⁵/₈")



Globe

ø30mm ($1^{3}/_{16}$ ") Inclusive Length 73mm ($2^{7}/_{8}$ ") ø50mm (2") Inclusive Length 114mm (41/2")



Crystal Globe^o

ø30mm (1³/16") Inclusive Length 73mm (2⁷/8") ø50mm (2") Inclusive Length 114mm (41/2")



Flute

ø30mm ($1^{3}/_{16}$ ") Inclusive Length 73mm ($2^{7}/_{8}$ ") ø50mm (2") Inclusive Length 114mm (41/2")



ø30mm (1³/16") Inclusive Length 69mm (211/16") ø50mm (2") Inclusive Length 117mm (4⁵/₈")



Templar

ø30mm (1³/16") Inclusive Length 79mm (3¹/8") ø50mm (2") Inclusive Length 119mm (411/16")



Crystal Templar^o

ø30mm (1³/₁₆") Inclusive Length 79mm (3¹/₈") ø50mm (2") Inclusive Length 119mm (411/16")

For full technical information, sizes and weights please download the specification guide www.bradleycollection.com/specification-guides/

HAND DRAWN OPTIONS

Poles

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to stack back to the edge of the window.

Maximum pole length in one piece 3.0m (118")*. Poles exceeding the maximum length will be cut into equal parts unless otherwise specified. A pole joiner will be supplied.





1000mm (39")





Square H27mm (11/16") Flat H36mm (17/16")

Round ø30mm (13/16")

Round ø50mm (2")

Maximum distance between brackets 1000mm (39") 1000mm (39") 1000mm (39")

Minimum bend radius **R**300mm (12") **R**200mm (8") **R**300mm (12") **R**500mm (20")

*Lengths over 3.0m (118") will incur a handling charge

Draw Rods



Draw rod length: 1000mm (39 ³/₈")

Custom lengths available to order

Gliding Options



CORDED OPTIONS

Poles

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to stack back to the edge of the window.

Maximum pole length in one piece 3.0m (118")*. Poles exceeding the maximum length will be cut into equal parts unless otherwise specified. A pole joiner will be supplied.








Maximum distance between brackets

Square H27mm (11/16") 1000mm (39") Round ø30mm (1³/₁₆") 1000mm (39") Round ø50mm (2") 1000mm (39")

Minimum bend radius R300mm (12") R300mm (12") **r**600mm (24")

*Lengths over 3.0m (118") will incur a handling charge

Cord Retainer



All corded tracks are supplied as standard with our metal cord retainer. This ensures that all cords are safely secured to the wall and complies with BS EN 13120:2009+A12014.

This will be supplied in the same finish as the system, unless advised otherwise.



Fixing plate size: \emptyset 60mm (2 $^3/_8$ ")

Gliding Options

2C Gliders	Rollers*	Wave® 2C gliders	Wave® rollers*
U			
Drop from bottom of track: 8mm (5/16")	Drop from bottom of track: 8mm (⁵ /16")	Drop from bottom of track: 8mm (⁵ /16")	Drop from bottom of track: 27mm (1 ¹ /16")
		Wave® Pitch: 80mm (3 ¹ /8")	Wave® Pitch: 80mm (3 ¹ /8")

x supplied in sections - maximum section length 3.0m (10ft) *supplied as standard on systems over 3.0m (10ft) with single stack curtains For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/specification-guides/

BRACKETS

Single Brackets

Side	Diameter Square H27mm (1½/16") Flat H36mm (1½/16") Round Ø30mm (1¾/16") Round Ø50mm (2")	Projection from wall to gliderpole centre 60mm (2³/s"), 100mm (4") 60mm (2³/s"), 100mm (4") 60mm (2³/s"), 100mm (4") 60mm (2³/s"), 100mm (4")	Fixing plate size w32mm (1'/4") x H70mm (23/4")
Mid	Diameter	Projection from wall to gliderpole centre	Fixing plate size
	Square H27mm (11/16") Flat H36mm (17/16") Round Ø30mm (13/16") Round Ø50mm (2")	60mm (2³/s"), 100mm (4") 60mm (2³/s"), 100mm (4") 60mm (2³/s"), 100mm (4") 60mm (2³/s"), 100mm (4")	w32mm (1½") x H38mm (1½") w32mm (1½") x H38mm (1½") w32mm (1½") x H38mm (1½") w32mm (1½") x H38mm (1½")
Recess	Diameter	Depth off wall	Fixing plate size
with hook stop	Square H27mm (11/16") Flat H36mm (17/16") Round Ø30mm (13/16") Round Ø50mm (2")	14mm (°/16") 14mm (°/16") 14mm (°/16") 14mm (°/16")	w31mm (1¹/₄") x н36mm (1²/ьв") w40mm (1º/ьв") x н31mm (1¹/₄") w64mm (1¹/₂") x н51mm (2")

Ceiling Brackets

Diameter	Drop from ceiling to top of gliderpole	Fixing plate size
Square H 27mm (11/16")	3mm (¹/ø")	w 20mm (¹³ / ₁₆ ") x £50mm (2")
Flat H36mm (1 ⁷ /16")	3mm (¹/₅")	w20mm (13/16") x £50mm (2")
Round ø30mm (1³/16")	3mm (¹/₅")	w20mm (13/16") x ι50mm (2")
Diameter	Drop from ceiling to top of gliderpole	Fixing plate size
Square H 27mm (11/16")	3mm (¹/ø")	w40mm (1°/16") x ι59mm (2 ⁵ /16")
Flat H36mm (1 ⁷ / ₁₆ ")	3mm (¹/ø")	w 40mm (1 ⁹ /16") x L59mm (2 ⁵ /16")
Round ø30mm (1³/16")	3mm (¹/ø")	w40mm (1 ⁹ /16") x ι59mm (2 ⁵ /16")
Round ø50mm (2")	3mm (¹/₀")	w40mm (1 ⁹ /16") x L59mm (2 ⁵ /16")
Nouna 20011111 (2)	OTTITT (70)	##-0111111 (1 /16) X 20 /111111 (2 /16)
Diameter	Drop from ceiling to top of gliderpole	Fixing plate size
Diameter	Drop from ceiling to top of gliderpole	Fixing plate size
Diameter Square H27mm (11/16")	Drop from ceiling to top of gliderpole Min.30mm (1%16") Max.40mm (1%16")	Fixing plate size
Diameter square H27mm (1½/16") Flat H36mm (1½/16")	Drop from ceiling to top of gliderpole Min.30mm (1 ³ /16") Max.40mm (1 ⁹ /16") Min.30mm (1 ³ /16") Max.40mm (1 ⁹ /16")	Fixing plate size øl6mm (5/e") øl6mm (5/e")
Diameter Square H27mm (1½/16") Flat H36mm (1½/16") Round Ø30mm (1½/16")	Drop from ceiling to top of gliderpole Min.30mm ($1^{9}/16''$) Max.40mm ($1^{9}/16''$) Min.30mm ($1^{9}/16''$) Max.40mm ($1^{9}/16''$) Min.30mm ($1^{9}/16''$) Max.40mm ($1^{9}/16''$)	Fixing plate size øl6mm (5/6") øl6mm (5/6") øl6mm (5/6")
Diameter Square H27mm ($1^{1}/\iota_0$ ") Flat H36mm ($1^{7}/\iota_0$ ") Round Ø30mm ($1^{8}/\iota_0$ ") Round Ø50mm (2")	Drop from ceiling to top of gliderpole Min.30mm ($1^{9}/10^{6}$) Max.40mm ($1^{9}/10^{6}$)	Fixing plate size øl6mm (5/6") øl6mm (5/6") øl6mm (5/6")
Diameter square H27mm (11/16") Flat H36mm (17/16") Round Ø30mm (13/16") Round Ø50mm (2")	Drop from ceiling to top of gliderpole Min.30mm (1³/16") Max.40mm (1°/16") Min.30mm (1³/16") Max.40mm (1°/16") Min.30mm (1³/16") Max.40mm (1°/16") Min.30mm (1³/16") Max.40mm (1°/16") Drop from ceiling to top of gliderpole	Fixing plate size ølómm (5/6") ølómm (5/6") ølómm (5/6") ølómm (5/6")
Diameter Square H27mm (11/16") Flat H36mm (17/16") Round Ø30mm (13/16") Round Ø50mm (2") Diameter Square H27mm (11/16")	Drop from ceiling to top of gliderpole Min.30mm (1³/16") Max.40mm (1²/16") Min.30mm (1³/16") Max.40mm (1²/16") Min.30mm (1³/16") Max.40mm (1²/16") Min.30mm (1³/16") Max.40mm (1²/16") Drop from ceiling to top of gliderpole Min.58mm (2²/8") Max.200mm (8")	Fixing plate size ølómm (5/6") ølómm (5/6") ølómm (5/6") ølómm (5/6") Fixing plate size ø65mm (2°/16")
	Square H27mm $(1^{1}/16'')$ Flat H36mm $(1^{7}/16'')$ Round Ø30mm $(1^{3}/16'')$ Diameter Square H27mm $(1^{1}/16'')$ Flat H36mm $(1^{7}/16'')$ Round Ø30mm $(1^{3}/16'')$	Square H27mm ($1^{1}/16^{n}$) 3mm ($1/6^{n}$) Flat H36mm ($1^{7}/16^{n}$) 3mm ($1/6^{n}$) Round Ø30mm ($1^{3}/16^{n}$) 3mm ($1/6^{n}$) Diameter Drop from ceiling to top of gliderpole Square H27mm ($1^{1}/16^{n}$) 3mm ($1/6^{n}$) Flat H36mm ($1^{7}/16^{n}$) 3mm ($1/6^{n}$) Round Ø30mm ($1^{3}/16^{n}$) 3mm ($1/6^{n}$)



Double Brackets

Side	Diameter	Projection from wall to gliderpole centre	Fixing plate size
	Square H27mm (1 ¹ /16")	$_{\rm F140mm}$ (5½") $_{\rm B}$ adjustable	w 32mm (1 ¹ / ₄ ") x н 70mm (2 ³ / ₄ ")
3	Flat H36mm (1 ⁷ /16")	$F140mm \ (5^1/2'')$ B adjustable	w32mm (1 ¹ / ₄ ") x H70mm (2 ³ / ₄ ")
	Round ø30mm (1³/16")	$F140$ mm $(5^1/2'')$ B adjustable	w32mm (1 ¹ / ₄ ") x H70mm (2 ³ / ₄ ")
	Round ø50mm (2")	F140mm (5½") B adjustable	w 32mm (1 ¹ / ₄ ") x u 70mm (2 ³ / ₄ ")
Mid	Diameter	Projection from wall to gliderpole centre	Fixing plate size
Mid	Diameter Square H27mm (11/16")	Projection from wall to gliderpole centre $F140$ mm $(5^{1}/2^{n})$ B adjustable	Fixing plate size w32mm (11/4") x H38mm (11/2")
Mid		,	• .
Mid	Square H27mm (11/16")	F140mm (5½") B adjustable	w32mm (1¹/₄") х н38mm (1¹/₂")

Side	Diameter	Projection from wall to gliderpole centre	Fixing plate size
	Square H27mm (11/16")	Min.80mm ($3^{1}/8''$) Max.130mm ($5^{1}/8''$)	w 32mm (1¹/₄") x H 70mm (2³/₄")
-	Flat H36mm (1 ⁷ /16")	Min.80mm $(3^{1}/8")$ Max.130mm $(5^{1}/8")$	w32mm (1 ¹ / ₄ ") x H70mm (2 ³ / ₄ ")
	Round ø30mm (1 ³ / ₁₆ ")	Min.80mm ($3^{1}/8''$) Max.130mm ($5^{1}/8''$)	w 32mm (1 ¹ / ₄ ") x H 70mm (2 ³ / ₄ ")
	Round ø50mm (2")	Min.80mm (3 $^{1}/_{8}"$) Max.130mm (5 $^{1}/_{8}"$)	w32mm (1 ¹ / ₄ ") x H 70mm (2 ³ / ₄ ")
Mid	Diameter	Projection from wall to gliderpole centre	Fixing plate size
	Square H27mm (11/16")	Min.80mm (3 $^{1}/_{8}$ ") Max.130mm (5 $^{1}/_{8}$ ")	w 32mm (1 ¹ / ₄ ") x u 38mm (1 ¹ / ₂ ")
	0 ((17 / 1/)	Min.80mm $(3^{1}/8'')$ Max.130mm $(5^{1}/8'')$	w32mm (1 ¹ / ₄ ") x н 38mm (1 ¹ / ₂ ")
200	Flat H36mm (1 ⁷ /16")	Min.0011111 (3 /8) Max.13011111 (3 /8)	WOZITIITI (1 /4) A HOOTTIITI (1 /2)
	Flat H36MM (1'/16") Round ø30MM (13/16")	Min.80mm (3 $^{1}/_{8}$ ") Max.130mm (5 $^{1}/_{8}$ ")	w32mm (1 ¹ / ₄ ") x H 38mm (1 ¹ / ₂ ")