



CONTACT

Web www.bradleycollection.com

Email info@bradleycollection.com

Follow     

WORLD

The Bradley Collection Ltd

Lion Barn • Maitland Road

Needham Market • Suffolk

IP6 8NS • UK

Telephone +44 (0)1449 722 72

Fax +44 (0)1449 722 728

USA & Canada

The Bradley Collection Inc.

3625 Hayden Avenue, Suite E

Culver City • CA • 90232 • USA

Telephone 1 (310) 815 8255

Fax 1 (310) 815 9255

the**bradley**collection

STEEL
EDITION SEVEN
19|20

Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard.
Steel items are not recommended for damp conditions such as shower rooms.
Crystal finials and acrylic poles should not be positioned in direct sunlight, and are not suitable for use in conservatories.
Brass items are supplied unlacquered and will tarnish over time.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement. Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988.

Bradley®, The Bradley Collection® and  Logo are registered Community trademarks of The Bradley Collection Ltd. In Europe and registered trademarks of the Bradley Collection, Inc. in the USA.

Printed 0819 • Copyright © The Bradley Collection Ltd. 2019



Pictured: ø25mm (1") Pole · Flared Disc · Brass Toned
Interior design: Georgja Victoria - Edinburgh - UK

STEEL

A timeless classic from the Arts & Crafts tradition, this collection continues to delight.

Authentic materials crafted by artisans, with historical design cues re-imagined for contemporary living.



Pictured: ø25mm (1") Pale • Button Stud • Waxed
Interior design by: Tanya Leech - BID Interior Designer
Photography by: Anya Rice



Pictured: ø38mm (1½") Pole • Ball & Collar • Polished
 Window treatments: Bryant Furnishing - Bournemouth - UK

IN DETAIL

A picture of elegance, the Steel Collection blends innovative design with quality craftsmanship, creating a visually stunning collection.

Pole diameters - Ø19mm (¾") • 25mm (1") • 38mm (1½") • 50mm (2")

- Unlimited system length◇
- Easy install, drop in brackets with optional magnetic cover plate
- Classic rings
- Passing system
- Bespoke bay service



- 1 Single brackets with covered backplate option
- 2 Ceiling brackets
- 3 Double brackets
- 4 Drapery arm
- 5 Bay bending & continuous curves

◇ Supplied in sections - Maximum section per length 4.0m (157")
 Section lengths over 2.4m (94") will incur a handling charge

IN DETAIL

FRENCH POLES

The French pole from the Steel Collection is an iconic design favourite. A simple and sophisticated way to adorn windows, french poles follow the traditional returning curve of antique French hardware.




Picture: ø25mm (1") French pole · Flint - Satin


FINISHES

The traditional Steel finishes are joined by new natural matted finishes, which present this classic collection in a new, more contemporary light.

Pictured left to right: ø25mm (1") Pole • Hammered Ball & Collar
Polished Steel • Natural Steel • Brass Toned • Matte Brass toned
Bronzed - Satin • Waxed • Oil Rubbed • Flint - Satin



Polished Natural Steel Brass Toned Matte Brass Toned



Bronzed (Satin) Waxed Oil Rubbed Flint (Satin)

FINIALS

Simplicity is the watchword for this grouping of stud and disc designs.



Pictured left to right: ø25mm (1") • Medium Stud • Standard Stud • Large Stud • Hammered Stud • Polished



Standard Stud

ø19mm (3/4") Inclusive Length 6mm (1/4")
 ø25mm (1") Inclusive Length 8mm (5/16")
 ø38mm (1 1/2") Inclusive Length 10mm (3/8")
 ø50mm (2") Inclusive Length 12mm (1/2")



Medium Stud

ø19mm (3/4") Inclusive Length 6mm (1/4")
 ø25mm (1") Inclusive Length 8mm (5/16")
 ø38mm (1 1/2") Inclusive Length 10mm (3/8")
 ø50mm (2") Inclusive Length 12mm (1/2")



Large Stud

ø19mm (3/4") Inclusive Length 6mm (1/4")
 ø25mm (1") Inclusive Length 8mm (5/16")
 ø38mm (1 1/2") Inclusive Length 10mm (3/8")
 ø50mm (2") Inclusive Length 12mm (1/2")



Hammered Stud

ø19mm (3/4") Inclusive Length 10mm (3/8")
 ø25mm (1") Inclusive Length 12mm (1/2")
 ø38mm (1 1/2") Inclusive Length 16mm (5/8")
 ø50mm (2") Inclusive Length 20mm (13/16")



Flared Stud

ø19mm (3/4") Inclusive Length 12mm (1/2")
 ø25mm (1") Inclusive Length 14mm (9/16")
 ø38mm (1 1/2") Inclusive Length 26mm (1")



Flared Disc

ø19mm (3/4") Inclusive Length 17mm (11/16")
 ø25mm (1") Inclusive Length 21mm (7/8")
 ø38mm (1 1/2") Inclusive Length 34mm (1 5/16")



Button Stud

ø19mm (3/4") Inclusive Length 26mm (1")
 ø25mm (1") Inclusive Length 40mm (1 9/16")
 ø38mm (1 1/2") Inclusive Length 59mm (2 5/16")
 ø50mm (2") Inclusive Length 69mm (2 11/16")



Pebble

ø19mm (3/4") Inclusive Length 27mm (1 1/16")
 ø25mm (1") Inclusive Length 31mm (1 1/4")
 ø38mm (1 1/2") Inclusive Length 48mm (1 7/8")

FINIALS

Pure, simple shapes and subtle hand-forged elements define this design group.

Pictured left to right: ø25mm (1") • Ball & Collar • Hammered Ball & Collar • Ball & Claw • Brass Toned



Forged Disc

ø19mm (3/4") Inclusive Length 2mm (1/16")
 ø25mm (1") Inclusive Length 3mm (3/16")
 ø38mm (1 1/2") Inclusive Length 3mm (3/16")
 ø50mm (2") Inclusive Length 4mm (3/16")



Ball & Collar

ø19mm (3/4") Inclusive Length 55mm (2 3/16")
 ø25mm (1") Inclusive Length 65mm (2 9/16")
 ø38mm (1 1/2") Inclusive Length 75mm (2 9/16")
 ø50mm (2") Inclusive Length 103mm (4 1/16")



Hammered Ball & Collar

ø19mm (3/4") Inclusive Length 55mm (2 3/16")
 ø25mm (1") Inclusive Length 65mm (2 9/16")



Ribbed Ball & Collar

ø19mm (3/4") Inclusive Length 53mm (2 1/16")
 ø25mm (1") Inclusive Length 60mm (2 3/8")



Hammered Disc

ø19mm (3/4") Inclusive Length 2mm (1/16")
 ø25mm (1") Inclusive Length 3mm (3/16")
 ø38mm (1 1/2") Inclusive Length 3mm (3/16")
 ø50mm (2") Inclusive Length 4mm (3/16")




Crystal Ball & Collar[⊛]

ø19mm (3/4") Inclusive Length 65mm (2 9/16")
 ø25mm (1") Inclusive Length 75mm (2 9/16")
 ø38mm (1 1/2") Inclusive Length 103mm (4 1/16")



Ball & Claw

ø19mm (3/4") Inclusive Length 75mm (3")
 ø25mm (1") Inclusive Length 90mm (3 5/16")
 ø38mm (1 1/2") Inclusive Length 120mm (4 3/4")



Twisted Knot

ø19mm (3/4") Inclusive Length 90mm (3 5/16")
 ø25mm (1") Inclusive Length 95mm (3 3/4")
 ø38mm (1 1/2") Inclusive Length 150mm (5 7/8")

Please note that due to manufacturing process's size and shape may vary slightly to images above ⊛ Crystal finials should not be positioned in direct sunlight
 For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/specification-guides/

FINIALS

The true craft of the artisan is on display with these designs.

Pictured left to right: ø25mm (1") • Tusk • Hammered Spear • Curling Leaf • Jacobs Horn • Waxed



Hammered Spear

ø19mm (3/4") Inclusive Length 122mm (4 7/8")
ø25mm (1") Inclusive Length 150mm (5 7/8")




Double Ball Basket

ø19mm (3/4") Inclusive Length 142mm (5 5/8")
ø25mm (1") Inclusive Length 146mm (5 3/4")
ø38mm (1 1/2") Inclusive Length 205mm (8 1/8")



Loop

ø19mm (3/4") Inclusive Length 115mm (4 1/2")
ø25mm (1") Inclusive Length 135mm (5 3/8")
ø38mm (1 1/2") Inclusive Length 180mm (7 1/8")



Curling Leaf [Ⓢ]

ø19mm (3/4") Inclusive Length 110mm (4 3/8")
ø25mm (1") Inclusive Length 140mm (5 1/2")
ø38mm (1 1/2") Inclusive Length 200mm (8")



Tusk [Ⓢ]

ø19mm (3/4") Inclusive Length 118mm (4 5/8")
ø25mm (1") Inclusive Length 141mm (5 5/8")



Jacob's Horn [Ⓢ]

ø19mm (3/4") Inclusive Length 105mm (4 1/8")
ø25mm (1") Inclusive Length 130mm (5 1/8")
ø38mm (1 1/2") Inclusive Length 180mm (7 1/8")



Square Ram's Horn

ø19mm (3/4") Inclusive Length 120mm (4 3/4")
ø25mm (1") Inclusive Length 135mm (5 3/8")





Reverse Square Ram's Horn [Ⓢ]



ø19mm (3/4") Inclusive Length 55mm (2 1/8")
ø25mm (1") Inclusive Length 55mm (2 1/8")



Please note that due to manufacturing process size and shape may vary slightly to images above [Ⓢ] handed finial
For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/specification-guides/

BRACKETS


Single Brackets

Side	Covered Side	Diameter	Projection from wall to pole centre	Fixing plate size	Covered fixing plate size
		ø19mm (3/4") ø25mm (1") ø38mm (1 1/2") ø50mm (2")	60mm (2 3/8"), 100mm (4") 60mm (2 3/8"), 100mm (4") 100mm (4") 100mm (4")	w20mm (1 3/16") x H84mm (3 5/16") w25mm (1") x H102mm (4") w30mm (1 3/16") x H117mm (4 5/8") w30mm (1 3/16") x H117mm (4 5/8")	w24mm (1 5/16") x H88mm (3 7/16") w29mm (1 1/8") x H106mm (4 3/16") w34mm (1 5/16") x H121mm (4 3/4") w34mm (1 5/16") x H121mm (4 3/4")


Mid	Covered Mid	Diameter	Projection from wall to pole centre	Fixing plate size	Covered fixing plate size
		ø19mm (3/4") ø25mm (1") ø38mm (1 1/2") ø50mm (2")	60mm (2 3/8"), 100mm (4") 60mm (2 3/8"), 100mm (4") 100mm (4") 100mm (4")	w55mm (2 3/16") x H20mm (1 3/16") w60mm (2 3/8") x H25mm (1") w80mm (3 1/8") x H30mm (1 3/16") w80mm (3 1/8") x H30mm (1 3/16")	w59mm (2 5/16") x H24mm (1 9/16") w64mm (2 1/2") x H29mm (1 1/8") w84mm (3 5/16") x H34mm (1 5/16") w84mm (3 5/16") x H34mm (1 5/16")


Passing	Covered Passing	Diameter	Projection from wall to pole centre	Fixing plate size	Covered fixing plate size
		ø19mm (3/4") ø25mm (1") ø38mm (1 1/2") ø50mm (2")	60mm (2 3/8"), 100mm (4") 60mm (2 3/8"), 100mm (4") 100mm (4") 100mm (4")	w55mm (2 3/16") x H20mm (1 3/16") w60mm (2 3/8") x H25mm (1") w80mm (3 1/8") x H30mm (1 3/16") w80mm (3 1/8") x H30mm (1 3/16")	w59mm (2 5/16") x H24mm (1 9/16") w64mm (2 1/2") x H29mm (1 1/8") w84mm (3 5/16") x H34mm (1 5/16") w84mm (3 5/16") x H34mm (1 5/16")

Recess with ring stop	Diameter	Depth off wall	Fixing plate size
	ø19mm (3/4") ø25mm (1") ø38mm (1 1/2") ø50mm (2")	4mm (3/16") 4mm (3/16") 4mm (3/16") 4mm (3/16")	ø42mm (1 3/16") ø50mm (2") ø72mm (2 3/16") ø72mm (2 3/16")


French - End	Diameter	Projection from wall to pole centre	Fixing plate size
	ø25mm (1")	100mm (4")	w26mm (1") x H80mm (3 1/8")


Ceiling Brackets


Ceiling	Diameter	Drop from ceiling to pole centre	Fixing plate size
	ø19mm (3/4") ø25mm (1") ø38mm (1 1/2")	60mm (2 3/8"), 100mm (4") 60mm (2 3/8"), 100mm (4") 100mm (4")	w55mm (2 3/16") x H20mm (1 3/16") w60mm (2 3/8") x H25mm (1") w80mm (3 1/8") x H30mm (1 3/16")

Passing	Diameter	Drop from ceiling to pole centre	Fixing plate size
	ø19mm (3/4") ø25mm (1") ø38mm (1 1/2")	60mm (2 3/8"), 100mm (4") 60mm (2 3/8"), 100mm (4") 100mm (4")	w55mm (2 3/16") x H20mm (1 3/16") w60mm (2 3/8") x H25mm (1") w80mm (3 1/8") x H30mm (1 3/16")

Double Brackets



Side	Diameter	Projection from wall to pole centre	Fixing plate size
	Fø25mm (1") Bø19mm (3/4") Fø38mm (1 1/2") Bø25mm (1")	F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8")	w25mm (1") x H102mm (4") w30mm (1 3/16") x H117mm (4 5/8")

Mid	Diameter	Projection from wall to pole centre	Fixing plate size
	Fø25mm (1") Bø19mm (3/4") Fø38mm (1 1/2") Bø25mm (1")	F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8")	w60mm (2 3/8") x H25mm (1") w80mm (3 1/8") x H30mm (1 3/16")

Passing	Diameter	Projection from wall to pole centre	Fixing plate size
	Fø25mm (1") Bø19mm (3/4") Fø38mm (1 1/2") Bø25mm (1")	F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8")	w112mm (4 7/16") x H50mm (2") w122mm (4 13/16") x H60mm (2 3/8")

Adjustable Brackets

Side	Diameter	Projection from wall to pole centre	Fixing plate size
	ø19mm (3/4") ø25mm (1") ø38mm (1 1/2")	Min.65mm (2 5/16") Max.150mm (5 7/8") Min.75mm (2 15/16") Max.175mm (6 7/8") Min.95mm (3 3/4") Max.200mm (7 7/8")	w20mm (1 3/16") x H84mm (3 5/16") w25mm (1") x H102mm (4") w30mm (1 3/16") x H117mm (4 5/8")

Mid	Passing	Diameter	Projection from wall to pole centre	Fixing plate size
		ø19mm (3/4") ø25mm (1") ø38mm (1 1/2")	Min.65mm (2 5/16") Max.150mm (5 7/8") Min.75mm (2 15/16") Max.175mm (6 7/8") Min.95mm (3 3/4") Max.200mm (7 7/8")	w55mm (2 3/16") x H20mm (1 3/16") w60mm (2 3/8") x H25mm (1") w80mm (3 1/8") x H30mm (1 3/16")

Drapery Arm

drapery arms have been designed to work at dormer windows, doorways & above beds

Diameter	Fixing plate size
ø25mm (1")	w30mm (1 3/16") x H185mm (7 1/4")

RINGS, POLES & ACCESSORIES

Classic Rings

Ring	Diameter	Ring drop from top of pole to bottom of ringlet
	ø19mm (3/4")	44mm (1 3/4")
	ø25mm (1")	49mm (1 5/8")
	ø38mm (1 1/2")	63mm (2 1/2")
	ø50mm (2")	82mm (3 1/4")

Passing Ring	Diameter	Ring drop from top of pole to bottom of ringlet
	ø19mm (3/4")	49mm (1 5/8")
	ø25mm (1")	54mm (2 1/8")
	ø38mm (1 1/2")	71mm (2 3/8")
	ø50mm (2")	89mm (3 1/2")



Poles

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to draw back to the edge of the window.

Maximum pole length in one piece 4.0m (157")*. Poles exceeding the recommended maximum distance between brackets, will be cut into equal parts unless otherwise specified. Pole joiners will be supplied.




Diameter	Recommended maximum distance between brackets	Recommended curtain type for pole diameter	Minimum bend radius	French Pole bend radius
ø19mm (3/4")	1800mm (71")	Light to medium weight, lined & non interlined curtains	R75mm (3")	n/a
ø25mm (1")	2000mm (79")	Medium weight, lined & interlined curtains	R100mm (4")	R50mm (2")
ø38mm (1 1/2")	2200mm (87")	Medium to heavy weight, lined & interlined curtains	R255mm (10")	n/a
ø50mm (2")	2400mm (96")	Heavy weight interlined curtains	R255mm (10")	n/a

*Section lengths over 2.4m (94") will incur a handling charge
For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/specification-guides/


Ombres

Large Stud



Internal projection from wall: 125mm (4 15/16")
Fixing plate size: ø60mm (2 3/8")

Ball & Collar



Internal projection from wall: 125mm (4 15/16")
Fixing plate size: ø60mm (2 3/8")


Hold back

Standard Stud



Internal measurement: 134mm (5 1/4")
Fixing plate size: w20mm (1 3/16") x h56mm (2 1/8")

Ball & Collar




Tie Back Hook



Internal measurement: 27mm (1 1/16")
Fixing plate size: w20mm (1 3/16") x h78mm (3 1/16")

Draw Rods

Standard Stud



Ball & Collar



Draw rod length:
1000mm (39 3/8")
Custom lengths available to order