SON SON



SPECIFICATION GUIDE

This specification guide was designed to outline the main considerations that need to be made when quoting or ordering a system.

If any questions arise please call your local sales representative or contact The Bradley Collection directly.

System Information Page 3-10

POLES Page 4

JOINING & BAYS Page 5

MINIMUM WALL SIZES Page 6

BRACKET ALIGNMENT Page 7

PASSING SYSTEM Page 8

CUSTOM BRACKETS Page 9

CURTAIN DROPS Page 10

Finials Page 13-20
Poles Page 21-23

Brackets Page 24-28

Rings Page 29-31



Poles are cut, bent and curved to suit individual requirements.


When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to draw back to the edge of the window.

Maximum pole length in one piece 2.4 (96")*.

Poles exceeding the recommended maximum distance between brackets, will be cut into equal parts unless otherwise specified. Pole joiners will be supplied. Mid or passing brackets should be placed at every join.

Pole diameter's - Ø50mm (2")

The overall pole cost is rounded up in 300mm (1ff) increments.



Diameter ø50mm (2") Recommended maximum distance between brackets 2400mm (96")

Recommended curtain type for pole diameter


Heavy weight interlined curtains

Minimum bend radius R200mm (8")

PROVIDING POLE LENGTHS

Pole lengths can be specified in two ways.

OPTION A is our prefered method. This covers Pole length only. **OPTION B** combines pole and finial lengths.



^{*}Section lengths over 2.4m (94") will incur a handling charge 🌣 Acrylic poles should not be positioned in direct sunlight, and are not suitable for use in conservatories or outdoors

CONTOUR JOINING & BAYS

JOINING POLES

Joins must always be supported by a bracket.





Rear view

BESPOKE BAYS

Bradley's bespoke service allows poles to be specifically made for unique bay windows and complex long span installations. Poles can be shaped to create a system that follows contours. Passing rings have been designed to traverse over brackets and around bends. Using a double pole system in a bay window can create an elegant as well as practical treatment.






Two Bend Bay






Square Bay


Four Bend Bay






135° Bend Angles

Diameter	Return 1-A	Wall A - B	Wall B - C	Minimum Bend Radius	Minimum Projection
ø 50mm (2")	n/a	240mm (9 ⁷ /16")	240mm (9 ⁷ /16")	200mm (8")	100mm (4")
ø 50mm (2")	250mm (9 ¹³ / ₁₆ ")	390mm (15³/8")	240mm (9 ⁷ /16")	200mm (8")	150mm (5 ⁷ / ₈ ")






90° Bend Angles

Diameter	Return 1-A	Wall A - B	Wall B - C	Minimum Bend Radius	Minimum Projection
ø50mm (2")	n/a	450mm (17 ¹¹ / ₁₆ ")	450mm (17 ¹¹ /16")	200mm (8")	100mm (4")
ø 50mm (2")	250mm (9 ¹³ / ₁₆ ")	600mm (23 ⁵ /8")	450mm (17 ¹¹ / ₁₆ ")	200mm (8")	150mm (5 ⁷ / ₈ ")



The information below shows the relationship between the bracket backplate. this will enable easy alignments during installation.

50mm (2") Single Brackets






Passing brackets and passing rings allow drapes to traverse around bays and multi-pole systems. passing is available on single pole systems. Passing will only work if the system is correctly installed and the drapes are properly made and attached to the rings.

PASSING GUIDELINES

- 1. Do make sure the top of the drapery ends underneath the main ring and does not touch or go above the bottom of the ring.
- 2. Always have the drapery hook perpendicular to the ringlet. Ringlets should not be sewn into a pinch pleat.
- 3. Be sure to have very little to no puddle on drapery, especially if the fabric is stiff. A stiff header can also cause the rings to not move freely.
- 4. If using lightweight or sheer fabric, the fabric needs to be weighted enough to pull the rings into the correct passing position.
- 5. Passing rings are not recommended with draw rods.



Contour can be customised to suit virtually any window. For simple projection changes between the Minimums and Maximums listed below brackets are charged at double their standard costs. For all other customisations an additional custom fee is applied per drawing



Custom ProjectionSpecify the exact projection needed.



Custom Fixing Plate
Relevant where space is restricted or weight is a concern.



UpliftHelps negotiate cornice and similar architectural features.



Angled Brackets
The solution for tight and awkward locations.

Minimum & Maximum Bracket Projections

Dimensions outside of these stated min/max projections may still possible but will generate a design charge per drawing. See pricelist for details


Diameter	Туре	Standard Projection(s)	Minimum Projection	Maximum Projection
ø50mm (2")	Side	100mm (4")	100mm (4")	200mm (8")
ø 50mm (2")	Mid Passing	100mm (4")	100mm (4")	200mm (8")
ø 50mm (2")	Ceiling Passing	100mm (4")	88mm (3 ⁷ / ₈ ")	200mm (8")



The information below shows the relationship between the pole, brackets and rings.

This will enable the correlation between pole heights and curtain drops to be easily calculated.

50mm (2") SINGLE BRACKETS





FLUID METAL™

Fluid Metals are derived from leading edge finishing technology, allowing true metal coatings to be applied to any substrate. These luxurious finishes are the prefect treatment for this esoteric collection, although standard finishes are available on request.



WOOD POLE & FINIAL FINISHES

Other wood stained finishes are available on request.



- Longer lead-times will apply
 Fluid Metal finishes are supplied unlacquered and will tarnish over time, a clear lacquer may be applied on request as a custom finish
- Fluid Metal finishes are hand produced, finish may vary.


CUSTOM FINISHES

Can be specified from RAL K7 finish chart, subject to a per colour upcharge. which covers up to five poles. See pricelist for further details




COLOUR MATCHING

A colour matching service is offered, to match your scheme of fittings perfectly . See pricelist for further details




Premium Finishes Old Silver • Old Pewter • Old Brass • Light Bronze • Bronze Art **Finishes** Standard coated finishes can be applied on request



CONTOUR SQUAT BALL



Premium Finishes Old Silver • Old Pewter • Old Brass • Light Bronze • Bronze Art **Finishes** Standard coated finishes can be applied on request






Wood Finishes Ash • Black Ash


Premium Wood Finishes Can be specified at +50% the cost of the standard finish - Cherry • Oak • Walnut

Premium Finishes Old Silver • Old Pewter • Old Brass • Light Bronze • Bronze Art **Finishes** Standard coated finishes can be applied on request






Premium Finishes Old Silver • Old Pewter • Old Brass • Light Bronze • Bronze Art **Finishes** Standard coated finishes can be applied on request




CONTOUR WOODEN BALL



Wood Finishes Ash • Black Ash

Premium Wood Finishes Can be specified at +50% the cost of the standard finish - Cherry • Oak • Walnut


Premium Finishes Old Silver • Old Pewter • Old Brass • Light Bronze • Bronze Art **Finishes** Standard coated finishes can be applied on request



CONTOUR RIBBED BALL



Premium Finishes Old Silver • Old Pewter • Old Brass • Light Bronze • Bronze Art **Finishes** Standard coated finishes can be applied on request






Wood Finishes Ash • Black Ash

Premium Wood Finishes Can be specified at +50% the cost of the standard finish - Cherry • Oak • Walnut

Premium Finishes Old Silver • Old Pewter • Old Brass • Light Bronze • Bronze Art **Finishes** Standard coated finishes can be applied on request




CONTOUR LINED POLE



Wood Finishes Ash • Black Ash

Premium Wood Finishes Can be specified at +50% the cost of the standard finish - Cherry • Oak • Walnut

50mm (2")




CONTOUR BAY BEND



Wood Finishes Ash • Black Ash

Premium Wood Finishes Can be specified at +50% the cost of the standard finish - Cherry • Oak • Walnut






Ummlumi

For custom brackets see page 9

Premium Finishes Old Silver • Old Pewter • Old Brass • Light Bronze • Bronze Art **Finishes** Standard coated finishes can be applied on request






Ummlumi

For custom brackets see page 9

Premium Finishes Old Silver • Old Pewter • Old Brass • Light Bronze • Bronze Art **Finishes** Standard coated finishes can be applied on request






Chemilinni


For custom brackets see page 9

Premium Finishes Old Silver • Old Pewter • Old Brass • Light Bronze • Bronze Art **Finishes** Standard coated finishes can be applied on request






Premium Finishes Old Silver • Old Pewter • Old Brass • Light Bronze • Bronze Art **Finishes** Standard coated finishes can be applied on request





Premium Finishes Old Silver • Old Pewter • Old Brass • Light Bronze • Bronze Art **Finishes** Standard coated finishes can be applied on request

50mm (2")




30

CONTOUR PASSING RING



Premium Finishes Old Silver • Old Pewter • Old Brass • Light Bronze • Bronze Art **Finishes** Standard coated finishes can be applied on request



CONTACT

www.bradleycollection.com









UK & REST OF THE WORLD

+44 (0)1449 722 724

√ info@bradleycollection.com

USA & CANADA

& +1 (310) 815 8255

√ info.us@bradleycollection.com

thebradleycollection

Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard. Steel items are not recommended for damp conditions such as shower rooms. Crystal finials and acrylic poles should not be positioned in direct sunlight, and are not sultable for use in conservatories. Fluid Metal items are supplied unlacquered and will tarnish over time.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement. Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988. Bradley®, The Bradley Collection® and 🗷 Logo are registered Community trademarks of The Bradley Collection Ltd. in Europe and registered trademarks of the Bradley Collection, Inc. in the USA.

 $\textbf{The Bradley Collection Ltd} \quad \text{Lion Barn } \bullet \text{ Maitland Road } \bullet \text{ Needham Market } \bullet \text{ Suffolk } \bullet \text{ IP6 8NS } \bullet \text{ UK}$