

CONTACT

www.bradleycollection.com



UK & REST OF THE WORLD

☎ +44 (0)1449 722 724

✉ info@bradleycollection.com

USA & CANADA

☎ +1 (310) 815 8255

✉ info.us@bradleycollection.com



ELYSIAN

the**bradley**collection

Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard. Steel items are not recommended for damp conditions such as shower rooms. Crystal finials and acrylic poles should not be positioned in direct sunlight, and are not suitable for use in conservatories. Brass items are supplied unlacquered and will tarnish over time.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement. Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988. Bradley®, The Bradley Collection® and  Logo are registered Community trademarks of The Bradley Collection Ltd. in Europe and registered trademarks of the Bradley Collection, Inc. in the USA.

The Bradley Collection Ltd Lion Barn • Mailford Road • Needham Market • Suffolk • IP6 8NS • UK

Printed: 0821 • Copyright © The Bradley Collection Ltd. 2021



ELYSIAN

Elysian bridges the gap between two very different aesthetics, combining pared down modernist style with decorative sensibility.

Offered in an inspirational palette of solid and metallic finishes, Elysian is also now available in a wider selection of sizes.

Pictured: ø50mm (2") Pole • Templar • Clay - Gloss

ELYSIAN

SCALE

Now available in three pole diameters
Ø30mm (1 3/16") • 38mm (1 1/2") • 50mm (2")
Each component is carefully designed and
scaled to reflect the design intent.



FUNCTION

A range of bracket options have been designed to allow easy
installation. All wall & ceiling brackets have a magnetic cover
plate to hide screw fixings. Brackets can also be supplied to
custom lengths and designs.



LENGTH

Elysian can be cut to any length.® Passing brackets & rings allow
drapes to travel the full system length.




DETAIL

Thoughtfully designed accessories improve functionality,
of the system without compromising the aesthetic.



SHAPE


Elysian offers a bespoke bay bending and curving service to fit
any bay window.



FINISHES

An unparalleled selection of coated and plated finishes, allows Elysian to express emotions ranging from the sober and understated to the glamorous and flamboyant.

Coat Options



Cloud ^M _S _G	Barley ^M _S _G	Bone ^M _S _G	Cream ^M _S _G	Parchment ^M _S _G
Mineral ^M _S _G	Dove ^M _S _G	Millstone ^M _S _G	Clay ^M _S _G	Cocoa ^M _S _G
Alabaster ^M _S _G [®]	Dusk ^M _S _G	Ceramic ^M _S _G	Slate ^M _S _G	Flint ^M _S _G
Damson ^M _S _G	Moss ^M _S _G	Smoke ^M _S _G	Frame Grey ^M _S _G	Raven ^M _S _G
Platinum _S _G	Champagne _S _G	Gold _S _G	Cognac _S _G	Gunmetal _S _G
Pewter _S _G	Antique Brass _S _G	Bronzed _S _G	Polished Nickel ⁺ _S _G	Polished Brass Plate ⁺ _S _G



Pictured left to right:
 Round ø50mm (2") Pole • Flute • Antique Brass - Gloss
 Squat Globe • Pewter - Gloss • Templar • Bronzed - Gloss
 Globe • Champagne - Gloss




Pictured left to right:
 Round #50mm (2") Pole • Ribbed Globe • Bronze Art
 Cut Crystal Templar • Old Brass • Flute • Old Pewter

FINISHES

FLUID METAL™

Technology and aesthetics meet with Fluid Metals. A first for drapery hardware, this innovative specialist finishing technique allows authentic metal coatings to be applied onto any substrate. Elysian designs look stunning in these new metal coats.



Old Silver ⊕⊕⊕✎

Old Pewter ⊕⊕⊕✎

Old Brass ⊕⊕⊕✎

Light Bronze ⊕⊕⊕✎

Bronze Art ⊕⊕⊕✎

⊕ A finishing charge will apply ⊕ Longer lead-times will apply ⊕ Fluid Metal finishes are supplied unlacquered and will tarnish over time, a clear lacquer may be applied on request as a custom finish
 ✎ Fluid Metal finishes are hand produced, finish may vary.



FINIALS

Traditional styling cues have been streamlined to suit modern living, resulting in the distinctive curvilinear character of Elysian.

Pictured Top: ø50mm (2") • Charm • Champagne - Gloss
 Halo • Gold - Gloss • Squat Globe • Bronzed - Gloss
 Crystal Globe • Gunmetal - Gloss • Templar • Antique Brass - Gloss
 Flute • Pewter - Gloss • Globe • Platinum - Gloss
 Crystal Templar • Cognac - Gloss



Halo

ø30mm (1 3/16") Inclusive Length 5mm (2 1/16")
 ø38mm (1 1/2") Inclusive Length 2mm (1 1/16")
 ø50mm (2") Inclusive Length 2mm (1 1/16")



Globe

ø30mm (1 3/16") Inclusive Length 73mm (2 7/8")
 ø38mm (1 1/2") Inclusive Length 92mm (3 5/8")
 ø50mm (2") Inclusive Length 114mm (4 1/2")



Templar

ø30mm (1 3/16") Inclusive Length 79mm (3 1/8")
 ø38mm (1 1/2") Inclusive Length 92mm (3 5/8")
 ø50mm (2") Inclusive Length 119mm (4 11/16")



Squat Globe

ø30mm (1 3/16") Inclusive Length 53mm (2 1/8")
 ø38mm (1 1/2") Inclusive Length 63mm (2 1/2")
 ø50mm (2") Inclusive Length 81mm (3 1/8")



Crystal Globe*

ø30mm (1 3/16") Inclusive Length 73mm (2 7/8")
 ø38mm (1 1/2") Inclusive Length 92mm (3 5/8")
 ø50mm (2") Inclusive Length 114mm (4 1/2")



Crystal Templar*

ø30mm (1 3/16") Inclusive Length 79mm (3 1/8")
 ø38mm (1 1/2") Inclusive Length 92mm (3 5/8")
 ø50mm (2") Inclusive Length 119mm (4 11/16")




Flute

ø30mm (1 3/16") Inclusive Length 73mm (2 7/8")
 ø38mm (1 1/2") Inclusive Length 69mm (2 11/16")
 ø50mm (2") Inclusive Length 114mm (4 1/2")



Ribbed Globe

ø30mm (1 3/16") Inclusive Length 73mm (2 7/8")
 ø38mm (1 1/2") Inclusive Length 92mm (3 5/8")
 ø50mm (2") Inclusive Length 114mm (4 1/2")






Cut Crystal Templar*



ø50mm (2") Inclusive Length 119mm (4 11/16")

*: Crystal Finials should not be positioned in direct sunlight


SINGLE BRACKETS

Side	Diameter	Projection from wall to pole centre	Fixing plate size
	ø30mm (1 3/16") ø38mm (1 1/2") ø50mm (2")	100mm (4") 100mm (4") 100mm (4")	w40mm (1 9/16") x H86mm (3 3/8") w50mm (2") x H105mm (4 1/8") w50mm (2") x H105mm (4 1/8")


Mid	Passing	Diameter	Projection from wall to pole centre	Fixing plate size
		ø30mm (1 3/16") ø38mm (1 1/2") ø50mm (2")	100mm (4") 100mm (4")	w86mm (3 3/8") x H40mm (1 9/16") w105mm (4 1/8") x H50mm (2") w105mm (4 1/8") x H50mm (2")



Ceiling	Passing	Diameter	Drop from ceiling to pole centre	Fixing plate size
		ø30mm (1 3/16") ø38mm (1 1/2") ø50mm (2")	100mm (4") 100mm (4") 100mm (4")	w86mm (3 3/8") x H40mm (1 9/16") w105mm (4 1/8") x H50mm (2") w105mm (4 1/8") x H50mm (2")

RECESS BRACKETS


Recess with ring stop	Diameter	Depth off wall	Fixing plate size
	ø30mm (1 3/16") ø38mm (1 1/2") ø50mm (2")	10mm (3/8") 12mm (1/2") 15mm (9/16")	ø40mm (1 9/16") ø49mm (1 15/16") ø64mm (2 1/2")



ADJUSTABLE BRACKETS

Side	Diameter	Projection from wall to pole centre	Fixing plate size
	ø30mm (1 3/16") ø38mm (1 1/2") ø50mm (2")	Min. 100mm (4") Max. 170mm (6 11/16") Min. 100mm (4") Max. 170mm (6 11/16") Min. 100mm (4") Max. 170mm (6 11/16")	w40mm (1 9/16") x H86mm (3 3/8") w50mm (2") x H105mm (4 1/8") w50mm (2") x H105mm (4 1/8")

Mid	Passing	Diameter	Projection from wall to pole centre	Fixing plate size
		ø30mm (1 3/16") ø38mm (1 1/2") ø50mm (2")	Min. 100mm (4") Max. 170mm (6 11/16") Min. 100mm (4") Max. 170mm (6 11/16") Min. 100mm (4") Max. 170mm (6 11/16")	w86mm (3 3/8") x H40mm (1 9/16") w105mm (4 1/8") x H50mm (2") w105mm (4 1/8") x H50mm (2")

DOUBLE BRACKETS

Side	Diameter	Projection from wall to pole centre	Fixing plate size
	Fø38mm (1 1/2") Bø30mm (1 3/16") Fø50mm (2") Bø30mm (1 3/16")	F200mm (8") B60mm (2 3/8") F200mm (8") B60mm (2 3/8")	w50mm (2") x H105mm (4 1/8") w50mm (2") x H105mm (4 1/8")

Mid	Passing	Diameter	Projection from wall to pole centre	Mid Fixing plate size	Passing Fixing plate size
		Fø38mm (1 1/2") Bø30mm (1 3/16") Fø50mm (2") Bø30mm (1 3/16")	F200mm (8") B60mm (2 3/8") F200mm (8") B60mm (2 3/8")	w105mm (4 1/8") x H50mm (2") w105mm (4 1/8") x H50mm (2")	w105mm (4 1/8") x H73mm (2 7/8") w105mm (4 1/8") x H73mm (2 7/8")

CUSTOM BRACKETS

Special projection brackets and specialist designs can be produced for awkward or unusual installations.



Custom Projection
Specify the exact projection needed.



Custom Fixing Plate
Relevant where space is restricted or weight is a concern.



Uplift
Helps negotiate cornice and similar architectural features.



Angled Brackets
The solution for tight and awkward locations.


LINED RINGS

Ring	Passing Ring	Diameter	Ring drop from top of pole to bottom of ringlet
		ø30mm (1 3/16")	51mm (2")
		ø38mm (1 1/2")	66mm (2 5/8")
		ø50mm (2")	80mm (3 1/8")

POLES

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to draw back to the edge of the window.

Maximum pole length in one piece 4.0m (157").
Poles exceeding the recommended maximum distance between brackets, will be cut into equal parts unless otherwise specified. Pole joiners will be supplied.



Diameter	Recommended maximum distance between brackets	Recommended curtain type for pole diameter	Minimum bend radius
ø30mm (1 3/16")	2100mm (83")	Medium weight, lined & interlined curtains	R255mm (10")
ø38mm (1 1/2")	2200mm (87")	Medium to heavy weight, lined & interlined curtains	R255mm (10")
ø50mm (2")	2400mm (96")	Heavy weight interlined curtains	R255mm (10")

ACCESSORIES

Ombres



Internal projection from wall: 150mm (7 1/8")
Fixing plate size: ø68mm (2 11/16")

Hold back



Internal measurement: 137mm (5 3/8")
Fixing plate size: ø44mm (1 3/4")

Tie Back Hook



Projection: 29mm (1 1/8")
Fixing plate size: w25mm (1") x h74mm (2 15/16")

Draw Rods®

Fine Standard



Draw rod length:
1000mm (39 3/8")
Custom lengths available to order