

CONTACT

www.bradleycollection.com



UK & REST OF THE WORLD

☎ +44 (0)1449 722 724

✉ info@bradleycollection.com

USA & CANADA

☎ +1 (310) 815 8255

✉ info.us@bradleycollection.com

LONDON SHOWROOM

☎ +44 (0)207 871 7793

✉ showroom@studiotwochelsea.com

THE BRADLEY COLLECTION



CEDIA
MEMBER

Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard. Steel items are not recommended for damp conditions such as shower rooms. Crystal finials should not be positioned in direct sunlight, and are not suitable for use in conservatories.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement. Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988. Bradley® and The Bradley Collection® are registered Community trademarks of The Bradley Collection Ltd. in Europe and registered trademarks of the Bradley Collection, Inc. in the USA. Gliderpole is a registered trademark of The Bradley Collection Ltd in the UK.

The Bradley Collection Ltd Lion Barn • Maitland Road • Needham Market • Suffolk • IP6 8NS • UK

The Bradley Collection Inc 10866 Washington Blvd #1275 • Culver City • CA 90232 • USA

Printed: 0226 • Copyright © The Bradley Collection Ltd. 2026

MANUAL

EDITION

25 | 27



GLIDERPOLE®

This sophisticated collection is the epitome of modern living. The design is sharp, streamlined and purposeful, whilst the choice of colour and finish ensures a truly individual result.


Streamlined, unmistakably individual

Pictured: Round Ø50mm (2") Gliderpole® - Hand Drawn • Flush Stud • Gold - Gloss
Interior design: Jarvis Rayes | @jarvisrayes_interiors | www.jarvisrayes.com
Photography: Jake Fitzjones | @jakefitzjonesphotography

GLIDERPOLE®

EASIER INSTALLATION

Locating grub screws into the top fixing plate is simplified by our precision T-bar guide. Supplied as a complimentary tool with every Gliderpole order, it accurately aligns the tapped hole with the grub screw. An invaluable aid to installation, particularly in situations with limited or obstructed visibility.



HAND DRAWN

The smooth running hand drawn option is available in five styles. All benefit from considered detailing, including concealed end stops.



CORDED

The innovative, embedded cording solution is available in three options. All options may be specified with a single or twin cord, positioned discreetly behind the curtain. A colour-matched cord retainer is supplied as standard to ensure child safety compliance.



ANY LENGTH

Gliderpole can be supplied to any length[©] allowing the curtains to travel freely across even the longest systems.



WAVE®

The ubiquitous Wave® heading is accommodated through all Gliderpole options.



BRACKET SUITE

Available in wall, ceiling and double designs for layering. Adjustable brackets support complex bay window installations, while heavy-duty designs are offered to accommodate larger curtain weights. Custom projections and designs can be supplied.



BENT TO SHAPE

Gliderpole is the optimal solution for bends and curves. Precision bending and smooth running gliding systems combine to provide superb functionality.





Pictured: Round Ø30mm (1 3/16") Gliderpole® - Hand Drawn · Edge · Raven - Satin

GLIDERPOLE®

EDGE

Gliderpole Edge is a modern, clean cut, return-to-wall concept with a more linear aesthetic.

The unique Edge bracket design gives a structured return to the wall for drapes and incorporates an adjustable return-to-wall hook eye.

Available in Ø30mm (1 3/16") hand drawn.




FINISHES

This stunning palette of colours and finishes is available on all Gliderpoles and components, with a choice of coat options throughout.

SHADES

A superb selection of opaque colours, all available in a choice of Matte, Satin or Gloss finish.




COAT OPTIONS



METALLICS

High metallic fleck coatings with most available in Satin and Gloss sheen levels.



ANODICS

A flat metal colour group, with an anodised style.



BRIGHTS

Gliderpole may be specified in bright aluminium finish, complemented by finials, brackets and components in a plated, Polished Nickel Finish.




Pictured:
 F Round Ø30mm (1 3/16") Gliderpole® - Hand Drawn Bright Aluminium • Flush End Cap • Polished Nickel
 R Round Ø23mm (1 1/16") Gliderpole® - Hand Drawn Bright Aluminium • Halo • Polished Nickel

POLE ONLY FINISH




COMPONENT ONLY FINISH



☹ A finishing charge will apply | ☹☹ Longer lead-times will apply
 ☹☹☹ Not available on Square or 50mm (2") poles

FINIALS



Clean & Understated

All finials are characterised by lightness, poise and simple lines.

Pictured left to right:

Round \varnothing 50mm (2") Gliderpole® - Hand Drawn • Flush End Cap • Raven - Matte
 Round \varnothing 23mm (5/8") Gliderpole® - Hand Drawn • Flush End Cap • Charcoal - Matte
 Round \varnothing 30mm (1 3/8") Gliderpole® - Hand Drawn • Flush End Cap • Flint - Matte
 Square H27mm (1 1/8") Gliderpole® - Hand Drawn • Flush End Cap • Lead - Matte
 Flat H36mm (1 7/8") Gliderpole® - Hand Drawn • Flush End Cap • Burnt Ash - Matte



Flush End Cap Supplied as standard

Square H27mm (1 1/8") Inclusive Length 3mm (1/8")
 Flat H36mm (1 7/8") Inclusive Length 3mm (1/8")
 Round \varnothing 23mm (5/8") Inclusive Length 3mm (1/8")
 Round \varnothing 30mm (1 3/8") Inclusive Length 3mm (1/8")
 Round \varnothing 50mm (2") Inclusive Length 3mm (1/8")



Flush Stud

Square H27mm (1 1/8") Inclusive Length 12mm (1/2")
 Flat H36mm (1 7/8") Inclusive Length 12mm (1/2")
 Round \varnothing 23mm (5/8") Inclusive Length 10mm (3/8")
 Round \varnothing 30mm (1 3/8") Inclusive Length 12mm (1/2")
 Round \varnothing 50mm (2") Inclusive Length 18mm (1 1/8")



Stud

Round \varnothing 23mm (5/8") Inclusive Length 10mm (3/8")
 Round \varnothing 30mm (1 3/8") Inclusive Length 12mm (1/2")
 Round \varnothing 50mm (2") Inclusive Length 18mm (1 1/8")



Disc

Round \varnothing 23mm (5/8") Inclusive Length 10mm (3/8")
 Round \varnothing 30mm (1 3/8") Inclusive Length 12mm (1/2")
 Round \varnothing 50mm (2") Inclusive Length 18mm (1 1/8")



Squat Disc

Round \varnothing 30mm (1 3/8") Inclusive Length 32mm (1 1/4")
 Round \varnothing 50mm (2") Inclusive Length 58mm (2 5/8")



Faceted Disc

Round \varnothing 30mm (1 3/8") Inclusive Length 37mm (1 1/2")
 Round \varnothing 50mm (2") Inclusive Length 69mm (2 11/8")



Pebble

Round \varnothing 30mm (1 3/8") Inclusive Length 42mm (1 5/8")
 Round \varnothing 50mm (2") Inclusive Length 68mm (2 11/8")



Ball

Round \varnothing 30mm (1 3/8") Inclusive Length 66mm (2 5/8")
 Round \varnothing 50mm (2") Inclusive Length 112mm (4 7/8")

FINIALS

Glamorous & Flamboyant

Classical design cues have been re-interpreted to suit modern style sensitivity.



Pictured left to right:
 Round \varnothing 50mm (2") Gliderpole® - Hand Drawn | Ribbed Globe • Bronze - Satin
 Discus • Antique Brass - Satin | Flute • Champagne - Satin | Templar • Platinum - Satin



Halo

\varnothing 30mm (1 $\frac{3}{16}$ " Inclusive Length 5mm ($\frac{3}{16}$ "
 \varnothing 50mm (2") Inclusive Length 2mm ($\frac{1}{16}$ "



Aura

\varnothing 30mm (1 $\frac{3}{16}$ " Inclusive Length 5mm ($\frac{3}{16}$ "
 \varnothing 50mm (2") Inclusive Length 2mm ($\frac{1}{16}$ "



Orbit

\varnothing 30mm (1 $\frac{3}{16}$ " Inclusive Length 36mm (1 $\frac{3}{8}$ "
 \varnothing 50mm (2") Inclusive Length 52mm (2 $\frac{1}{8}$ "



Discus

\varnothing 30mm (1 $\frac{3}{16}$ " Inclusive Length 39mm (1 $\frac{1}{2}$ "
 \varnothing 50mm (2") Inclusive Length 58mm (2 $\frac{5}{8}$ "



Jewel

\varnothing 30mm (1 $\frac{3}{16}$ " Inclusive Length 37mm (1 $\frac{1}{2}$ "
 \varnothing 50mm (2") Inclusive Length 55mm (2 $\frac{1}{8}$ "



Flute

\varnothing 30mm (1 $\frac{3}{16}$ " Inclusive Length 73mm (2 $\frac{7}{8}$ "
 \varnothing 50mm (2") Inclusive Length 114mm (4 $\frac{1}{2}$ "



Squat Globe

\varnothing 30mm (1 $\frac{3}{16}$ " Inclusive Length 53mm (2 $\frac{1}{8}$ "
 \varnothing 50mm (2") Inclusive Length 81mm (3 $\frac{1}{8}$ "



Globe

\varnothing 30mm (1 $\frac{3}{16}$ " Inclusive Length 73mm (2 $\frac{7}{8}$ "
 \varnothing 50mm (2") Inclusive Length 114mm (4 $\frac{1}{2}$ "



Ribbed Globe

\varnothing 30mm (1 $\frac{3}{16}$ " Inclusive Length 73mm (2 $\frac{7}{8}$ "
 \varnothing 50mm (2") Inclusive Length 114mm (4 $\frac{1}{2}$ "



Charm

\varnothing 30mm (1 $\frac{3}{16}$ " Inclusive Length 69mm (2 $\frac{11}{16}$ "
 \varnothing 50mm (2") Inclusive Length 117mm (4 $\frac{5}{8}$ "



Templar

\varnothing 30mm (1 $\frac{3}{16}$ " Inclusive Length 79mm (3 $\frac{1}{8}$ "
 \varnothing 50mm (2") Inclusive Length 119mm (4 $\frac{11}{16}$ "



Crystal Templar*

\varnothing 50mm (2") Inclusive Length 119mm (4 $\frac{11}{16}$ "

*: Crystal Finials should not be positioned in direct sunlight
 For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

BRACKET OPTIONS

SINGLE *For straight forward applications.*

Side	Mid	Diameter	Projection from wall to pole centre	Side Fixing plate size	Mid Fixing plate size
		Square H27mm (1 1/16")	60mm (2 3/8") • 100mm (4")	w32mm (1 1/4") x h70mm (2 3/4")	w32mm (1 1/4") x h38mm (1 1/2")
		Flat H36mm (1 7/16")	60mm (2 3/8") • 100mm (4")	w32mm (1 1/4") x h70mm (2 3/4")	w32mm (1 1/4") x h38mm (1 1/2")
		Round ø23mm (1 5/16")	60mm (2 3/8") • 100mm (4")	w32mm (1 1/4") x h70mm (2 3/4")	w32mm (1 1/4") x h38mm (1 1/2")
		Round ø30mm (1 3/16")	60mm (2 3/8") • 100mm (4")	w32mm (1 1/4") x h70mm (2 3/4")	w32mm (1 1/4") x h38mm (1 1/2")
		Round ø50mm (2")	60mm (2 3/8") • 100mm (4")	w32mm (1 1/4") x h70mm (2 3/4")	w32mm (1 1/4") x h38mm (1 1/2")

Flush Ceiling Light Duty	Diameter	Drop from ceiling to top of pole	Fixing plate size
	Square H27mm (1 1/16")	3mm (1/8")	w20mm (1 3/16") x L50mm (2")
	Flat H36mm (1 7/16")	3mm (1/8")	w20mm (1 3/16") x L50mm (2")
	Round ø23mm (1 5/16")	3mm (1/8")	w20mm (1 3/16") x L50mm (2")
	Round ø30mm (1 3/16")	3mm (1/8")	w20mm (1 3/16") x L50mm (2")

SINGLE - HEAVY DUTY *For heavier fabrics, where additional support is required.*

Side Heavy Duty	Mid Heavy Duty	Diameter	Projection from wall to pole centre	Side Fixing plate size	Mid Fixing plate size
		Square H27mm (1 1/16")	100mm (4") • 140mm (5 1/2")	w47mm (1 7/8") x h76mm (3")	w47mm (1 7/8") x h36mm (1 7/16")
		Flat H36mm (1 7/16")	100mm (4") • 140mm (5 1/2")	w47mm (1 7/8") x h76mm (3")	w47mm (1 7/8") x h36mm (1 7/16")
		Round ø23mm (1 5/16")	100mm (4") • 140mm (5 1/2")	w47mm (1 7/8") x h76mm (3")	w47mm (1 7/8") x h36mm (1 7/16")
		Round ø30mm (1 3/16")	100mm (4") • 140mm (5 1/2")	w47mm (1 7/8") x h76mm (3")	w47mm (1 7/8") x h36mm (1 7/16")
		Round ø50mm (2")	100mm (4") • 140mm (5 1/2")	w47mm (1 7/8") x h76mm (3")	w47mm (1 7/8") x h36mm (1 7/16")

Flush Ceiling Heavy Duty	Diameter	Drop from ceiling to top of pole	Fixing plate size
	Square H27mm (1 1/16")	3mm (1/8")	w40mm (1 9/16") x L59mm (2 3/16")
	Flat H36mm (1 7/16")	3mm (1/8")	w40mm (1 9/16") x L59mm (2 3/16")
	Round ø23mm (1 5/16")	3mm (1/8")	w40mm (1 9/16") x L59mm (2 3/16")
	Round ø30mm (1 3/16")	3mm (1/8")	w40mm (1 9/16") x L59mm (2 3/16")
	Round ø50mm (2")	3mm (1/8")	w40mm (1 9/16") x L59mm (2 3/16")

RECESS *Designed for rebates.*

Recess <i>With hook stop</i>	Diameter	Depth off wall	Fixing plate size
	Square H27mm (1 1/16")	14mm (9/16")	w42mm (1 11/16") x h27mm (1 1/16")
	Flat H36mm (1 7/16")	14mm (9/16")	w31mm (1 1/4") x h36mm (1 7/16")
	Round ø23mm (1 5/16")	14mm (9/16")	w33mm (1 5/16") x h24mm (1 5/16")
	Round ø30mm (1 3/16")	14mm (9/16")	w40mm (1 9/16") x h31mm (1 1/4")
	Round ø50mm (2")	14mm (9/16")	w64mm (2 1/2") x h51mm (2")

EDGE *A modern interpretation of French returns.*

End	Diameter	Projection from wall to pole centre	Fixing plate size
	Round ø30mm (1 3/16")	100mm (4")	w32mm (1 1/4") x h70mm (2 3/4")

ADJUSTABLE *Designed to give flexibility during installation.*

Side	Mid	Diameter	Projection from wall to pole centre	Side Fixing plate size	Mid Fixing plate size
		Square H27mm (1 1/16")	Min.80mm (3 1/8") Max.130mm (5 1/8")	w47mm (1 7/8") x h76mm (3")	w47mm (1 7/8") x h36mm (1 7/16")
		Flat H36mm (1 7/16")	Min.80mm (3 1/8") Max.130mm (5 1/8")	w47mm (1 7/8") x h76mm (3")	w47mm (1 7/8") x h36mm (1 7/16")
		Round ø23mm (1 5/16")	Min.80mm (3 1/8") Max.130mm (5 1/8")	w47mm (1 7/8") x h76mm (3")	w47mm (1 7/8") x h36mm (1 7/16")
		Round ø30mm (1 3/16")	Min.80mm (3 1/8") Max.130mm (5 1/8")	w47mm (1 7/8") x h76mm (3")	w47mm (1 7/8") x h36mm (1 7/16")
		Round ø50mm (2")	Min.80mm (3 1/8") Max.130mm (5 1/8")	w47mm (1 7/8") x h76mm (3")	w47mm (1 7/8") x h36mm (1 7/16")

DOUBLE *Designed for layered shading.*


Side	Mid	Diameter	Projection from wall to pole centre	Side Fixing plate size	Mid Fixing plate size
		Square H27mm (1 1/16")	F140mm (5 1/2") B 40-60mm (1 1/16-2 3/16")	w47mm (1 7/8") x h76mm (3")	w47mm (1 7/8") x h36mm (1 7/16")
		Flat H36mm (1 7/16")	F140mm (5 1/2") B 40-60mm (1 1/16-2 3/16")	w47mm (1 7/8") x h76mm (3")	w47mm (1 7/8") x h36mm (1 7/16")
		Round ø23mm (1 5/16")	F140mm (5 1/2") B 40-60mm (1 1/16-2 3/16")	w47mm (1 7/8") x h76mm (3")	w47mm (1 7/8") x h36mm (1 7/16")
		Round ø30mm (1 3/16")	F140mm (5 1/2") B 40-60mm (1 1/16-2 3/16")	w47mm (1 7/8") x h76mm (3")	w47mm (1 7/8") x h36mm (1 7/16")
		Round ø50mm (2")	F140mm (5 1/2") B 40-60mm (1 1/16-2 3/16")	w47mm (1 7/8") x h76mm (3")	w47mm (1 7/8") x h36mm (1 7/16")

CUSTOM BRACKETS *Designed to suit any window.*

<p>Custom Projection</p> <p><i>Specify the exact projection needed.</i></p>	<p>Custom Fixing Plate</p> <p><i>Relevant where space is restricted or weight is a concern.</i></p>	<p>Uplift</p> <p><i>Helps negotiate cornice & similar architectural features.</i></p>	<p>Ceiling Brackets</p> <p><i>Specify exact drop required from ceiling.</i></p>	<p>Angled Brackets</p> <p><i>The solution for tight and awkward locations.</i></p>
--	--	--	--	---

Handed Item - Left and Right version available
 Custom Brackets shown are for illustration purposes. Brackets are designed on a project basis to specific requirements.

GLIDING OPTIONS



Ⓢ Glider/Roller drop from bottom of profile to bottom of eyelet

POLES

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to stack back to the edge of the window.

Poles exceeding the maximum length will be cut into equal parts unless otherwise specified. A pole joiner will be supplied.

Twin cord systems are always supplied in an even number of parts & will be supplied in a minimum of two sections.

Control Type	Size	Maximum distance between brackets	Maximum length in one piece	Standard Bend radius
Hand Drawn	Square H27mm (1 1/8")	1000mm (39")	4000mm (157")Ⓢ	R300mm (12")
	Flat H36mm (1 3/8")	1000mm (39")	4000mm (157")Ⓢ	R200mm (8")
	Round ø23mm (1 5/16")	1000mm (39")	4000mm (157")Ⓢ	R150mm (6")
	Round ø30mm (1 3/8")	1000mm (39")	4000mm (157")Ⓢ	R250mm (10")
	Round ø50mm (2")	1000mm (39")	4000mm (157")Ⓢ	R600mm (24")
Corded	Square H27mm (1 1/8")	1000mm (39")	4000mm (157")Ⓢ	R300mm (12")
	Round ø30mm (1 3/8")	1000mm (39")	4000mm (157")Ⓢ	R300mm (12")
	Round ø50mm (2")	1000mm (39")	4000mm (157")Ⓢ	R670mm (26")

Ⓢ Supplied in sections - Section lengths over 3.0m (118") will incur a handling charge Ⓢ Supplied as standard on systems over 3.0m (118") with single stack curtains For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

ACCESSORIES




Draw rod length:
1000mm (39 3/8")
Custom lengths available to order

Cord Retainer

All corded tracks are supplied as standard with a regional compliant retainer. This ensures that all cords are safely secured to the wall for child safety.

This will be supplied in the same finish as the system, unless advised otherwise.



UK & European Retainer
BS EN 13120:2009+A12014 Compliant

North America Retainer
2022 ANSI/WCMA Compliant

Fixing plate size:
ø46mm (1 3/8")

Fixing plate size:
w30mm (1 1/8") x L76mm (3")

Cord Colour

Cord systems come as standard with white cord. A black option is available on request.





GLIDE

This collection sets a benchmark in drapery hardware. Hidden brackets, seamless joins, and perfectly matched pole and glider colours create a unified elevated aesthetic.

Pure Refinement, Perfectly concealed

Pictured: Round \varnothing 38mm (1½") Pole • Seamless • Charcoal - Matte

GLIDE


SEAMLESS END

Precision engineering achieves an uninterrupted, seamless end.




QUIET RUNNING

Within the channel, a low-friction coating works alongside improved roller and metal-coated roller designs to ensure quieter performance.



METALCOAT DETAILS

Glide includes optional Metalcoat gliding components, for an exact colour match to the pole.



RIPPLEFOLD OR SINE

Modern sinuous heading styles can be created, using both hook and tape or snap tape components.




CONCEALED BRACKETS

The bracket architecture is shared with Float and Drive, and keeps the front face of the pole clear of visible parts.



PRECISE JOINING

Innovative jointing ensures seamless, precision alignment between pole sections.



FLUSH CEILING

The rear fixing brackets allow for true flush ceiling installation.



BENT TO SHAPE

Glide profile can be accurately bent and curved to shape, with optional adjustable brackets, delivering installation flexibility.




FINISHES

Glide offers a striking palette of finishes, with a refined range of coat options to suit every scheme.


SHADES

A superb selection of opaque colours, all available in a choice of Matte, Satin or Gloss finish.



ORGANICS

A textured finish, inspired by nature.




COAT OPTIONS



METALLICS

High metallic fleck coatings. Available in Satin and Gloss sheen levels.



ANODICS

A flat metal colour group, with an anodised style.



Pictured left to right: ø30mm (1 3/16") Pole | Oblique • Sunrise | Spheric • Glow Orbic • Storm | Ellipse • Sunset

GLIDE




Pictured: ø38mm (1½") Pole • Drum • Metalcoat Gliders • Electrum

CERAMICS

CERAKOTE®

Finished with ceramic Cerakote for industry leading protection and a flawless finish that endures daily life.



CHROMATICS


Brushed and etched aluminium, elevated with modern tints. Understated luxury with an architectural edge.

Sealed in a clear, ceramic coating for lasting durability.



CERAKOTE


Picture: ø38mm (1½") Pole • Planar • Metal Coat Gliders • Etched Brass



Burnished Aluminum ⊕

Matte Aluminum ⊕

Satin Aluminum ⊕



Etched Graphite ⊕

Etched Black ⊕

Soft Black ⊕



Burnished Brass ⊕

Soft Brass ⊕

Etched Brass ⊕



Burnished Bronze ⊕

Soft Bronze ⊕

Etched Bronze ⊕

GLIDE



Pictured: ø30mm (1 3/16") Pole • Seamless • Metalcoat Gliders • Antique Brass - Satin

FINIALS

Glide's continuous ends express a seamless, contemporary aesthetic. The Seamless end cap is supplied as standard, creating pure, minimalist lines.

For added refinement, understated geometric finials introduce a hint of decorative detail.



Seamless® *Supplied as standard*

ø30mm (1 3/16") Inclusive Length 5mm (3/16")
ø38mm (1 1/2") Inclusive Length 5mm (3/16")



Orbic®

ø30mm (1 3/16") Inclusive Length 13mm (1/2")
ø38mm (1 1/2") Inclusive Length 15mm (9/16")



Orbic Grand

ø30mm (1 3/16") Inclusive Length 13mm (1/2")
ø38mm (1 1/2") Inclusive Length 15mm (9/16")



Drum

ø30mm (1 3/16") Inclusive Length 21mm (13/16")
ø38mm (1 1/2") Inclusive Length 23mm (7/8")



Tulip

ø30mm (1 3/16") Inclusive Length 35mm (1 3/8")
ø38mm (1 1/2") Inclusive Length 43mm (1 7/16")



Oblique

ø30mm (1 3/16") Inclusive Length 21mm (13/16")
ø38mm (1 1/2") Inclusive Length 23mm (7/8")



Planar

ø30mm (1 3/16") Inclusive Length 25mm (1")
ø38mm (1 1/2") Inclusive Length 29mm (1 1/8")



Ellipse

ø30mm (1 3/16") Inclusive Length 29mm (1 1/8")
ø38mm (1 1/2") Inclusive Length 33mm (1 3/16")



Spheric

ø30mm (1 3/16") Inclusive Length 53mm (2 1/16")
ø38mm (1 1/2") Inclusive Length 65mm (2 5/16")

© Please note that if this option is selected finials cannot be added at a later date. | Removable version available on request, Pole is supplied without seamless option or access ports. For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

BRACKET OPTIONS

SINGLE *For straightforward applications.*

Side	Diameter ø30mm (1 3/16") ø38mm (1 1/2")	Projection from wall to pole centre 60mm (2 3/8") • 100mm (4") 100mm (4")	Fixing plate size w30mm (1 3/16") x h70mm (2 3/4") w38mm (1 1/2") x h89mm (3 1/2")
Mid	Diameter ø30mm (1 3/16") ø38mm (1 1/2")	Projection from wall to pole centre 60mm (2 3/8") • 100mm (4") 100mm (4")	Fixing plate size w70mm (2 3/4") x h30mm (1 3/16") w89mm (3 1/2") x h38mm (1 1/2")
Flush Ceiling	Diameter ø30mm (1 3/16") ø38mm (1 1/2")	Drop from ceiling to top of pole 7mm (1/4") 7mm (1/4")	Fixing plate size w70mm (2 3/4") x h30mm (1 3/16") w70mm (2 3/4") x h30mm (1 3/16")

RECESS *Designed for rebates.*

Recess <i>With hook stop</i>	Diameter ø30mm (1 3/16") ø38mm (1 1/2")	Depth off wall 10mm (3/8") 10mm (3/8")	Fixing plate size ø38mm (1 1/2") ø48mm (1 7/16")
-------------------------------------	--	---	---

ADJUSTABLE *Designed to give flexibility during installation.*

Side	Diameter ø30mm (1 3/16") ø38mm (1 1/2")	Projection from wall to pole centre Min.90mm (3 5/16") Max.110mm (4 3/16") Min.90mm (3 5/16") Max.110mm (4 3/16")	Fixing plate size w38mm (1 1/2") x h70mm (2 3/4") w46mm (1 13/16") x h89mm (3 1/2")
Mid	Diameter ø30mm (1 3/16") ø38mm (1 1/2")	Projection from wall to pole centre Min.90mm (3 5/16") Max.110mm (4 3/16") Min.90mm (3 5/16") Max.110mm (4 3/16")	Fixing plate size w70mm (2 3/4") x h30mm (1 3/16") w89mm (3 1/2") x h38mm (1 1/2")

DOUBLE *Designed for layered shading.*

Side	Diameter Fø30mm (1 3/16") Bø30mm (1 3/16") Fø38mm (1 1/2") Bø30mm (1 3/16") Fø38mm (1 1/2") Bø38mm (1 1/2")	Projection from wall to pole centre F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8")	Fixing plate size w57mm (2 1/4") x h114mm (4 1/2") w57mm (2 1/4") x h114mm (4 1/2") w57mm (2 1/4") x h114mm (4 1/2")
Mid	Diameter Fø30mm (1 3/16") Bø30mm (1 3/16") Fø38mm (1 1/2") Bø30mm (1 3/16") Fø38mm (1 1/2") Bø38mm (1 1/2")	Projection from wall to pole centre F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8")	Fixing plate size w114mm (4 1/2") x h57mm (2 1/4") w114mm (4 1/2") x h57mm (2 1/4") w114mm (4 1/2") x h57mm (2 1/4")
Flush Partition	Diameter Fø30mm (1 3/16") Bø30mm (1 3/16") Fø38mm (1 1/2") Bø38mm (1 1/2")	Drop from ceiling to top of pole 7mm (1/4") 7mm (1/4")	Fixing plate size w89mm (3 1/2") x h38mm (1 1/2") w89mm (3 1/2") x h38mm (1 1/2")

CUSTOM BRACKETS *Designed to suit any window.*

Custom Projection	Custom Fixing Plate	Uplift	Ceiling Brackets	Angled Brackets
				
<i>Specify the exact projection needed.</i>	<i>Relevant where space is restricted or weight is a concern.</i>	<i>Helps negotiate cornice & similar architectural features.</i>	<i>Specify exact drop required from ceiling.</i>	<i>The solution for tight and awkward locations.</i>

GLIDING OPTIONS



For standard headings.


DropⓄ: 15mm (5/8")
Colour Options: Gypsum • Anthracite

For standard headings.

DropⓄ: 15mm (5/8")
Colour Options: Gypsum • Anthracite

For standard headings.

DropⓄ: 15mm (5/8")
Colour Options: System ColourⓄ



For use with wave-style tape.

DropⓄ: 15mm (5/8")
Sine Pitch: 80mm (3 1/8")
Colour Options: Gypsum • Anthracite

For use with wave-style tape.

DropⓄ: 15mm (5/8")
Sine Pitch: 60mm (2 3/8") • 80mm (3 1/8")
Colour Options: Gypsum • Anthracite

For use with wave-style tape.

DropⓄ: 15mm (5/8")
Sine Pitch: 60mm (2 3/8") • 80mm (3 1/8")
Colour Options: System ColourⓄ

For use with snap tape.

DropⓄ: 18mm (1 1/8")
Ripplefold® Fullness: 80% • 100%
Colour Options: System ColourⓄ

Ⓞ Glider/Roller drop from bottom of profile to bottom of eyelet • Ripplefold drop from bottom of profile to centre of eyelet.
Ⓞ Metalcoat Gliders, supplied in satin finish on Matte & Gloss finished systems

POLES

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to stack back to the edge of the window.

Poles exceeding the maximum length will be cut into equal parts unless otherwise specified. A pole joiner will be supplied.



Size	Maximum distance between brackets	Maximum length in one piece	Standard Bend radius
ø30mm (1 1/8")	1000mm (39")	4000mm (157")Ⓞ	ø250mm (10")
ø38mm (1 1/2")	1000mm (39")	4000mm (157")Ⓞ	ø400mm (16")


Ⓞ Supplied in sections - Section lengths over 3.0m (118") will incur a handling charge
For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

ACCESSORIES

Draw Rods
Seamless



Draw rod length:
1000mm (39 3/8")
Custom lengths available to order



Pictured: Round ø38mm (1 1/2") Pole • Seamless • Raven - Satin

GLIDE



FLOAT

A modern take of the classic pole and ring, uniting perfect passing functionality with contemporary style.

Rings pass smoothly over discreet brackets and integrated ends create a seamless, refined look


Modern design. Flawless ring movement

Pictured: ø38mm (1½") Pole • Seamless • Charcoal - Satin

FLOAT

FLOATING RING

Coated rings work in tandem with a refined gliding system, producing smooth operation and a consistent, uniform appearance when curtains are drawn.




SMOOTH RUNNING

The unique Float ring features a polymer roller, ensuring smooth operation across joins and longer spans.



PERFECTED PASSING

Rings secured into the pole profile glide smoothly over brackets, perfect for long spans and the most challenging bays.




MODERN HEADINGS

Modern sinuous heading styles can be created with rings, using both hook and tape components.




DISCREET BRACKETS

The bracket architecture keeps the front face of the pole clear of visible parts




PRECISE JOINING

Innovative jointing ensures seamless, precision alignment between pole sections




CEILING SKIMMING RINGS

Innovative ceiling brackets allow rings to glide nearly flush and a partition bracket adds versatility for a room divide.



BENT TO SHAPE

Float profile can be accurately bent and curved to shape, with optional adjustable brackets, delivering installation flexibility.




FINISHES

Float presents a striking palette of finishes, complemented by refined coating options to suit any interior scheme

SHADES

A superb selection of opaque colours, all available in a choice of Matte, Satin or Gloss finish.




COAT OPTIONS



METALLICS

High metallic fleck coatings. Available in Satin and Gloss sheen levels.



ANODICS

A flat metal colour group, with an anodised style.



Pictured left to right:
 ø30mm (1 3/16") Pole • Tulip • Champagne - Satin
 ø30mm (1 3/16") Pole • Orbic Grand • Platinum - Satin
 ø30mm (1 3/16") Pole • Ellipse • Antique Brass - Satin
 ø38mm (1 1/2") Pole • Oblique • Gold - Satin
 ø38mm (1 1/2") Pole • Drum • Bronze - Satin

FINIALS

Float's integrated ends embody modern minimalism. Standard seamless end caps deliver a clean finish, with optional geometric finials for added decorative detail.



Seamless® *Supplied as standard*

ø30mm (1 3/16") Inclusive Length 5mm (3/16")
ø38mm (1 1/2") Inclusive Length 5mm (3/16")



Orbic®

ø30mm (1 3/16") Inclusive Length 13mm (1/2")
ø38mm (1 1/2") Inclusive Length 15mm (9/16")



Orbic Grand

ø30mm (1 3/16") Inclusive Length 13mm (1/2")
ø38mm (1 1/2") Inclusive Length 15mm (9/16")



Drum

ø30mm (1 3/16") Inclusive Length 21mm (13/16")
ø38mm (1 1/2") Inclusive Length 23mm (7/8")



Tulip

ø30mm (1 3/16") Inclusive Length 35mm (1 3/8")
ø38mm (1 1/2") Inclusive Length 43mm (1 11/16")



Oblique

ø30mm (1 3/16") Inclusive Length 21mm (13/16")
ø38mm (1 1/2") Inclusive Length 23mm (7/8")



Planar

ø30mm (1 3/16") Inclusive Length 25mm (1")
ø38mm (1 1/2") Inclusive Length 29mm (1 1/8")



Ellipse

ø30mm (1 3/16") Inclusive Length 29mm (1 1/8")
ø38mm (1 1/2") Inclusive Length 33mm (1 3/16")



Spheric

ø30mm (1 3/16") Inclusive Length 53mm (2 1/16")
ø38mm (1 1/2") Inclusive Length 65mm (2 5/16")




© Please note that if this option is selected finials cannot be added at a later date. | Removable version available on request, Pole is supplied without seamless option or access ports. For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/



Pictured top to bottom:
ø30mm (1 3/16") Pole | Orbic • Bone - Matte | Seamless • Parchment - Matte
Oblique • Oatmeal - Matte | Planar • Flint - Matte | Spheric • Raven - Matte

BRACKET OPTIONS



SINGLE *For straightforward applications.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size
	ø30mm (1 3/16") ø38mm (1 1/2")	60mm (2 3/8") • 100mm (4") 100mm (4")	w30mm (1 3/16") x h70mm (2 3/4") w38mm (1 1/2") x h89mm (3 1/2")
Mid	Diameter	Projection from wall to pole centre	Fixing plate size
	ø30mm (1 3/16") ø38mm (1 1/2")	60mm (2 3/8") • 100mm (4") 100mm (4")	w70mm (2 3/4") x h30mm (1 3/16") w89mm (3 1/2") x h38mm (1 1/2")
Ceiling	Diameter	Drop from ceiling to top of pole	Fixing plate size
	ø30mm (1 3/16") ø38mm (1 1/2")	7mm (1/4") 7mm (1/4")	w70mm (2 3/4") x h30mm (1 3/16") w70mm (2 3/4") x h30mm (1 3/16")




RECESS *Designed for rebates.*

Recess <i>With hook stop</i>	Diameter	Depth off wall	Fixing plate size
	ø30mm (1 3/16") ø38mm (1 1/2")	10mm (3/8") 10mm (3/8")	ø38mm (1 1/2") ø48mm (1 7/16")






ADJUSTABLE *Designed to give flexibility during installation.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size
	ø30mm (1 3/16") ø38mm (1 1/2")	Min.90mm (3 9/16") Max.110mm (4 3/8") Min.90mm (3 9/16") Max.110mm (4 3/8")	w38mm (1 1/2") x h70mm (2 3/4") w46mm (1 13/16") x h89mm (3 1/2")
Mid	Diameter	Projection from wall to pole centre	Fixing plate size
	ø30mm (1 3/16") ø38mm (1 1/2")	Min.90mm (3 9/16") Max.110mm (4 3/8") Min.90mm (3 9/16") Max.110mm (4 3/8")	w70mm (2 3/4") x h30mm (1 3/16") w89mm (3 1/2") x h38mm (1 1/2")

DOUBLE *Designed for layered shading.*


Side	Diameter	Projection from wall to pole centre	Fixing plate size
	Fø30mm (1 3/16") Bø30mm (1 3/16") Fø38mm (1 1/2") Bø30mm (1 3/16") Fø38mm (1 1/2") Bø38mm (1 1/2")	F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8")	w57mm (2 1/4") x h114mm (4 1/2") w57mm (2 1/4") x h114mm (4 1/2") w57mm (2 1/4") x h114mm (4 1/2")
Mid	Diameter	Projection from wall to pole centre	Fixing plate size
	Fø30mm (1 3/16") Bø30mm (1 3/16") Fø38mm (1 1/2") Bø30mm (1 3/16") Fø38mm (1 1/2") Bø38mm (1 1/2")	F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8")	w114mm (4 1/2") x h57mm (2 1/4") w114mm (4 1/2") x h57mm (2 1/4") w114mm (4 1/2") x h57mm (2 1/4")
Partition	Diameter	Drop from ceiling to top of pole	Fixing plate size
	Fø30mm (1 3/16") Bø30mm (1 3/16") Fø38mm (1 1/2") Bø38mm (1 1/2")	7mm (1/4") 7mm (1/4")	w89mm (3 1/2") x h38mm (1 1/2") w89mm (3 1/2") x h38mm (1 1/2")

CUSTOM BRACKETS *Designed to suit any window.*

Custom Projection	Custom Fixing Plate	Uplift	Ceiling Brackets	Angled Brackets
				
<i>Specify the exact projection needed.</i>	<i>Relevant where space is restricted or weight is a concern.</i>	<i>Helps negotiate cornice & similar architectural features.</i>	<i>Specify exact drop required from ceiling.</i>	<i>The solution for tight and awkward locations.</i>


RINGS

Float rings are engineered with acetal rollers and liners for smooth operation and a consistent upright position. By design, they pass brackets flawlessly.



Gypsum Roller & Liner

Anthracite Roller & Liner



For standard headings.

∅30mm (1¹/₈") Ring drop∅: 49mm (1⁵/₈")
∅38mm (1¹/₂") Ring drop∅: 62mm (2¹/₈")

For use with wave-style tape.

∅30mm (1¹/₈") Ring drop∅: 49mm (1⁵/₈")
∅38mm (1¹/₂") Ring drop∅: 62mm (2¹/₈")
Sine Pitch: 80mm (3¹/₈")

⊕ Ring drop from top of pole to bottom of ringlet
For finish colour coordination see the specification guide www.bradleycollection.com/specification-guides/

POLES

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to stack back to the edge of the window.

Poles exceeding the maximum length will be cut into equal parts unless otherwise specified. A pole joiner will be supplied.



Size	Maximum distance between brackets	Maximum length in one piece	Standard Bend radius
∅30mm (1 ³ / ₈ ")	1000mm (39")	4000mm (157") ⊕	R250mm (10")
∅38mm (1 ¹ / ₂ ")	1000mm (39")	4000mm (157") ⊕	R400mm (16")

ACCESSORIES

Ombres

Small



Internal projection from wall: 150mm (5⁷/₈")
Fixing plate size: ∅19mm (3/4")

Grand



Internal projection from wall: 150mm (5⁷/₈")
Fixing plate size: ∅25mm (1")



Draw Rod

Seamless



Draw rod length:
1000mm (39³/₈")
Custom lengths available to order



MIO

Mio embodies modern sophistication, where laser-cut precision meets refined design.

Choose the cool, durable elegance of brushed stainless or the subtle warmth of contemporary finishes.

Mio. Sharp form. Pure intent

Pictured: ø25mm (1") French • Flint - Satin

Drapery design: Jim Davis Designs • USA | @ jimdavisdesigns • www.jimdavisdesigns.com

Interior design: Anna King | @ annakingandco • www.annakingandco.com

MIO

STAINLESS

All Mio designs are available in stainless steel. This corrosion resistant material makes the collection ideal for wet rooms and oceanfront properties.



ANY LENGTH

Poles can be cut to any length. On longer systems, the use of passing brackets & rings will allow uninterrupted travel of the drapes along the full length of the system.



ADJUSTABLE

No more compromises. Our adjustable brackets let you customise the projection, ensuring smooth curtain movement. Strong, stylish and simple to install.




SCALE

With five pole diameters to choose from, Mio provides versatility in scale - from the refined simplicity of café rods to the dramatic presence of bold statement designs.



BRACKET SUITE

Bracket options include wall, ceiling and double designs. Each is fitted with a magnetic cover plate to hide fixings, with custom projections and configurations available upon request.



BENT TO SHAPE

A bespoke bay bending and curving service is available on all diameters, to allow the perfect shaped pole for any window.



Pictured left to right:
ø30mm (1 1/4") • Faceted Disc • Burnt Ash - Matt
50mm (2") • Ball • Grey Moss - Matte
ø25mm (1") Large Disc • Charcoal - Matte
19mm (3/4") • Stud • Stone - Matte
ø38mm (1 1/2") • Pebble • Moss - Matte

MIO



Picture: ø25mm (1") French • Flint - Satin
Draper design: Jim Davis Designs • USA | @ jimdavisdesigns • www.jimdavisdesigns.com
Interior design: Anna King | @ annakingandco • www.annakingandco.com

MIO

The Mio French pole combines traditional elegance with modern engineering: sharp lines, lined rings for smooth running and cleverly concealed fixings.

SINGLE FRENCH

A simple and elegant treatment, especially suited to taller, narrower windows.



DOUBLE FRENCH

A smart design, improving installation and offering the benefits of the French look with the added privacy of a second layer of drapes.



MIO

CAFÉ RODS

Designed for privacy without sacrificing design, our café rods are ideal for windows that deserve a softer touch. Perfect for kitchens, bathrooms, or street-facing rooms, they support stylish lower-panel curtains that shield your space while keeping it bright and open.



Pictured: ø12.5mm (1/2") Café Rod • Brushed Stainless Steel





STAINLESS FINISHES

The intrinsic corrosion resistance of stainless steel makes it an ideal choice for oceanfront properties and for kitchens, bathrooms and wet rooms.

The iconic Brushed Stainless finish gives an industrial aesthetic, while stainless steel can also be coated on request for a softer look on this durable material.

Picture: ø50mm (2") Pole - Stud - Brushed Stainless
Interior design: Bayon Design Studio Inc - California - USA

Due to printing limitations colours in this brochure may not be accurate. Samples are available on request - www.bradleycollection.com/samples/



Brushed Stainless ©

© Not available with French poles options


FINISHES

Mio has an unparalleled selection of subtle colour coats, which can be specified in matte, satin or gloss finishes.

For more glamorous projects, metallic coats are featured in both satin and gloss.

SHADES

A superb selection of opaque colours, all available in a choice of Matte, Satin or Gloss finish.




COAT OPTIONS



METALLICS

High metallic fleck coatings with most available in Satin and Gloss sheen levels.



ANODICS

A flat metal colour group, with an anodised style.



BRIGHTS

Polished plated finishes provide a traditional sense of luxury.



FINIALS

Simplicity of design and purity of form.



Pictured left to right:
 ø25mm (1") | Flush Stud • Dove - Matte | Crystal Ball • Platinum - Satin
 Large Disc • Oatmeal - Satin | Squat Disc • Cocoa - Gloss | Faceted Disc • Bronzed - Gloss



Flush Stud

- ø19mm (¾") Inclusive Length 6mm (¼")
- ø25mm (1") Inclusive Length 6mm (¼")
- ø38mm (1½") Inclusive Length 8mm (⅓")
- ø50mm (2") Inclusive Length 8mm (⅓")



Stud

- ø12.5mm (½") Inclusive Length 2mm (⅛")
- ø19mm (¾") Inclusive Length 2mm (⅛")
- ø25mm (1") Inclusive Length 3mm (⅛")
- ø38mm (1½") Inclusive Length 3mm (⅛")
- ø50mm (2") Inclusive Length 4mm (⅓")



Disc

- ø19mm (¾") Inclusive Length 2mm (⅛")
- ø25mm (1") Inclusive Length 3mm (⅛")
- ø38mm (1½") Inclusive Length 3mm (⅛")
- ø50mm (2") Inclusive Length 4mm (⅓")



Large Disc

- ø19mm (¾") Inclusive Length 4mm (⅓")
- ø25mm (1") Inclusive Length 4mm (⅓")
- ø38mm (1½") Inclusive Length 6mm (¼")
- ø50mm (2") Inclusive Length 6mm (¼")



Squat Disc

- ø19mm (¾") Inclusive Length 17mm (⅙")
- ø25mm (1") Inclusive Length 23mm (⅞")
- ø38mm (1½") Inclusive Length 33mm (1⅜")
- ø50mm (2") Inclusive Length 44mm (1¾")



Faceted Disc

- ø19mm (¾") Inclusive Length 21mm (⅞")
- ø25mm (1") Inclusive Length 28mm (1⅛")
- ø38mm (1½") Inclusive Length 41mm (1⅝")
- ø50mm (2") Inclusive Length 54mm (2⅛")



Pebble

- ø19mm (¾") Inclusive Length 25mm (1")
- ø25mm (1") Inclusive Length 34mm (1⅙")
- ø38mm (1½") Inclusive Length 50mm (1⅚")
- ø50mm (2") Inclusive Length 66mm (2⅝")



Ball

- ø19mm (¾") Inclusive Length 50mm (2")
- ø25mm (1") Inclusive Length 63mm (2½")
- ø38mm (1½") Inclusive Length 83mm (3¼")
- ø50mm (2") Inclusive Length 104mm (4¼")








Crystal Ball*

- ø19mm (¾") Inclusive Length 55mm (3⅙")
- ø25mm (1") Inclusive Length 66mm (2⅝")
- ø38mm (1½") Inclusive Length 85mm (3⅜")
- ø50mm (2") Inclusive Length 108mm (4¼")


*: Crystal Finials should not be positioned in direct sunlight
 For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

BRACKET OPTIONS




SINGLE *For straightforward applications.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size	
	ø12.5mm (½") ø19mm (¾") ø25mm (1") ø38mm (1½") ø50mm (2")	40mm (1½") 60mm (2¾") • 100mm (4") 60mm (2¾") • 100mm (4") 100mm (4") 100mm (4")	w23mm (¾") x H50mm (2") w34mm (1⅝") x H70mm (2¾") w34mm (1⅝") x H70mm (2¾") w52mm (2⅞") x H104mm (4⅞") w52mm (2⅞") x H104mm (4⅞")	
Mid	Passing Ⓞ	Diameter	Projection from wall to pole centre	Fixing plate size
		ø12.5mm (½") ø19mm (¾") ø25mm (1") ø38mm (1½") ø50mm (2")	40mm (1½") 60mm (2¾") • 100mm (4") 60mm (2¾") • 100mm (4") • 140mm (5½") Ⓞ 100mm (4") 100mm (4")	w50mm (2") x H23mm (¾") w70mm (2¾") x H34mm (1⅝") w70mm (2¾") x H34mm (1⅝") w104mm (4⅞") x H52mm (2⅞") w104mm (4⅞") x H52mm (2⅞")
Ceiling	Passing	Diameter	Drop from ceiling to pole centre	Fixing plate size
		ø19mm (¾") ø25mm (1") ø38mm (1½") ø50mm (2")	60mm (2¾") • 100mm (4") 60mm (2¾") • 100mm (4") 100mm (4") 100mm (4")	w70mm (2¾") x H34mm (1⅝") w70mm (2¾") x H34mm (1⅝") w104mm (4⅞") x H52mm (2⅞") w104mm (4⅞") x H52mm (2⅞")





RECESS *Designed for rebates.*

Recess <i>With hook stop</i>	Diameter	Depth off wall	Fixing plate size
	ø19mm (¾") ø25mm (1") ø38mm (1½") ø50mm (2")	7mm (¼") 8mm (⅝") 12mm (½") 15mm (⅞")	ø26mm (1") ø34mm (1⅝") ø49mm (1⅞") ø64mm (2½")




ADJUSTABLE *Designed to give flexibility during installation.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size	
	ø19mm (¾") ø25mm (1") ø38mm (1½")	Min.90mm (3⅝") Max.110mm (4⅝") Min.90mm (3⅝") Max.110mm (4⅝") Min.100mm (4") Max.120mm (4¾")	w34mm (1⅝") x H70mm (2¾") w34mm (1⅝") x H70mm (2¾") w52mm (2⅞") x H104mm (4⅞")	
Mid	Passing	Diameter	Projection from wall to pole centre	Fixing plate size
		ø19mm (¾") ø25mm (1") ø38mm (1½")	Min.90mm (3⅝") Max.110mm (4⅝") Min.90mm (3⅝") Max.110mm (4⅝") Min.100mm (4") Max.120mm (4¾")	w70mm (2¾") x H34mm (1⅝") w70mm (2¾") x H34mm (1⅝") w104mm (4⅞") x H52mm (2⅞")


FRENCH *For the classic French look.*

Single - End Ⓞ	Diameter	Projection from wall to pole centre	Fixing plate size
	ø25mm (1")	100mm (4"), 140mm (5½") Ⓞ	w26mm (1") x H80mm (3⅞")
Double - End Ⓞ	Diameter	Projection from wall to pole centre	Fixing plate size
	Fø25mm (1") Bø19mm (¾")	F160mm (6⅝") B60mm (2⅞")	w74mm (2⅞") x H113mm (4⅞")
Café - End	Diameter	Depth off wall	Fixing plate size
	ø12.5mm (½")	6mm (¼")	ø42mm (1⅝")
Café - Face <i>Drop in option available</i>	Diameter	Projection from wall to pole centre	Fixing plate size
	ø12.5mm (½")	25mm (1") • 40mm (1⅝")	w23mm (¾") x H50mm (2")

DOUBLE *Designed for layered shading.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size		
	Fø25mm (1") Bø19mm (¾") Fø38mm (1½") Bø25mm (1")	F160mm (6⅝") B60mm (2⅞") F160mm (6⅝") B60mm (2⅞")	w34mm (1⅝") x H70mm (2¾") w52mm (2⅞") x H104mm (4⅞")		
Mid	Passing	Diameter	Projection from wall to pole centre	Mid fixing plate size	Passing fixing plate size
		Fø25mm (1") Bø19mm (¾") Fø38mm (1½") Bø25mm (1")	F160mm (6⅝") B60mm (2⅞") F160mm (6⅝") B60mm (2⅞")	w70mm (2¾") x H34mm (1⅝") w104mm (4⅞") x H52mm (2⅞")	w72mm (2⅞") x H59mm (2⅞") w52mm (2⅞") x H104mm (4⅞")

CUSTOM BRACKETS *Specialist designs can be produced for awkward or unusual installations. Ⓢ*

Custom Projection	Custom Fixing Plate	Uplift	Angled Brackets
			
<i>Specify the exact projection needed.</i>	<i>Relevant where space is restricted or weight is a concern.</i>	<i>Helps negotiate cornice and similar architectural features.</i>	<i>The solution for tight and awkward locations.</i>

Ⓞ 140mm (5½") Mid & Passing brackets only available on French poles | Ⓞ Passing option not available on 12.5mm (½")
 ● Handed Item - Left and Right version available | Ⓞ Not available with brushed finishes

Ⓢ Custom Brackets shown are for illustration purposes. Brackets are designed on a project basis to specific requirements.
 For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

LINED RINGS

Mio rings pair geometric simplicity with a smart nylon liner, ensuring smooth and quiet curtain travel.



Ring ⊕



⊕12.5mm (½") Ring drop⊕: 39mm (1½")
 ⊕19mm (¾") Ring drop⊕: 44mm (1¾")
 ⊕25mm (1") Ring drop⊕: 53mm (2¼")
 ⊕38mm (1½") Ring drop⊕: 66mm (2⅝")
 ⊕50mm (2") Ring drop⊕: 80mm (3⅛")

Passing Ring ⊕



⊕12.5mm (½"): n/a
 ⊕19mm (¾") Ring drop⊕: 44mm (1¾")
 ⊕25mm (1") Ring drop⊕: 53mm (2¼")
 ⊕38mm (1½") Ring drop⊕: 66mm (2⅝")
 ⊕50mm (2") Ring drop⊕: 80mm (3⅛")


⊕ Ring drop from top of pole to bottom of ringlet | ⊕ Rings are unlined - Passing option not available on 12.5mm (½")

POLES

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to draw back to the edge of the window.

Poles exceeding the recommended maximum distance between brackets, will be cut into equal parts unless otherwise specified.

Pole joiners will be supplied.



Size	Recommended curtain type for pole diameter	Maximum distance between brackets	Maximum length in one piece	Standard Bend radius	French Pole Bend radius
⊕12.5mm (½")	Light weight sheer & voile curtains	1200mm (47")	4000mm (157")⊕	⊕75mm (3")	n/a
⊕19mm (¾")	Light to medium weight, lined & non interlined curtains	1800mm (71")	4000mm (157")⊕	⊕75mm (3")	n/a
⊕25mm (1")	Medium weight, lined & interlined curtains	2000mm (79")	4000mm (157")⊕	⊕100mm (4")	⊕75mm (3")
⊕38mm (1½")	Medium to heavy weight, lined & interlined curtains	2200mm (87")	4000mm (157")⊕	⊕255mm (10")	n/a
⊕50mm (2")	Heavy weight interlined curtains	2400mm (96")	4000mm (157")⊕	⊕255mm (10")	n/a

⊕ Section lengths over 2.4m (94") will incur a handling charge
 For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

ACCESSORIES

Ombres

Small



Internal projection from wall: 150mm (5⅞")
 Fixing plate size: ⊕19mm (¾")

Large



Internal projection from wall: 150mm (5⅞")
 Fixing plate size: ⊕25mm (1")

Hold back



Internal measurement: 137mm (5⅜")
 Fixing plate size: ⊕44mm (1¾")

Tie Back Hook



Projection: 29mm (1⅛")
 Fixing plate size: w25mm (1") x h74mm (2⅝⅙")

Drapery Arm

Drapery arms have been designed to work at dormer windows, doorways & above beds.



Diameter: ⊕25mm (1")
 Fixing plate size: w34mm (1⅝⅙") x h156mm (6⅞")

Draw Rods⊕

Fine



Standard



Draw rod length: 1000mm (39⅜")
 Custom lengths available to order

⊕ Not recommended for use with passing rings.



ELYSIAN

Uniting pared-down modernist style with a touch of decoration, Elysian is offered in an inspirational range of solid and metallic finishes.

Timeless. Modern. Inspired

Pictured: ø50mm (2") Pole • Templar • Flint - Satin
Interior Design: Wynd Design • Wynyrd - UK | @ wynddesign

ELYSIAN



Pictured left to right:
ø38mm (1½") Pole • Orbit • Champagne - Satin
ø30mm (1¾") Pole • Aura • Gold - Satin
ø50mm (2") Pole • Discus • Antique Brass - Satin

SCALE

Available in three pole diameters
Ø30mm (1¾") • 38mm (1½") • 50mm (2").
Each component is carefully designed and scaled to reflect the design intent.




BRACKET SUITE

A range of bracket options has been designed to allow easy installation. All wall & ceiling brackets have a magnetic cover plate to hide screw fixings. Brackets can also be supplied to custom projections and designs.



ADJUSTABLE

Engineered for easier installation. The design allows for seamless projection adjustment, ensuring professional results.



ANY LENGTH

Elysiian can be cut to any length.® Passing brackets & rings allow curtains to travel the full system length.



BAYS AND CURVES


Elysiian offers a bespoke bay bending and curving service to fit any bay window.



® Supplied in sections - Maximum section per length 4.0m (157")
Section lengths over 2.4m (94") will incur a handling charge

ACCESSORIES

Thoughtfully designed accessories improve functionality of the system without compromising the aesthetic.




FINISHES

An unparalleled selection of coated and plated finishes, allows Elysian to express emotions ranging from the sober and understated to the glamorous and flamboyant.

SHADES

A superb selection of opaque colours, all available in a choice of Matte, Satin or Gloss finish.




COAT OPTIONS



METALLICS

High metallic fleck coatings. Available in Satin and Gloss sheen levels.



ANODICS

A flat metal colour group, with an anodised style.



BRIGHTS

Polished plated finishes provide a traditional sense of luxury.



Pictured:
ø38mm (1½") Pole • Orbit • Polished Nickel



Polished Nickel GG

FINIALS

Traditional styling cues have been streamlined to suit modern living, resulting in the distinctive curvilinear character of Elysian.

Pictured left to right: ø38mm (1½") Pole | Ribbed Globe • Earth - Matte | Crystal Templar • Millstone - Matte
 Globe • Lead - Matte | Squat Globe • Clay - Matte | Templar • Cocoa - Matte | Flute • Flint - Matte
 Halo • Parchment - Matte | Charm • Oatmeal - Matte



Halo

ø30mm (1¼") Inclusive Length 5mm (¼")
 ø38mm (1½") Inclusive Length 2mm (⅛")
 ø50mm (2") Inclusive Length 2mm (⅛")



Aura

ø30mm (1¼") Inclusive Length 5mm (¼")
 ø38mm (1½") Inclusive Length 2mm (⅛")
 ø50mm (2") Inclusive Length 2mm (⅛")



Orbit

ø30mm (1¼") Inclusive Length 36mm (1⅞")
 ø38mm (1½") Inclusive Length 40mm (1⅝")
 ø50mm (2") Inclusive Length 52mm (2⅙")



Squat Globe

ø30mm (1¼") Inclusive Length 53mm (2⅙")
 ø38mm (1½") Inclusive Length 63mm (2½")
 ø50mm (2") Inclusive Length 81mm (3⅙")



Globe

ø30mm (1¼") Inclusive Length 73mm (2⅞")
 ø38mm (1½") Inclusive Length 92mm (3⅝")
 ø50mm (2") Inclusive Length 114mm (4½")



Ribbed Globe

ø30mm (1¼") Inclusive Length 73mm (2⅞")
 ø38mm (1½") Inclusive Length 92mm (3⅝")
 ø50mm (2") Inclusive Length 114mm (4½")



Discus

ø30mm (1¼") Inclusive Length 39mm (1½")
 ø38mm (1½") Inclusive Length 44mm (1¾")
 ø50mm (2") Inclusive Length 58mm (2⅝")



Jewel

ø30mm (1¼") Inclusive Length 37mm (1⅞")
 ø38mm (1½") Inclusive Length 42mm (1⅝")
 ø50mm (2") Inclusive Length 55mm (2⅞")



Flute

ø30mm (1¼") Inclusive Length 73mm (2⅞")
 ø38mm (1½") Inclusive Length 69mm (2⅙")
 ø50mm (2") Inclusive Length 114mm (4½")



Charm

ø30mm (1¼") Inclusive Length 69mm (2⅙")
 ø38mm (1½") Inclusive Length 85mm (3⅜")
 ø50mm (2") Inclusive Length 117mm (4⅝")



Templar

ø30mm (1¼") Inclusive Length 79mm (3⅜")
 ø38mm (1½") Inclusive Length 92mm (3⅝")
 ø50mm (2") Inclusive Length 119mm (4⅙")








Crystal Templar*

ø38mm (1½") Inclusive Length 92mm (3⅝")
 ø50mm (2") Inclusive Length 119mm (4⅙")


* Crystal Finials should not be positioned in direct sunlight
 For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

BRACKET OPTIONS




SINGLE *For straightforward applications.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size	
	ø30mm (1 3/16") ø38mm (1 1/2") ø50mm (2")	100mm (4") 100mm (4") 100mm (4")	w40mm (1 1/8") x h86mm (3 3/8") w50mm (2") x h105mm (4 1/8") w50mm (2") x h105mm (4 1/8")	
Mid	Passing	Diameter	Projection from wall to pole centre	Fixing plate size
		ø30mm (1 3/16") ø38mm (1 1/2") ø50mm (2")	100mm (4") 100mm (4") 100mm (4")	w86mm (3 3/8") x h40mm (1 1/8") w105mm (4 1/8") x h50mm (2") w105mm (4 1/8") x h50mm (2")
Ceiling	Passing	Diameter	Projection from wall to pole centre	Fixing plate size
		ø30mm (1 3/16") ø38mm (1 1/2") ø50mm (2")	100mm (4") 100mm (4") 100mm (4")	w86mm (3 3/8") x h40mm (1 1/8") w105mm (4 1/8") x h50mm (2") w105mm (4 1/8") x h50mm (2")

RECESS *Designed for rebates.*




Recess <i>With hook stop</i>	Diameter	Depth off wall	Fixing plate size
	ø30mm (1 3/16") ø38mm (1 1/2") ø50mm (2")	10mm (3/8") 12mm (1/2") 15mm (9/16")	ø40mm (1 1/8") ø49mm (1 15/16") ø64mm (2 1/2")

ADJUSTABLE *Designed to give flexibility during installation.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size	
	ø30mm (1 3/16") ø38mm (1 1/2")	Min.90mm (3 9/16") Max.110mm (4 3/8") Min.100mm (4") Max.115mm (4 1/2")	w40mm (1 1/8") x h86mm (3 3/8") w50mm (2") x h105mm (4 1/8")	
Mid	Passing	Diameter	Projection from wall to pole centre	Fixing plate size
		ø30mm (1 3/16") ø38mm (1 1/2")	Min.90mm (3 9/16") Max.110mm (4 3/8") Min.100mm (4") Max.115mm (4 1/2")	w86mm (3 3/8") x h40mm (1 1/8") w105mm (4 1/8") x h50mm (2")

DOUBLE BRACKETS

DOUBLE *Designed for layered shading.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size		
	Fø38mm (1 1/2") Bø30mm (1 3/16") Fø50mm (2") Bø30mm (1 3/16")	F200mm (8") B60mm (2 3/8") F200mm (8") B60mm (2 3/8")	w50mm (2") x h105mm (4 1/8") w50mm (2") x h105mm (4 1/8")		
Mid	Passing	Diameter	Projection from wall to pole centre	Mid Fixing plate size	Passing Fixing plate size
		Fø38mm (1 1/2") Bø30mm (1 3/16") Fø50mm (2") Bø30mm (1 3/16")	F200mm (8") B60mm (2 3/8") F200mm (8") B60mm (2 3/8")	w105mm (4 1/8") x h50mm (2") w105mm (4 1/8") x h50mm (2")	w105mm (4 1/8") x h50mm (2") w105mm (4 1/8") x h50mm (2")

CUSTOM BRACKETS *Specialist designs can be produced for awkward or unusual installations.*

Custom Projection	Custom Fixing Plate	Uplift	Custom Ceiling	Angled Brackets
				
<i>Specify the exact projection needed.</i>	<i>Relevant where space is restricted or weight is a concern.</i>	<i>Helps negotiate cornice & similar architectural features.</i>	<i>Specify exact drop required from ceiling.</i>	<i>The solution for tight and awkward locations.</i>

Custom Brackets shown are for illustration purposes. Brackets are designed on a project basis to specific requirements.

LINED RINGS

Elysian rings feature sleek contours and softly rounded edges, creating a timeless aesthetic. Each ring is lined to ensure smooth, quiet running.



Ring



ø30mm (1³/₁₆") Ring dropⓄ: 51mm (2")
 ø38mm (1¹/₂") Ring dropⓄ: 66mm (2⁵/₈")
 ø50mm (2") Ring dropⓄ: 80mm (3¹/₈")

Passing Ring



ø30mm (1³/₁₆") Ring dropⓄ: 51mm (2")
 ø38mm (1¹/₂") Ring dropⓄ: 66mm (2⁵/₈")
 ø50mm (2") Ring dropⓄ: 80mm (3¹/₈")


Ⓞ Ring drop from top of pole to bottom of ringlet

POLES

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to draw back to the edge of the window.

Poles exceeding the recommended maximum distance between brackets, will be cut into equal parts unless otherwise specified.

Pole joiners will be supplied.



Size	Recommended curtain type for pole diameter	Maximum distance between brackets	Maximum length in one piece	Standard Bend radius
ø30mm (1 ³ / ₁₆ ")	Medium weight, lined & interlined curtains	2100mm (83")	4000mm (157")Ⓞ	R255mm (10")
ø38mm (1 ¹ / ₂ ")	Medium to heavy weight, lined & interlined curtains	2200mm (87")	4000mm (157")Ⓞ	R255mm (10")
ø50mm (2")	Heavy weight interlined curtains	2400mm (96")	4000mm (157")Ⓞ	R255mm (10")

Ⓞ Section lengths over 2.4m (94") will incur a handling charge
 For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

ACCESSORIES

Ombres



Internal projection from wall: 150mm (5¹⁵/₁₆")
 Fixing plate size: ø68mm (2¹¹/₁₆")

Hold back



Internal measurement: 137mm (5³/₈")
 Fixing plate size: ø44mm (1³/₄")

Tie Back Hook



Projection: 29mm (1¹/₈")
 Fixing plate size: w25mm (1") x h74mm (2¹⁵/₁₆")

Ⓞ Not recommended for use with passing rings.

Draw RodsⓄ

Fine



Standard



Draw rod length:
 1000mm (39³/₈")
 Custom lengths available to order



STEEL

The Steel Collection remains a byword in elegance. Historical design cues, high quality materials and traditional artisan skills are all on display in this timeless classic.

Timeless elegance, forged by Tradition

Pictured: ø25mm (1") Pole • Flared Disc • Brass Toned
Interior design: Georgia Victoria • Edinburgh - UK

STEEL

PURE FORM

Crafted in five pole diameters, the Steel Collection offers scale and proportion to suit every interior - from the delicate café rod to the most dramatic centrepiece.



ANY LENGTH

Poles can be cut to any length.Ⓢ On longer systems, the use of passing brackets & rings will allow uninterrupted travel of the drapes along the full length of the system.



FUNCTION

Brackets are designed for easy installation, with an optional magnetic cover plate. Brackets can be supplied to custom projections and designs.



CRAFTED IN SUFFOLK

A picture of elegance, the Steel Collection blends innovative design with quality craftsmanship.



ON THE FORGE

Authentic, hand-forged Steel - subtle hammer marks preserved, proportions meticulously refined.



ADJUSTABLE

Crafted for flexibility, tailored projection when working around window frames, radiators, or unique architectural details. These brackets adapt to your space.



BENT TO SHAPE

A bespoke bay bending and curvingⓈ service is available on all diameters to allow the perfect shaped pole to fit any bay window.



Ⓢ Supplied in sections - Maximum section per length 4.0m (157") - Section lengths over 2.4m (94") will incur a handling charge | Ⓢ Curving option not available on 12.5mm (1/2")



Pictured: ø25mm (1") French Pole • Flared Disc • Flint - Satin
Interior design: Sue Bond Interiors - UK
Drapery design: The Curtain Tailor - UK

STEEL

FRENCH POLES

The French pole from the Steel Collection is an iconic design favourite. A simple and sophisticated way to adorn windows.



End Bracket



Covered End Bracket

STEEL

CAFÉ RODS

Whether a public space or a kitchen window, our café rods provide the perfect balance of privacy and light.

Designed to support half-length curtains, they offer the coverage you desire - without obstructing natural light or beautiful views.



Pictured: ø12.5mm (1/2") Café Rod · Oil Rubbed



FINISHES



Pictured left to right: ø25mm (1") Pole | Medium Stud • Natural Steel | Ball & Collar • Oil Rubbed Standard Stud • Brass Toned | Button Stud • Waxed | Large Stud • Bronzed - Satin Ribbed Ball & Collar • Antique Brass - Satin | Pebble • Polished | Flared Disc • Flint - Satin Hammered Stud • Matte Brass Toned


Signature translucent finishes of the Steel Collection allow the beauty of steel to shine through.



Polished

Natural Steel

Brass Toned



Matte Brass Toned

Antique Brass ©

Bronzed ©

Oil Rubbed

Waxed

Flint ©

© Satin Coat
Due to printing limitations colours in this brochure may not be accurate Samples are available on request - www.bradleycollection.com/samples/

FINIALS

Simplicity is the watchword for this grouping of stud, disc and ball designs.



Standard Stud

- ∅12.5mm (½") Inclusive Length 3mm (⅛")
- ∅19mm (¾") Inclusive Length 6mm (¼")
- ∅25mm (1") Inclusive Length 8mm (⅝")
- ∅38mm (1½") Inclusive Length 10mm (⅜")
- ∅50mm (2") Inclusive Length 12mm (½")



Medium Stud

- ∅19mm (¾") Inclusive Length 6mm (¼")
- ∅25mm (1") Inclusive Length 8mm (⅝")
- ∅38mm (1½") Inclusive Length 10mm (⅜")
- ∅50mm (2") Inclusive Length 12mm (½")



Forged Disc

- ∅19mm (¾") Inclusive Length 2mm (⅛")
- ∅25mm (1") Inclusive Length 3mm (⅛")
- ∅38mm (1½") Inclusive Length 3mm (⅛")
- ∅50mm (2") Inclusive Length 4mm (⅜")



Hammered Disc

- ∅19mm (¾") Inclusive Length 2mm (⅛")
- ∅25mm (1") Inclusive Length 3mm (⅛")
- ∅38mm (1½") Inclusive Length 3mm (⅛")
- ∅50mm (2") Inclusive Length 4mm (⅜")



Large Stud

- ∅19mm (¾") Inclusive Length 6mm (¼")
- ∅25mm (1") Inclusive Length 8mm (⅝")
- ∅38mm (1½") Inclusive Length 10mm (⅜")
- ∅50mm (2") Inclusive Length 12mm (½")



Hammered Stud

- ∅19mm (¾") Inclusive Length 10mm (⅜")
- ∅25mm (1") Inclusive Length 12mm (½")
- ∅38mm (1½") Inclusive Length 16mm (⅝")
- ∅50mm (2") Inclusive Length 20mm (⅞")



Ball & Collar

- ∅19mm (¾") Inclusive Length 55mm (2⅜")
- ∅25mm (1") Inclusive Length 65mm (2⅝")
- ∅38mm (1½") Inclusive Length 75mm (2⅞")
- ∅50mm (2") Inclusive Length 103mm (4⅛")



Crystal Ball & Collar*

- ∅19mm (¾") Inclusive Length 65mm (2⅝")
- ∅25mm (1") Inclusive Length 75mm (2⅞")
- ∅38mm (1½") Inclusive Length 103mm (4⅛")



Button Stud

- ∅19mm (¾") Inclusive Length 26mm (1")
- ∅25mm (1") Inclusive Length 40mm (1⅙")
- ∅38mm (1½") Inclusive Length 59mm (2⅝")
- ∅50mm (2") Inclusive Length 69mm (2⅞")



Pebble

- ∅19mm (¾") Inclusive Length 27mm (1⅙")
- ∅25mm (1") Inclusive Length 31mm (1¼")
- ∅38mm (1½") Inclusive Length 48mm (1⅞")



Hammered Ball & Collar

- ∅19mm (¾") Inclusive Length 55mm (2⅜")
- ∅25mm (1") Inclusive Length 65mm (2⅝")



Ball & Claw

- ∅19mm (¾") Inclusive Length 75mm (2⅝")
- ∅25mm (1") Inclusive Length 90mm (3⅞")
- ∅38mm (1½") Inclusive Length 120mm (4¾")



Flared Stud

- ∅19mm (¾") Inclusive Length 12mm (½")
- ∅25mm (1") Inclusive Length 14mm (⅝")
- ∅38mm (1½") Inclusive Length 26mm (1")



Flared Disc

- ∅19mm (¾") Inclusive Length 17mm (⅙")
- ∅25mm (1") Inclusive Length 21mm (⅞")
- ∅38mm (1½") Inclusive Length 34mm (1⅝")



Ribbed Ball & Collar

- ∅19mm (¾") Inclusive Length 60mm (2⅜")
- ∅25mm (1") Inclusive Length 80mm (2⅞")



Twisted Knot

- ∅19mm (¾") Inclusive Length 90mm (3⅝")
- ∅25mm (1") Inclusive Length 95mm (3⅞")
- ∅38mm (1½") Inclusive Length 150mm (5⅞")

☞ Due to manufacturing process's size and shape may vary slightly to images above | * Crystal Finials should not be positioned in direct sunlight
For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

FINIALS

The true craft of the artisan is on display with these designs.

Pictured left to right: ø25mm (1") Pole | Jacobs Horn • Waxed Curling Leaf • Bronzed - Satin | Loop • Antique Brass - Satin
 Buffon Stud • Matte Brass Toned | Pebble • Natural Steel



Hammered Spear 🖐

ø19mm (¾") Inclusive Length 122mm (4⅞")
 ø25mm (1") Inclusive Length 150mm (5⅞")



Double Ball Basket 🖐

ø19mm (¾") Inclusive Length 142mm (5⅝")
 ø25mm (1") Inclusive Length 146mm (5¾")
 ø38mm (1½") Inclusive Length 205mm (8⅛")



Loop 🖐

ø19mm (¾") Inclusive Length 115mm (4½")
 ø25mm (1") Inclusive Length 135mm (5⅝")
 ø38mm (1½") Inclusive Length 180mm (7⅞")



Curling Leaf 🖐👤

ø19mm (¾") Inclusive Length 110mm (4⅝")
 ø25mm (1") Inclusive Length 140mm (5½")
 ø38mm (1½") Inclusive Length 200mm (8")



Tusk 🖐👤

ø19mm (¾") Inclusive Length 118mm (4⅝")
 ø25mm (1") Inclusive Length 141mm (5⅝")



Jacob's Horn 🖐👤

ø19mm (¾") Inclusive Length 105mm (4⅞")
 ø25mm (1") Inclusive Length 130mm (5⅝")
 ø38mm (1½") Inclusive Length 180mm (7⅞")



Square Ram's Horn 🖐

ø19mm (¾") Inclusive Length 120mm (4¾")
 ø25mm (1") Inclusive Length 135mm (5⅝")








Reverse Square Ram's Horn 🖐👤

ø19mm (¾") Inclusive Length 55mm (2⅜")
 ø25mm (1") Inclusive Length 55mm (2⅜")

🖐 Due to manufacturing process's size and shape may vary slightly to images above | 👤 Handed Item - Left and Right version available
 For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

BRACKET OPTIONS


SINGLE *For straightforward applications.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size	Covered Fixing plate size	
	<ul style="list-style-type: none"> ø12.5mm (½") ø19mm (¾") ø25mm (1") ø38mm (1½") ø50mm (2") 	<ul style="list-style-type: none"> 40mm (1½") 60mm (2½") • 100mm (4") 60mm (2½") • 100mm (4") 100mm (4") 100mm (4") 	<ul style="list-style-type: none"> w18mm (⅞") x h63mm (2½") w20mm (⅞") x h84mm (3⅝") w25mm (1") x h102mm (4") w30mm (1⅙") x h117mm (4⅝") w30mm (1⅙") x h117mm (4⅝") 	<ul style="list-style-type: none"> n/a w24mm (1⅝") x h88mm (3⅞") w29mm (1⅞") x h106mm (4⅞") w34mm (1⅞") x h121mm (4⅞") w34mm (1⅞") x h121mm (4⅞") 	
Mid	Passing Ⓞ	Diameter	Projection from wall to pole centre	Fixing plate size	Covered fixing plate size
		<ul style="list-style-type: none"> ø12.5mm (½") ø19mm (¾") ø25mm (1") ø38mm (1½") ø50mm (2") 	<ul style="list-style-type: none"> 40mm (1½") 60mm (2½"), 100mm (4") 60mm (2½") • 100mm (4") • 140mm (5½") Ⓞ 100mm (4") 100mm (4") 	<ul style="list-style-type: none"> w50mm (2") x h18mm (⅞") w55mm (2⅜") x h20mm (⅞") w60mm (2⅜") x h25mm (1") w80mm (3⅞") x h30mm (1⅙") w80mm (3⅞") x h30mm (1⅙") 	<ul style="list-style-type: none"> n/a w59mm (2⅝") x h24mm (1⅝") w64mm (2½") x h29mm (1⅞") w84mm (3⅞") x h34mm (1⅙") w84mm (3⅝") x h34mm (1⅙")
Ceiling	Passing	Diameter	Drop from ceiling to pole centre	Fixing plate size	
		<ul style="list-style-type: none"> ø19mm (¾") ø25mm (1") ø38mm (1½") 	<ul style="list-style-type: none"> 60mm (2½") • 100mm (4") 60mm (2½") • 100mm (4") 100mm (4") 	<ul style="list-style-type: none"> w55mm (2⅜") x h20mm (⅞") w60mm (2⅜") x h25mm (1") w80mm (3⅞") x h30mm (1⅙") 	

RECESS *Designed for rebates.*

Recess <i>With hook stop</i>	Diameter	Depth off wall	Fixing plate size
	<ul style="list-style-type: none"> ø19mm (¾") ø25mm (1") ø38mm (1½") ø50mm (2") 	<ul style="list-style-type: none"> 4mm (⅜") 4mm (⅜") 4mm (⅜") 4mm (⅜") 	<ul style="list-style-type: none"> ø42mm (1⅝") ø50mm (2") ø72mm (2⅜") ø72mm (2⅜")

FRENCH *For the classic French look.*

French - End	Diameter	Projection from wall to pole centre	Fixing plate size	Covered fixing plate size
	<ul style="list-style-type: none"> ø25mm (1") 	<ul style="list-style-type: none"> 100mm (4"), 140mm (5½") Ⓞ 	<ul style="list-style-type: none"> w30mm (1⅙") x h80mm (3⅞") 	<ul style="list-style-type: none"> w33mm (1⅝") x h83mm (3¼")

CAFÉ BRACKETS *Designed for privacy.*




Café - End	Diameter	Depth off wall	Fixing plate size
	<ul style="list-style-type: none"> ø12.5mm (½") 	<ul style="list-style-type: none"> 6mm (¼") 	<ul style="list-style-type: none"> ø25mm (1")

Café - Face *Drop in option available*




Café - Face	Diameter	Projection from wall to pole centre	Fixing plate size
	<ul style="list-style-type: none"> ø12.5mm (½") 	<ul style="list-style-type: none"> 25mm (1") • 40mm (1⅙") 	<ul style="list-style-type: none"> w18mm (⅞") x h63mm (2½")

Ⓞ 140mm (5½") Mid & Passing brackets only available on French poles. | Ⓞ Passing option not available on 12.5mm (½")
For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

ADJUSTABLE *Designed to give flexibility during installation.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size	
	<ul style="list-style-type: none"> ø19mm (¾") ø25mm (1") ø38mm (1½") 	<ul style="list-style-type: none"> Min.90mm (3⅞") Max.110mm (4⅝") Min.90mm (3⅞") Max.110mm (4⅝") Min.100mm (4") Max.120mm (4¾") 	<ul style="list-style-type: none"> w55mm (2⅜") x h84mm (3⅝") w60mm (2⅜") x h102mm (4") w80mm (3⅞") x h117mm (4⅝") 	
Mid	Passing	Diameter	Projection from wall to pole centre	Fixing plate size
		<ul style="list-style-type: none"> ø19mm (¾") ø25mm (1") ø38mm (1½") 	<ul style="list-style-type: none"> Min.90mm (3⅞") Max.110mm (4⅝") Min.90mm (3⅞") Max.110mm (4⅝") Min.100mm (4") Max.120mm (4¾") 	<ul style="list-style-type: none"> w55mm (2⅜") x h20mm (⅞") w60mm (2⅜") x h25mm (1") w80mm (3⅞") x h30mm (1⅙")

DOUBLE *Designed for layered shading.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size		
	<ul style="list-style-type: none"> Fø25mm (1") Bø19mm (¾") Fø38mm (1½") Bø25mm (1") 	<ul style="list-style-type: none"> F160mm (6⅝") B60mm (2⅜") F160mm (6⅝") B60mm (2⅜") 	<ul style="list-style-type: none"> w25mm (1") x h102mm (4") w30mm (1⅙") x h117mm (4⅝") 		
Mid	Passing	Diameter	Projection from wall to pole centre	Mid fixing plate size	Passing fixing plate size
		<ul style="list-style-type: none"> Fø25mm (1") Bø19mm (¾") Fø38mm (1½") Bø25mm (1") 	<ul style="list-style-type: none"> F160mm (6⅝") B60mm (2⅜") F160mm (6⅝") B60mm (2⅜") 	<ul style="list-style-type: none"> w60mm (2⅜") x h25mm (1") w80mm (3⅞") x h30mm (1⅙") 	<ul style="list-style-type: none"> w112mm (4⅞") x h50mm (2") w122mm (4⅞") x h60mm (2⅜")

CUSTOM BRACKETS *Specialist designs can be produced for awkward or unusual installations.* ↗

Custom Projection	Custom Fixing Plate	Uplift	Arm	Angled Brackets
				

Specify the exact projection needed.

Relevant where space is restricted or weight is a concern.

Helps negotiate cornice and similar architectural features.

For really tricky installations, arms without backplates can be designed for direct fixing.

The solution for tight and awkward locations.

↗ Custom Brackets shown are for illustration purposes. Brackets are designed on a project basis to specific requirements

CLASSIC RINGS

Steel rings are of a classic, unlined nature reflecting the authenticity of the collection.



Ring



⌀12.5mm (½") Ring dropⓄ 38mm (1½")
 ⌀19mm (¾") Ring dropⓄ 44mm (1¾")
 ⌀25mm (1") Ring dropⓄ 49mm (1⅝")
 ⌀38mm (1½") Ring dropⓄ 63mm (2½")
 ⌀50mm (2") Ring dropⓄ 82mm (3¼")

Passing Ring Ⓞ



⌀12.5mm (½") n/a
 ⌀19mm (¾") Ring dropⓄ 49mm (1⅝")
 ⌀25mm (1") Ring dropⓄ 54mm (2⅞")
 ⌀38mm (1½") Ring dropⓄ 71mm (2⅜")
 ⌀50mm (2") Ring dropⓄ 89mm (3½")


Ⓞ Ring drop from top of pole to bottom of ringlet | Ⓞ Passing option not available on 12.5mm (½")

POLES

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to draw back to the edge of the window.

Poles exceeding the recommended maximum distance between brackets, will be cut into equal parts unless otherwise specified.

Pole joiners will be supplied.



Size	Recommended curtain type for pole diameter	Maximum distance between brackets	Maximum length in one piece	Standard Bend radius	French Pole Bend radius
⌀12.5mm (½")	Light weight sheer & voile curtains	1200mm (47")	4000mm (157")Ⓞ	Ⓡ75mm (3")	n/a
⌀19mm (¾")	Light to medium weight, lined & non interlined curtains	1800mm (71")	4000mm (157")Ⓞ	Ⓡ75mm (3")	n/a
⌀25mm (1")	Medium weight, lined & interlined curtains	2000mm (79")	4000mm (157")Ⓞ	Ⓡ100mm (4")	Ⓡ75mm (3")
⌀38mm (1½")	Medium to heavy weight, lined & interlined curtains	2200mm (87")	4000mm (157")Ⓞ	Ⓡ255mm (10")	n/a
⌀50mm (2")	Heavy weight interlined curtains	2400mm (96")	4000mm (157")Ⓞ	Ⓡ255mm (10")	n/a

Ⓞ Section lengths over 2.4m (94") will incur a handling charge
For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

ACCESSORIES

Ombres

Large Stud



Internal projection from wall: 125mm (4⅝")
Fixing plate size: Ⓞ60mm (2⅞")

Ball & Collar



Internal projection from wall: 125mm (4⅝")
Fixing plate size: Ⓞ60mm (2⅞")

Hold back

Standard Stud



Internal measurement: 134mm (5¼")
Fixing plate size: w20mm (⅜") x H56mm (2⅜")

Ball & Collar



Tie Back Hook



Internal measurement: 27mm (1⅛")
Fixing plate size: w20mm (⅜") x H78mm (3⅛")

Drapery Arm

Drapery arms have been designed to work at dormer windows, doorways & above beds.



Diameter: Ⓞ25mm (1")
Fixing plate size: w30mm (1⅜") x H185mm (7¼")

Draw RodsⓄ

Standard Stud



Ball & Collar



Draw rod length: 1000mm (39⅜")
 Custom lengths available to order

STEEL

Ⓞ Not recommended for use with passing rings.