

CONTACT

www.bradleycollection.com



UK & REST OF THE WORLD

☎ +44 (0)1449 722 724

✉ info@bradleycollection.com

USA & CANADA

☎ +1 (310) 815 8255

✉ info.us@bradleycollection.com




CONTOUR

the**bradley**collection

Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard. Steel items are not recommended for damp conditions such as shower rooms. Crystal finials and acrylic poles should not be positioned in direct sunlight, and are not suitable for use in conservatories. Brass items are supplied unlacquered and will tarnish over time.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement. Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988. Bradley®, The Bradley Collection® and  Logo are registered Community trademarks of The Bradley Collection Ltd. in Europe and registered trademarks of the Bradley Collection, Inc. in the USA.

The Bradley Collection Ltd Lion Barn • Mailland Road • Needham Market • Suffolk • IP6 8NS • UK

Printed: 0821 • Copyright © The Bradley Collection Ltd. 2021



CONTOUR

This collection has poise and a clear sense of purpose.
Natural material but streamlined, matte and minimalist.

Truly original, Contour is the wood pole re-imagined.

Pictured: ø50mm (2") Wood Pole • Oak • Disc • Burnished Silver

CONTOUR

MATERIALS

Contour is available in a selection of fine woods, presented in a contemporary low sheen finish. Poles may also be specified in Fluid Metal coats.



FINISH

Steel components are available in a choice of Fluid Metal finishes, all of which may be mixed with natural wood.



INNOVATION

The 'almost invisible' brackets of Contour are a design breakthrough. They deliver the ultimate streamlined look with no compromise on strength.



FLAIR

Contour offers the option of linked rings for a modern, wave-style heading.



LENGTH

Poles can be cut to any length. Innovative passing bracket & ring system allows drapes to travel seamlessly along the full system length.



DETAIL

The optional Bracket Band and Thumb Wheel may be specified as a design accent.





Pictured left to right:
 ø50mm (2") - Ribbed Ball - Old Pewter
 ø50mm (2") Wood Pole - Cherry - Squat Ball - Bronze Art
 ø50mm (2") Wood Pole - Ash - Disc - Old Brass

FINISHES

With modern design sensibility to the fore, Contour is presented in a selection of high-quality woods with a low-level sheen as standard.

Poles and complementary metal components are available in an exclusive choice of luxury Fluid Metal finishes.

FLUID METAL™

Fluid Metals are derived from leading edge finishing technology, allowing true metal coatings to be applied to any substrate. These luxurious finishes are the perfect treatment for this esoteric collection, although standard finishes are available on request.



Old Silver ⊕⊕✎

Old Pewter ⊕⊕✎

Old Brass ⊕⊕✎

Light Bronze ⊕⊕✎

Bronze Art ⊕⊕✎



Burnished Silver ⊕⊕⊕✎

WOOD POLE & FINIAL FINISHES

Other wood stained finishes are available on request.



Ash

Oak

Cherry

Walnut

Black Ash stain Over Ash

⊕ A finishing charge will apply ⊕ Longer lead-times will apply

⊕ Fluid Metal finishes are supplied unlacquered and will tarnish over time, a clear lacquer may be applied on request as a custom finish ✎ Fluid Metal finishes are hand produced, finish may vary. Due to printing limitations colours in this brochure may not be accurate. Samples are available on request - www.bradleycollection.com/samples/

FINIALS

With suitable deference to period styling, Contour sharpens and cleans traditional motifs to suit a more modern idiom.



Pictured left to right:
 ø50mm (2") Wood Pole • Wooden Ribbed Ball • Walnut & Bronze Art
 ø50mm (2") Wood Pole • Wooden Ball • Ash & Burnished Silver
 ø50mm (2") Wood Pole • Wooden Squat Ball • Oak & Old Brass



Disc

Inclusive Length 7mm (1/4")
 Finished in Burnished Silver • Black Ash



Squat Ball

Inclusive Length 92mm (3 5/8")
 Finished in Bronze Art • Cherry



Wooden Squat Ball

Inclusive Length 92mm (3 5/8")
 Finished in Burnished Silver • Oak



Ball

Inclusive Length 118mm (4 5/8")
 Finished in Light Bronze



Wooden Ball

Inclusive Length 118mm (4 5/8")
 Finished in Bronze Art • Ash



Ribbed Ball

Inclusive Length 118mm (4 5/8")
 Finished in Old Pewter






Wooden Ribbed Ball

Inclusive Length 118mm (4 5/8")
 Finished in Old Brass • Walnut

CONTOUR

SINGLE BRACKETS

Side 	Diameter ø50mm (2")	Projection from wall to pole centre 100mm (4")	Fixing plate size w52mm (2 1/8") x h104mm (4 1/8")
Mid Passing 	Diameter ø50mm (2")	Projection from wall to pole centre 100mm (4")	Fixing plate size w104mm (4 1/8") x h52mm (2 1/8")
Ceiling Passing 	Diameter ø50mm (2")	Drop from ceiling to pole centre 100mm (4")	Fixing plate size w104mm (4 1/8") x h52mm (2 1/8")

Optional Bracket Band & Thumb wheel

The Contour bracket is designed to be totally unintrusive. The Bracket Band and Thumb Wheel allow subtle extra detailing to be added.



Diameter
ø50mm (2")



CUSTOM BRACKETS

Contour can be customised to suit virtually any window.



Custom Projection

Specify the exact projection needed.



Custom Fixing Plate

Relevant where space is restricted or weight is a concern.



Uplift

Helps negotiate cornice and similar architectural features.



Angled Brackets

The solution for tight and awkward locations.

RINGS

Superbly engineered rings are available in both hoop and passing ring styles.


For a modern wave form heading, linked rings are also available.



Ring



Linked Ring ⌀



Ring **Passing Ring** **Diameter**
ø50mm (2")

Ring drop
81mm (3 1/8")
from top of pole to bottom of ringlet

Linked Ring Pitch
80mm (3 1/8")

LINED POLE

Contour incorporates a low friction liner to allow smooth operation of rings.

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to draw back to the edge of the window.

Maximum pole length in one piece 2.4m (96"). Poles exceeding the recommended maximum distance between brackets, will be cut into equal parts unless otherwise specified. Pole joiners will be supplied.



Diameter ø50mm (2") Wood	Recommended maximum distance between brackets 2100mm (82.5")	Recommended curtain type Heavy weight interlined curtains	Minimum bend radius R200mm (8")
------------------------------------	--	---	---

⚡ | ELECTRIC WOOD POLES

All the virtues of Contour can be combined with the luxury and convenience of electric. Contour designs, materials and finishes are all available as electric curtain pole options. Visit www.bradleycollection.com/electric

⌀ Linked ring cord will be visible, Choice of cord colour available.