

STEEL

THE **BRADLEY**
COLLECTION

SPECIFICATION GUIDE

STEEL

SPECIFICATION GUIDE

This specification guide was designed to outline the main considerations that need to be made when quoting or ordering a system.

If any questions arise please call your local sales representative or contact The Bradley Collection directly.

System Information Page 3-13

POLES Page 4

FRENCH POLES Page 5

JOINING & BAYS Page 6

MINIMUM WALL SIZES Page 7

PASSING SYSTEM Page 8

CUSTOM BRACKETS Page 9

CURTAIN DROPS Page 10-12

DRAPERY ARM Page 13

Finishes Page 14-15

Finials Page 16-40

Poles Page 41-45

Brackets Page 46-62

Rings Page 63-65

Accessories Page 66-71


THE **BRADLEY**
COLLECTION

Poles are cut, bent and curved to suit individual requirements.
When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to draw back to the edge of the window.

Maximum pole length in one piece 4.0 (157")*.
Poles exceeding the recommended maximum distance between brackets, will be cut into equal parts unless otherwise specified.
Pole joiners will be supplied. Mid or passing brackets should be placed at every join.


Pole diameter's - Ø19mm (3/4") • 25mm (1") • 38mm (1 1/2") • 50mm (2")

The overall pole cost is rounded up in 300mm (1ft) increments.



PROVIDING POLE LENGTHS

Pole lengths can be specified in two ways.
OPTION A is our preferred method. This covers Pole length only. **OPTION B** combines pole and finial lengths.




*Section lengths over 2.4m (94") will incur a handling charge

Poles are cut, bent and curved to suit individual requirements.
When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to draw back to the edge of the window.

Maximum pole length in one piece 4.0 (157")*.
Poles exceeding the recommended maximum distance between brackets, will be cut into equal parts unless otherwise specified.
Pole joiners will be supplied. Mid or passing brackets should be placed at every join.


Pole diameter's - Ø25mm (1")

The overall pole cost is rounded up in 300mm (1ft) increments.



Diameter	Recommended maximum distance between brackets	Recommended curtain type for pole diameter	Minimum pole projection	Minimum bend radius
Ø25mm (1")	2000mm (79")	Medium weight, lined & interlined curtains	100mm (4")	R63mm (2½")

25MM (1") FRENCH POLE



PROVIDING POLE LENGTHS

Pole lengths should be specified between bracket centres.



*Section lengths over 2.4m (94") will incur a handling charge

JOINING POLES

Joins must always be supported by a bracket.



BESPOKE BAYS

Bradley's bespoke service allows poles to be specifically made for unique bay windows and complex long span installations. Poles can be shaped to create a system that follows contours. Passing rings have been designed to traverse over brackets and around bends. Using a double pole system in a bay window can create an elegant as well as practical treatment.



One Bend Bay



Two Bend Bay



Square Bay



Four Bend Bay



Continuous Curve


BRADLEY PROJECTS


Bradley Projects is an innovative digital tool kit to help with project planning, consisting of a Smartphone Survey App and an online Web Portal.

www.bradleycollection.com/projects/

Survey Tool


Available as a smartphone app for iOS or Android, Bradley Projects Survey Tool lets you photograph and dimension all window types and incorporates Bradley's clever check technology for bays and curves. Unlimited measurements may be saved locally to your device, shared to your colleagues or uploaded to your online account.





135° Bend Angles

Diameter	Return 1-A	Wall A - B	Wall B - C	Minimum Bend Radius	Minimum Projection
Ø19mm (3/4")	n/a	115mm (4 1/2")	115mm (4 1/2")	75mm (3")	60mm (2 3/8")
Ø19mm (3/4")	75mm (3")	120mm (4 3/4")	115mm (4 1/2")	75mm (3")	60mm (2 3/8")
Ø25mm (1")	n/a	140mm (5 1/2")	140mm (5 1/2")	100mm (4")	60mm (2 3/8")
Ø25mm (1")	100mm (4")	140mm (5 1/2")	140mm (5 1/2")	100mm (4")	60mm (2 3/8")
Ø38mm (1 1/2")	n/a	240mm (9 7/16")	240mm (9 7/16")	254mm (10")	100mm (4")
Ø38mm (1 1/2")	250mm (9 13/16")	390mm (15 3/8")	240mm (9 7/16")	254mm (10")	150mm (5 7/8")
Ø50mm (2")	n/a	240mm (9 7/16")	240mm (9 7/16")	254mm (10")	100mm (4")
Ø50mm (2")	250mm (9 13/16")	390mm (15 3/8")	240mm (9 7/16")	254mm (10")	150mm (5 7/8")




90° Bend Angles

Diameter	Return 1-A	Wall A - B	Wall B - C	Minimum Bend Radius	Minimum Projection
Ø19mm (3/4")	n/a	200mm (8")	200mm (8")	75mm (3")	60mm (2 3/8")
Ø19mm (3/4")	75mm (3")	200mm (8")	200mm (8")	75mm (3")	60mm (2 3/8")
Ø25mm (1")	n/a	230mm (9 1/8")	230mm (9 1/8")	100mm (4")	60mm (2 3/8")
Ø25mm (1")	100mm (4")	230mm (9 1/8")	230mm (9 1/8")	100mm (4")	60mm (2 3/8")
Ø38mm (1 1/2")	n/a	450mm (17 11/16")	450mm (17 11/16")	254mm (10")	100mm (4")
Ø38mm (1 1/2")	250mm (9 13/16")	600mm (23 5/8")	450mm (17 11/16")	254mm (10")	150mm (5 7/8")
Ø50mm (2")	n/a	450mm (17 11/16")	450mm (17 11/16")	254mm (10")	100mm (4")
Ø50mm (2")	250mm (9 13/16")	600mm (23 5/8")	450mm (17 11/16")	254mm (10")	150mm (5 7/8")

Passing brackets and passing rings allow drapes to traverse around bays and multi-pole systems. passing is available on single pole systems. Passing will only work if the system is correctly installed and the drapes are properly made and attached to the rings.

PASSING GUIDELINES

1. Do make sure the top of the drapery ends underneath the main ring and does not touch or go above the bottom of the ring.
2. Always have the drapery hook perpendicular to the ringlet. Ringlets should not be sewn into a pinch pleat.
3. Be sure to have very little to no puddle on drapery, especially if the fabric is stiff. A stiff header can also cause the rings to not move freely.
4. If using lightweight or sheer fabric, the fabric needs to be weighted enough to pull the rings into the correct passing position.
5. Passing rings are not recommended with draw rods.



Steel can be customised to suit virtually any window. For simple projection changes between the Minimums and Maximums listed below brackets are charged at double their standard costs. For all other customisations an additional custom fee is applied per drawing



Custom Projection

Specify the exact projection needed.



Custom Fixing Plate

Relevant where space is restricted or weight is a concern.



Uplift

Helps negotiate cornice and similar architectural features.



Arm

For really tricky installations, arms without backplates can be designed for direct fixing.



Angled Brackets

The solution for tight and awkward locations.

Minimum & Maximum Bracket Projections


Dimensions outside of these stated min/max projections may still be possible but will generate a design charge per drawing. See Price List for details

Diameter	Type	Standard Projection(s)	Minimum Projection	Maximum Projection
Ø19mm (3/4")	Side	60mm (2 3/8") • 100mm (4")	58mm (2 5/16")	200mm (8")
Ø19mm (3/4")	Mid	60mm (2 3/8") • 100mm (4")	30mm (1 3/16")	200mm (8")
Ø19mm (3/4")	Passing	60mm (2 3/8") • 100mm (4")	47mm (1 7/8")	200mm (8")
Ø19mm (3/4")	Ceiling	60mm (2 3/8") • 100mm (4")	20mm (1 3/16")	200mm (8")
Ø19mm (3/4")	Ceiling Passing	60mm (2 3/8") • 100mm (4")	52mm (2 1/16")	200mm (8")
Ø25mm (1")	Side	60mm (2 3/8") • 100mm (4") • 140mm (5 1/2")	60mm (2 3/8")	200mm (8")
Ø25mm (1")	Mid	60mm (2 3/8") • 100mm (4") • 140mm (5 1/2") [Ⓢ]	36mm (1 7/16")	200mm (8")
Ø25mm (1")	Passing	60mm (2 3/8") • 100mm (4") • 140mm (5 1/2") [Ⓢ]	50mm (2")	200mm (8")
Ø25mm (1")	Ceiling	60mm (2 3/8") • 100mm (4")	26mm (1")	200mm (8")
Ø25mm (1")	Ceiling Passing	60mm (2 3/8") • 100mm (4")	95mm (3 3/4")	200mm (8")
Ø38mm (1 1/2")	Side	100mm (4")	92mm (3 5/8")	200mm (8")
Ø38mm (1 1/2")	Mid	100mm (4")	47mm (1 7/8")	200mm (8")
Ø38mm (1 1/2")	Passing	100mm (4")	85mm (3 5/16")	200mm (8")
Ø38mm (1 1/2")	Ceiling	100mm (4")	35mm (1 3/8")	200mm (8")
Ø38mm (1 1/2")	Ceiling Passing	100mm (4")	95mm (2 3/4")	200mm (8")
Ø50mm (2")	Side	100mm (4")	94mm (3 11/16")	200mm (8")
Ø50mm (2")	Mid	100mm (4")	60mm (2 3/8")	200mm (8")
Ø50mm (2")	Passing	100mm (4")	95mm (3 3/4")	200mm (8")
Ø50mm (2")	Ceiling	100mm (4")	n/a	200mm (8")
Ø50mm (2")	Ceiling Passing	100mm (4")	n/a	200mm (8")


The information below shows the relationship between the pole, brackets and rings.

This will enable the correlation between pole heights and curtain drops to be easily calculated.


19mm (3/4") SINGLE BRACKETS




25mm (1") SINGLE BRACKETS




38mm (1 1/2") SINGLE BRACKETS




50mm (2") SINGLE BRACKETS




19mm (3/4") COVERED SINGLE BRACKETS




25mm (1") COVERED SINGLE BRACKETS




38mm (1 1/2") COVERED SINGLE BRACKETS



50mm (2") COVERED SINGLE BRACKETS




FRONT 25mm (1") BACK 19mm (3/4") DOUBLE BRACKETS




! Top of the Double Passing bracket fix plate sits 8mm (5/16") higher than the Top of Double Side bracket fix plate.

FRONT 38mm (1 1/2") BACK 25mm (1") DOUBLE BRACKETS



! Top of the Double Passing bracket fix plate sits 13mm (1/2") higher than the Top of Double Side bracket fix plate.

25mm (1") French Brackets



STEEL

DRAPERY ARM

The 25mm (1") drapery arm, offered in all the available finish options, is designed to work with dormer windows, doorways or above beds.

The drapery arm has a levelling adjustment and light Weight finials and fabric are suggested.

The maximum recommended arm length is 1000mm (3'4").



STEEL

FINISHES

The beauty of the mild steel base shines through with these special translucent finishes.



Polished



Natural Steel




Brass Toned




Matte Brass Toned



Antique Brass ©



Bronzed ©



Oil Rubbed



Waxed



Flint ©

© Satin coat

CUSTOM FINISHES

Can be specified from RAL K7 finish chart, subject to a per colour upcharge, which covers up to five poles. See Price List for further details



COLOUR MATCHING

A colour matching service is offered, to match your scheme of fittings perfectly . See Price List for further details

STEEL



FINIALS



Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin



19mm (3/4")

25mm (1")



38mm (1 1/2")

50mm (2")







Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin



19mm (3/4")

25mm (1")



38mm (1 1/2")

50mm (2")







Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin



19mm (3/4")

25mm (1")



38mm (1 1/2")

50mm (2")







Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin



19mm (3/4")

25mm (1")



38mm (1 1/2")


50mm (2")






Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin


19mm (3/4")



25mm (1")



38mm (1 1/2")





50mm (2")



Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin


19mm (3/4")

25mm (1")



38mm (1 1/2")

50mm (2")






Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin



19mm (¾")

25mm (1")



38mm (1½")

50mm (2")







Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin


19mm (¾")

25mm (1")



38mm (1 ½")


50mm (2")






Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin


19mm (3/4")




25mm (1")



38mm (1 1/2")




50mm (2")






Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin


19mm (3/4")




25mm (1")



38mm (1 1/2")



50mm (2")







Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin



19mm (3/4")

25mm (1")



38mm (1 1/2")

50mm (2")







ⓘ Please note that due to manufacturing process's size and shape may vary slightly to shown diagram.

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options ☉ Satin

19mm (3/4")

25mm (1")



38mm (1 1/2") - NOT AVAILABLE



50mm (2") - NOT AVAILABLE



Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin

19mm (3/4")


25mm (1")



38mm (1 1/2") - NOT AVAILABLE

50mm (2") - NOT AVAILABLE





 Crystal finials should not be positioned in direct sunlight, and are not suitable for use in conservatories

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options ☉ Satin


19mm (3/4")

25mm (1")



38mm (1 1/2")

50mm (2") - NOT AVAILABLE







ⓘ Please note that due to manufacturing process's size and shape may vary slightly to shown diagram.

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options ☉ Satin


19mm (3/4")



25mm (1")



38mm (1 1/2")




50mm (2") - NOT AVAILABLE




Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin


19mm (3/4")



25mm (1")



38mm (1 1/2")



50mm (2") - NOT AVAILABLE



Please note that due to manufacturing process's size and shape may vary slightly to shown diagram.

Finishes



Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®

Coat Options

© Satin

19mm (3/4")

25mm (1")



38mm (1 1/2") - NOT AVAILABLE


50mm (2") - NOT AVAILABLE




ⓘ Please note that due to manufacturing process's size and shape may vary slightly to shown diagram.

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options ☉ Satin


19mm (3/4")



25mm (1")



38mm (1 1/2")




50mm (2") - NOT AVAILABLE




ⓘ Please note that due to manufacturing process's size and shape may vary slightly to shown diagram.

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options ☉ Satin

19mm (3/4")



25mm (1")



38mm (1 1/2") - NOT AVAILABLE

50mm (2") - NOT AVAILABLE





ⓘ Please note that due to manufacturing process's size and shape may vary slightly to shown diagram.

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options ☉ Satin


19mm (3/4")

25mm (1")



38mm (1 1/2")

50mm (2") - NOT AVAILABLE







ⓘ Please note that due to manufacturing process's size and shape may vary slightly to shown diagram.

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options ☉ Satin


19mm (3/4")



25mm (1")



38mm (1 1/2")




50mm (2") - NOT AVAILABLE




ⓘ Please note that due to manufacturing process's size and shape may vary slightly to shown diagram.

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin


19mm (3/4")



25mm (1")



38mm (1 1/2")



50mm (2") - NOT AVAILABLE





ⓘ Please note that due to manufacturing process's size and shape may vary slightly to shown diagram.

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options ☉ Satin

19mm (3/4")

25mm (1")



38mm (1 1/2") - NOT AVAILABLE


50mm (2") - NOT AVAILABLE




ⓘ Please note that due to manufacturing process's size and shape may vary slightly to shown diagram.

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options ☉ Satin

19mm (3/4")



25mm (1")



38mm (1 1/2") - NOT AVAILABLE

50mm (2") - NOT AVAILABLE

STEEL


POLES



Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin


19mm (3/4")

25mm (1")



38mm (1 1/2")

50mm (2")







Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin



19mm (3/4")

25mm (1")



38mm (1 1/2")

50mm (2")







Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin



19mm (3/4")

25mm (1")



38mm (1 1/2")


50mm (2")





Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin

25mm (1")



STEEL


BRACKETS




 For custom brackets see page 9

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options ☉ Satin


19mm (3/4")




25mm (1")



38mm (1 1/2")



50mm (2")







 For custom brackets see page 9

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options ☉ Satin


19mm (3/4")




25mm (1")



38mm (1 1/2")



50mm (2")







 For custom brackets see page 9

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin


19mm (3/4")




25mm (1")



38mm (1 1/2")



50mm (2")







 For custom brackets see page 9

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin


19mm (3/4")




25mm (1")



38mm (1 1/2")



50mm (2")






 For custom brackets see page 9

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin


19mm (3/4")

25mm (1")



38mm (1 1/2")

50mm (2")







 For custom brackets see page 9

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin



19mm (3/4")

25mm (1")



38mm (1 1/2")


50mm (2")





 For custom brackets see page 9


Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin





 For custom brackets see page 9

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin







⚠ Recess brackets are not suitable for use with French poles.

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options ☉ Satin


19mm (3/4")




25mm (1")



38mm (1 1/2")



50mm (2")






Finishes Alabaster • Dusk • Slate • Flint • Barley • Dove • Millstone • Clay • Cocoa • Cloud • Ceramic • Bone • Cream • Parchment • Mineral • Damson Moss • Smoke • Frame Grey • Raven **Coat Options** @ Matte @ Satin @ Gloss Platinum • Champagne • Gold • Cognac • Gunmetal • Antique Brass • Pewter • Bronzed **Coat Options** @ Satin @ Gloss Natural Silver

Premium Finishes Can be specified at twice the cost of the standard finish
Polished Nickel • Polished Brass Plate • Old Silver • Old Pewter • Old Brass • Light Bronze • Bronze Art


25mm (1")






Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin


19mm (3/4")



25mm (1")



38mm (1 1/2")




50mm (2") - NOT AVAILABLE




Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin


19mm (3/4")



25mm (1")



38mm (1 1/2")





50mm (2") - NOT AVAILABLE



Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin


19mm (3/4")

25mm (1")



38mm (1 1/2")


50mm (2") - NOT AVAILABLE






Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin

F25mm (1") B19mm (3/4")




F38mm (1 1/2") B25mm (1")






Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin

F25mm (1") B19mm (3/4")




F38mm (1 1/2") B25mm (1")






Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin

F25mm (1") B19mm (3/4")



F38mm (1 1/2") B25mm (1")



STEEL



RINGS



Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin



19mm (3/4")

25mm (1")



38mm (1 1/2")

50mm (2")







Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin



19mm (3/4")

25mm (1")



38mm (1 1/2")

50mm (2")



STEEL



ACCESSORIES



Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin

Large Disc



Ball & Collar







Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin

Standard Stud




Ball & Collar





Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options © Satin







! Draw Rods are not recommend for use with passing rings

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options ☉ Satin

Standard Stud

Ball & Collar






⚠ Drapery arms should only be used with Stud or Disc finials.
Poles should be no longer than 1m (3'4") in length

Finishes Polished • Natural Steel • Brass Toned • Matte Brass Toned • Antique Brass® • Bronzed® • Oil Rubbed • Waxed • Flint®
Coat Options ☉ Satin

25mm (1")



CONTACT

www.bradleycollection.com



UK & REST OF THE WORLD

+44 (0)1449 722 724

info@bradleycollection.com

USA & CANADA

+1 (310) 815 8255

info.us@bradleycollection.com

the**bradley**collection

Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard. Steel items are not recommended for damp conditions such as shower rooms. Crystal finials and acrylic poles should not be positioned in direct sunlight, and are not suitable for use in conservatories. Fluid Metal items are supplied unlacquered and will tarnish over time.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement.
Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988.
Bradley®, The Bradley Collection® and  Logo are registered Community trademarks of The Bradley Collection Ltd. in Europe and registered trademarks of the Bradley Collection, Inc. in the USA.

The Bradley Collection Ltd Lion Barn • Maitland Road • Needham Market • Suffolk • IP6 8NS • UK

Published: 1021 • Copyright © The Bradley Collection Ltd. 2021