# CONTACT

www.bradleycollection.com
















**USA & CANADA** 

**&** +44 (0)1449 722 724

**&** +1 (310) 815 8255

#### LONDON SHOWROOM

**&** +44 (0)207 871 7793

THE **BRADLEY** COLLECTION

CEDIA MEMBER Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard. Steel items are not recommended for damp conditions such as shower rooms. Crystal finials should not be positioned in direct sunlight, and are not suitable for use in conservatories. Fluid Metal items are supplied unlacquered and will tarnish over time.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement. Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988. Bradley®, The Bradley Collection® and ② Logo are registered Community trademarks of The Bradley Collection Ltd. in Europe and registered trademarks of the Bradley Collection, Inc. in the USA.

The Bradley Collection Ltd Lion Barn • Maitland Road • Needham Market • Suffolk • IP6 8NS • UK

Printed: 1023 • Copyright © The Bradley Collection Ltd. 2023



This sophisticated collection is the epitome of modern living. The design is sharp, streamlined and purposeful, whilst the choice of colour and finish ensures a truly individual result.


Pictured: Round Ø50mm (2") Gliderpole® - Corded • Flush End Cap • Gold - Gloss Interior styling & decoration: Dilly Orme | @ dillyorme
Photography: David Parmiter | @ davidparmiterphotography

# **GLIDERPOLE®**

## **EASIER INSTALLATION**

Locating grub screws into the top fixing plate is made easy with the new T-bar guide. A simple complimentary tool is now supplied with each Gliderpole order, which perfectly indexes the tapped hole and the grub screw.

An invaluable improvement in the fitting experience, especially when installing with no line of sight.



## HAND DRAWN

The smooth running hand drawn option is available in five styles; Square • Flat •  $\emptyset$ 23mm ( $^{15}/_{16}$ ") • 30mm ( $^{13}/_{16}$ ") • 50mm (2"). All benefit from the new thoughtful detailing of concealed end stops.



## CORDED

The innovative, embedded cording solution is available in three options, Square • Ø30mm ( $1^3/_{16}$ ") • 50mm (2"). All options allow a single or a twin cord which sit discreetly behind the curtain. A colour coordinated metal cord retainer is supplied as standard, for child safety.



## LENGTH

Gliderpole can be supplied to any length $\Theta$  allowing the curtains to travel freely across even the longest systems.




#### WAVE®

The ubiquitous Wave® heading is accommodated through all Gliderpole options.



## **HEAVY DUTY**

Heavy Duty face fixed brackets and improved adjustable brackets have been added to allow easy installation even in challenging situations. Wall brackets have a magnetic cover plate for hidden fixings. Brackets can also be supplied to custom lengths and designs.



## **BENT TO SHAPE**

Gliderpole is the optimal solution for bends and curves. Precision bending and smooth running gliding systems combine to provide superb functionality.





# GLIDERPOLE®


## **EDGE**

Gliderpole Edge is a modern, clean cut, return-to-wall concept with a more linear aesthetic.

The unique Edge bracket design gives a structured return to the wall for drapes and incorporates an adjustable return-to-wall hook eye.

Available in Ø30mm (1³/16") hand drawn






# **FINISHES**

This stunning palette of colours and finishes is available on all Gliderpoles and components, with a choice of coat options throughout.

#### **SHADES**

A superb selection of opaque colours, all available in a choice of Matte, Satin or Gloss finish.





#### **METALLICS**

High metallic fleck coatings with most available in Satin and Gloss sheen levels.



## **ANODIC METALS**

A flat metal colour group, with an anodised style surface texture.



#### $\oplus$ A finishing charge will apply | $\oplus$ Longer lead-times will apply | $\otimes$ Not available on Square or 50mm (2") poles

#### SPECIALIST FINISHES

Specialist techniques are employed to deliver additional finish choices. These more complex finishes are available at a premium cost and with longer lead times.

#### **BRIGHT / PLATED**

Poles may be specified in bright aluminium finish, complemented by finials, brackets and accessories in Polished Nickel plate.

#### POLE ONLY FINISH





Bright Aluminium ⊕⊗



FLUID METAL™

This innovative process involves applying authentic metal coatings to any substrate.

Elysian finial designs in particular lend themselves to these metal coats.





Old Brass ⊕ ② 🗗 🖢






Bronze Art ⊕ ② 🗗 🛡

Tuid Metal finishes are supplied unlacquered and will tarnish over time, a clear lacquer may be applied on request as a custom finish

Fluid Metal finishes are hand produced, finish may vary.





#### Flush End Cap Supplied as standard

 $\label{eq:square H27mm (11/16") Inclusive Length 3mm (1/8")} Flat H36mm (17/16") Inclusive Length 3mm (1/8") 
 Round Ø23mm (15/16") Inclusive Length 3mm (1/8") 
 Round Ø30mm (13/16") Inclusive Length 3mm (1/8") 
 Round Ø50mm (2") Inclusive Length 3mm (1/8")$ 



#### Flush Stud

Square H27mm ( $1^{1}/_{16}$ ") Inclusive Length 12mm ( $1^{1}/_{2}$ ") Flat H36mm ( $1^{7}/_{16}$ ") Inclusive Length 12mm ( $1^{1}/_{2}$ ") Round Ø23mm ( $1^{15}/_{16}$ ") Inclusive Length 10mm ( $1^{3}/_{16}$ ") Round Ø30mm ( $1^{3}/_{16}$ ") Inclusive Length 12mm ( $1^{1}/_{16}$ ") Round Ø50mm ( $1^{1}/_{16}$ ") Inclusive Length 18mm ( $1^{1}/_{16}$ ")



#### Stud

Round ø30mm ( $^{15}/_{16}$ ") Inclusive Length 10mm ( $^{3}/_{8}$ ") Round ø30mm ( $^{13}/_{16}$ ") Inclusive Length 12mm ( $^{1/_{2}}$ ") Round ø50mm ( $^{2}$ ") Inclusive Length 18mm ( $^{11}/_{16}$ ")



#### Disc

Round ø23mm ( $^{15}$ /16") Inclusive Length 10mm ( $^{3}$ /4") Round ø30mm ( $^{13}$ /16") Inclusive Length 12mm ( $^{12}$ /2") Round ø50mm ( $^{2}$ ") Inclusive Length 18mm ( $^{11}$ /16")



#### Squat Disc

Round ø30mm ( $1^3/16''$ ) Inclusive Length 32mm ( $1^1/4''$ ) Round ø50mm (2'') Inclusive Length 58mm ( $2^5/16''$ )



#### Faceted Disc

Round ø30mm (1 $^3$ /16'') Inclusive Length 37mm (1 $^1$ /2'') Round ø50mm (2 $^1$ ) Inclusive Length 69mm (2 $^1$ /16'')



#### Pebble

Round ø30mm ( $1^3/6$ ") Inclusive Length 42mm ( $1^5/8$ ") Round ø50mm (2") Inclusive Length 68mm ( $2^{11}/6$ ")



#### Ball

Round Ø30mm (13/16") Inclusive Length 66mm (25/8")
Round Ø50mm (2") Inclusive Length 112mm (47/8")

For full technical information, sizes and weights please download the specification guide www.bradleycollection.com/specification-guides/





#### Halo

**ø**30mm (1<sup>3</sup>/16") **Inclusive Length** 5mm (<sup>3</sup>/16") **ø**50mm (2") Inclusive Length 2mm (1/16")

Discus

ø30mm (13/16") Inclusive Length 39mm (11/2")

ø50mm (2") Inclusive Length 58mm (25/16")

Squat Globe

**ø**30mm (1<sup>3</sup>/16") **Inclusive Length** 53mm (2<sup>1</sup>/16")

ø50mm (2") Inclusive Length 81mm (3<sup>3</sup>/<sub>16</sub>")



**ø**30mm (1<sup>3</sup>/<sub>16</sub>") Inclusive Length 5mm (<sup>3</sup>/<sub>16</sub>") ø50mm (2") Inclusive Length 2mm (1/16")



Orbit

**ø**30mm (1<sup>3</sup>/<sub>16</sub>") **Inclusive Length** 36mm (1<sup>7</sup>/<sub>16</sub>") ø50mm (2") Inclusive Length 52mm (21/16")



Flute

ø30mm (13/16") Inclusive Length 73mm (27/8") ø50mm (2") Inclusive Length 114mm (41/2")



Jewel

**ø**30mm (1<sup>3</sup>/<sub>16</sub>") Inclusive Length 37mm (1<sup>7</sup>/<sub>16</sub>")

ø50mm (2") Inclusive Length 55mm (21/8")

#### Globe

ø30mm (1<sup>3</sup>/<sub>16</sub>") Inclusive Length 73mm (2<sup>7</sup>/<sub>8</sub>") ø50mm (2") Inclusive Length 114mm (41/2")



## Templar

**ø**30mm (1<sup>3</sup>/<sub>16</sub>") Inclusive Length 79mm (3<sup>1</sup>/<sub>8</sub>") ø50mm (2") Inclusive Length 119mm (411/16")



Ribbed Globe

ø30mm (1<sup>3</sup>/<sub>16</sub>") Inclusive Length 73mm (2<sup>7</sup>/<sub>8</sub>") ø50mm (2") Inclusive Length 114mm (41/2")



Crystal Templar\*

ø50mm (2") Inclusive Length 119mm (411/16")



**ø**30mm (1<sup>3</sup>/<sub>16</sub>") Inclusive Length 69mm (2<sup>11</sup>/<sub>16</sub>") ø50mm (2") Inclusive Length 117mm (45/8")

\* Crystal Finials should not be positioned in direct sunlight

For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/specification-guides

Pictured left to right:

Round Ø50mm (2") Gliderpole® - Hand Drawn | Ribbed Globe • Bronze - Satin Discus • Antique Brass - Satin | Flute • Champagne - Satin | Templar • Platinum - Satin

## SINGLE BRACKETS



Square H27mm (11/16") Flat H36mm (17/16") Round @23mm (15/16")

Round ø50mm (2")

Diameter

Projection from wall to pole centre Side Fixing plate size 60mm (23/8"), 100mm (4") 60mm (23/8"), 100mm (4")

60mm (23/8"), 100mm (4") Round ø30mm ( $1^{3}/16''$ ) 60mm ( $2^{3}/8''$ ), 100mm (4'') 60mm (23/8"), 100mm (4") Mid Fixing plate size

w32mm (11/4") x H70mm (23/4") w32mm (11/4") x H38mm (11/2") w32mm ( $1\frac{1}{4}$ ") x H70mm ( $2\frac{3}{4}$ ") w32mm ( $1\frac{1}{4}$ ") x H38mm ( $1\frac{1}{2}$ ") w32mm ( $1\frac{1}{4}$ ") x H70mm ( $2\frac{3}{4}$ ") w32mm ( $1\frac{1}{4}$ ") x H38mm ( $1\frac{1}{2}$ ") w32mm ( $1\frac{1}{4}$ ") x H70mm ( $2\frac{3}{4}$ ") w32mm ( $1\frac{1}{4}$ ") x H38mm ( $1\frac{1}{2}$ ")

w32mm ( $1\frac{1}{4}$ ") x H70mm ( $2\frac{3}{4}$ ") w32mm ( $1\frac{1}{4}$ ") x H38mm ( $1\frac{1}{2}$ ")

**Heavy Duty** 

## **Heavy Duty**



Diameter Flat H36mm (17/16") Round ø23mm (15/16") Round Ø30mm (13/16") 100mm (4"), 140mm (51/2") Round ø50mm (2")

Projection from wall to pole centre Side Fixing plate size **Square H27mm** (11/16") 100mm (4"), 140mm (51/2")

Drop from ceiling to top of pole

100mm (4"), 140mm (5½")

100mm (4"), 140mm (51/2") w47mm (1<sup>7</sup>/<sub>8</sub>") x H76mm (3") 100mm (4"), 140mm (5½")

w47mm (1<sup>7</sup>/<sub>8</sub>") x H76mm (3") w47mm (1<sup>7</sup>/<sub>8</sub>") x H36mm (1<sup>7</sup>/<sub>16</sub>")

Mid Fixing plate size

w47mm (17/8") x H76mm (3") w47mm (17/8") x H36mm (17/16") **w**47mm (1<sup>7</sup>/<sub>8</sub>") x **H**36mm (1<sup>7</sup>/<sub>16</sub>") w47mm (17/8") x H76mm (3") w47mm (17/8") x H36mm (17/16") w47mm (17/8") x H76mm (3") w47mm (17/8") x H36mm (17/16")

Flush **Light Duty** 



Diameter

**Square H27mm** (1½6") 3mm (½8") Flat H36mm (17/16") Round ø23mm (15/16") 3mm (1/8")

Round Ø30mm (13/16") 3mm (1/8")

Fixing plate size

w20mm (13/16") x L50mm (2") w20mm (<sup>13</sup>/<sub>16</sub>") x ι50mm (2") w20mm (13/16") x L50mm (2") w20mm (13/16") x L50mm (2")

Flush **Heavy Duty** 



#### Diameter

**Square H27mm** (11/16") 3mm (1/8") Flat H36mm (17/16") 3mm (1/8") Round ø23mm (15/16") 3mm (1/8") Round ø30mm (13/16") 3mm (1/8") Round ø50mm (2") 3mm (1/8")

#### Drop from ceiling to top of pole Fixing plate size

w40mm (1%16") x L59mm (25/16") w40mm (1%16") x L59mm (25/16")

# RECESS BRACKETS

#### Recess with hook stop





#### Diameter

Square H27mm (11/16") 14mm (%16") Flat H36mm (17/16")14mm (%16") Round ø23mm (15/16") 14mm (%16") Round ø30mm (13/16") 14mm (9/16") Round ø50mm (2") 14mm (%16")

#### Fixing plate size

w42mm (111/16") x H27mm (11/16") **w**31mm (11/4") x **u**36mm (17/16") w33mm (15/16") x H24mm (115/16") w40mm (1%16") x H31mm (11/4") w64mm (2½") x **H**51mm (2")

## **EDGE BRACKET**

Diameter

Projection from wall to pole centre Fixing plate size

Round ø30mm (13/16") 100mm (4")

w32mm (11/4") x H70mm (23/4")

## ADJUSTABLE BRACKETS





Flat H36mm (17/16")

Round ø50mm (2")

Projection from wall to pole centre Side Fixing plate size

Square H27mm (11/16") Min.80mm (31/8") Max.130mm (51/8") Min.80mm ( $3\frac{1}{8}$ ") Max.130mm ( $5\frac{1}{8}$ ") Round ø23mm (15/16") Min.80mm (31/8") Max.130mm (51/8") Round Ø30mm (13/16") Min.80mm (31/8") Max.130mm (51/8") Min.80mm ( $3\frac{1}{8}$ ") Max.130mm ( $5\frac{1}{8}$ ") w47mm (17/8") x H76mm (3") w47mm (17/8") x H36mm (17/16")

Mid Fixing plate size

w47mm (17/8") x H76mm (3") w47mm (17/8") x H36mm (17/16") w47mm (17/8") x H76mm (3") w47mm (17/8") x H36mm (17/16") w47mm (17/8") x H76mm (3") w47mm (17/8") x H36mm (17/16") w47mm (17/8") x H76mm (3") w47mm (17/8") x H36mm (17/16")

## DOUBLE BRACKETS





Projection from wall to pole centre Side Fixing plate size

Flat H36mm (17/16") F140mm (5½") B 40-60mm (1½16-23%") w47mm (1½") x H76mm (3") w47mm (1½8") x H36mm (1½16") Round @30mm (13%6") F140mm (5½") B 40-60mm (1½6-23/6") w47mm (1½8") x H76mm (3") w47mm (1½6") x H36mm (1½6")

Round Ø50mm (2") F140mm (51/2") B40-60mm (11/16-23/8") W47mm (17/8") x H76mm (3") W47mm (17/6") x H36mm (17/16")

Mid Fixing plate size

Square H27mm (11/16") F140mm (51/2") B 40-60mm (11/16-23/8") w47mm (17/6") x H76mm (3") w47mm (17/8") x H36mm (17/16")

# **CUSTOM BRACKETS**

A bespoke design service is offered to ensure solutions in even the most challenging installations.











**Custom Projection** 

Specify the exact projection needed.

**Custom Fixing Plate** 

Relevant where space is restricted or weight is a concern.

Uplift

Helps negotiate cornice and similar architectural features

**Ceiling Brackets** 

Specify exact projection required from ceiling.

**Angled Brackets** 

The solution for tight and awkward locations.

Depth off wall

# **GLIDING OPTIONS**




## **POLES**

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to stack back to the edge of the window.

Maximum pole length in one piece 4.0m (157").⊖

Poles exceeding the maximum length will be cut into equal parts unless otherwise specified. A pole joiner will be supplied.

Twin cord systems are always supplied in an even number of parts & will be supplied in a minimum of two sections.



## **ACCESSORIES**

# Draw Rods Fine Standard

Draw rod length 1000mm (39<sup>3</sup>/<sub>8</sub>") Custom lengths available to order

#### **Cord Retainer**



All corded tracks are supplied as standard with a metal cord retainer. This ensures that all cords are safely secured to the wall and complies with BS EN 13120:2009+A12014.

This will be supplied in the same finish as the system, unless advised otherwise.



Fixing plate size: ø46mm (113/16") **Cord Colour Options:** White • Black