

# CONTACT

[www.bradleycollection.com](http://www.bradleycollection.com)



## UK & REST OF THE WORLD

+44 (0)1449 722 724

[info@bradleycollection.com](mailto:info@bradleycollection.com)

## USA & CANADA

+1 (310) 815 8255

[info.us@bradleycollection.com](mailto:info.us@bradleycollection.com)

---

## LONDON SHOWROOM

+44 (0)207 871 7793

[showroom@studiotwochelsea.com](mailto:showroom@studiotwochelsea.com)

9 | THE BRADLEY  
COLLECTION

GLIDE

THE BRADLEY  
COLLECTION



CEDIA  
MEMBER

Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard.  
Steel items are not recommended for damp conditions such as shower rooms.  
Crystal finials should not be positioned in direct sunlight, and are not suitable for use in conservatories.  
Fluid Metal items are supplied unlacquered and will tarnish over time.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement. Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988.  
Bradley®, The Bradley Collection® and  Logo are registered Community trademarks of The Bradley Collection Ltd. in Europe and registered trademarks of the Bradley Collection, Inc. in the USA.

The Bradley Collection Ltd Lion Barn • Maitland Road • Needham Market • Suffolk • IP6 8NS • UK

Printed: 1023 • Copyright © The Bradley Collection Ltd. 2023



# GLIDE

This exceptional collection is a new touchstone for design in drapery hardware.

Brackets disappear from view.

Ends are fused to the pole, giving a seamless aesthetic.

For the first time, an exact match is possible between pole and glider colour.


GLIDE | THE NEW STANDARD

**Pictured:** Round  $\varnothing$ 30mm (1 $\frac{3}{16}$ " ) Pole · Charcoal - Matte

# GLIDE

## SEAMLESS

A unique new process fuses pole ends to pole in a truly seamless way.



## GLIDING

Gypsum and Anthracite colours offered as standard for gliders, with coated metal gliders available for an exact colour match.



## MODERN

Modern sinuous heading styles can be created, using both hook and tape or snap tape components.




## UNOBTRUSIVE

The bracket architecture is shared with Float and Drive, and keeps the front face of the pole clear of visible parts.



## PRECISE

A new jointing system ensures perfect alignment between pole sections.




## FLUSH

The rear fixing brackets allow true flush ceiling mount for the first time.



## BENT TO SHAPE

The pole is designed to be accurately bent and curved to shape.



# FINISHES

This newly extended palette of colours and finishes launches alongside Glide, fitting the new collection to the mood of any scheme.

## SHADES

A superb selection of opaque colours, all available in a choice of Matte, Satin or Gloss finish.



## COAT OPTIONS



## METALLICS

High metallic fleck coatings with most available in Satin and Gloss sheen levels.



## ANODIC METALS

A flat metal colour group, with an anodised style surface texture.



Pictured left to right:  
 ø30mm (1 3/16") Pole | Oblique • Sunrise | Spheric • Glow  
 Orbic • Storm | Ellipse • Sunset

GLIDE



**Pictured:**  
 ø30mm (1 3/16") Pole • Seamless • Metal Coat Gliders • Antique Brass - Satin

## FINIALS

The fused ends of Glide embody the seamless design language of the collection. Glide is presented with a Seamless end cap as standard, giving the ultimate in clean minimalism.

The fused ends also allow understated geometric finial forms to be added for a hint of decorative detail.



**Seamless®** Supplied as standard

ø30mm (1 3/16") Inclusive Length 5mm (3/16")  
 ø38mm (1 1/2") Inclusive Length 5mm (3/16")



**Orbic**

ø30mm (1 3/16") Inclusive Length 13mm (1/2")  
 ø38mm (1 1/2") Inclusive Length 15mm (9/16")



**Orbic Grand**

ø30mm (1 3/16") Inclusive Length 13mm (1/2")  
 ø38mm (1 1/2") Inclusive Length 15mm (9/16")



**Drum**

ø30mm (1 3/16") Inclusive Length 21mm (13/16")  
 ø38mm (1 1/2") Inclusive Length 23mm (7/8")



**Tulip**

ø30mm (1 3/16") Inclusive Length 35mm (1 3/8")  
 ø38mm (1 1/2") Inclusive Length 43mm (1 11/16")



**Oblique**

ø30mm (1 3/16") Inclusive Length 21mm (13/16")  
 ø38mm (1 1/2") Inclusive Length 23mm (7/8")



**Planar**

ø30mm (1 3/16") Inclusive Length 25mm (1")  
 ø38mm (1 1/2") Inclusive Length 29mm (1 1/8")



**Ellipse**

ø30mm (1 3/16") Inclusive Length 29mm (1 1/8")  
 ø38mm (1 1/2") Inclusive Length 33mm (5/8")







**Spheric**

ø30mm (1 3/16") Inclusive Length 53mm (2 1/16")  
 ø38mm (1 1/2") Inclusive Length 65mm (2 5/16")




© Please note that if this option is selected finials cannot be added at a later date.  
 For full technical information, sizes and weights please download the specification guide - [www.bradleycollection.com/specification-guides/](http://www.bradleycollection.com/specification-guides/)

# SINGLE BRACKETS

<b>Side</b> 	<b>Diameter</b> ø30mm (1 3/16") ø38mm (1 1/2")	<b>Projection from wall to pole centre</b> 60mm (2 3/8"), 100mm (4") 100mm (4")	<b>Fixing plate size</b> w30mm (1 3/16") x H70mm (2 3/4") w38mm (1 1/2") x H89mm (3 1/2")
<b>Mid</b> 	<b>Diameter</b> ø30mm (1 3/16") ø38mm (1 1/2")	<b>Projection from wall to pole centre</b> 60mm (2 3/8"), 100mm (4") 100mm (4")	<b>Fixing plate size</b> w70mm (2 3/4") x H30mm (1 3/16") w89mm (3 1/2") x H38mm (1 1/2")
<b>Ceiling</b> 	<b>Diameter</b> ø30mm (1 3/16") ø38mm (1 1/2")	<b>Drop from ceiling to top of pole</b> 1mm (1/16") 1mm (1/16")	<b>Fixing plate size</b> w70mm (2 3/4") x H30mm (1 3/16") w70mm (2 3/4") x H30mm (1 3/16")



# DOUBLE BRACKETS

<b>Side</b> 	<b>Diameter</b> Fø30mm (1 3/16") Bø30mm (1 3/16") Fø38mm (1 1/2") Bø30mm (1 3/16") Fø38mm (1 1/2") Bø38mm (1 1/2")	<b>Projection from wall to pole centre</b> F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8")	<b>Fixing plate size</b> w57mm (2 1/4") x H114mm (4 1/2") w57mm (2 1/4") x H114mm (4 1/2") w57mm (2 1/4") x H114mm (4 1/2")
<b>Mid</b> 	<b>Diameter</b> Fø30mm (1 3/16") Bø30mm (1 3/16") Fø38mm (1 1/2") Bø30mm (1 3/16") Fø38mm (1 1/2") Bø38mm (1 1/2")	<b>Projection from wall to pole centre</b> F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8") F200mm (8") B100mm (4")	<b>Fixing plate size</b> w114mm (4 1/2") x H57mm (2 1/4") w114mm (4 1/2") x H57mm (2 1/4") w114mm (4 1/2") x H57mm (2 1/4")
<b>Flush Partition</b> 	<b>Diameter</b> Fø30mm (1 3/16") Bø30mm (1 3/16") Fø38mm (1 1/2") Bø38mm (1 1/2")	<b>Drop from ceiling to top of pole</b> 1mm (1/16") 1mm (1/16")	<b>Fixing plate size</b> w89mm (3 1/2") x H38mm (1 1/2") w89mm (3 1/2") x H38mm (1 1/2")

# RECESS BRACKETS

<b>Recess with hook stop</b> 	<b>Diameter</b> ø30mm (1 3/16") ø38mm (1 1/2")	<b>Depth off wall</b> 10mm (3/8") 10mm (3/8")	<b>Fixing plate size</b> ø38mm (1 1/2") ø48mm (1 7/16")
---	--	---	---

# CUSTOM BRACKETS

A bespoke design service is offered to ensure solutions in even the most challenging installations.



**Custom Projection**  
Specify the exact projection needed.



**Custom Fixing Plate**  
Relevant where space is restricted or weight is a concern.



**Uplift**  
Helps negotiate cornice and similar architectural features.










**Ceiling Brackets**  
Specify exact projection required from ceiling.



**Angled Brackets**  
The solution for tight and awkward locations.

# GLIDING OPTIONS

<p><b>Glider</b></p>  <p><b>Drop from bottom of track:</b> 15mm (5/8")</p> <p><b>Colour Options:</b> Gypsum • Anthracite</p>	<p><b>Metalcoat Glider®</b></p>  <p><b>Drop from bottom of track:</b> 15mm (5/8")</p> <p><b>Colour Options:</b> System Colour © • Brushed Nickel</p>	<p><b>Roller</b></p>  <p><b>Drop from bottom of track:</b> 15mm (5/8")</p> <p><b>Colour Options:</b> White • Black</p>	
<p><b>Sine Glider</b></p>  <p><b>Drop from bottom of track:</b> 15mm (5/8")</p> <p><b>Sine Pitch:</b> 80mm (3 1/8")</p> <p><b>Colour Options:</b> Gypsum • Anthracite</p>	<p><b>Metalcoat Sine Glider®</b></p>  <p><b>Drop from bottom of track:</b> 15mm (5/8")</p> <p><b>Sine Pitch:</b> 80mm (3 1/8")</p> <p><b>Colour Options:</b> System Colour © • Brushed Nickel</p>	<p><b>Ripple Roller</b></p>  <p><b>Drop from bottom of track:</b> 15mm (5/8")</p> <p><b>Ripple Pitch:</b> 80mm (3 1/8")</p> <p><b>Colour Options:</b> White • Black</p>	<p><b>Ripplefold Roller</b></p>  <p><b>Drop from bottom of track:</b> 15mm (5/8")</p> <p><b>Ripplefold® Fullness:</b> 80% • 100% • 120%</p> <p><b>Colour Options:</b> White</p>

© Metalcoat Gliders, supplied in satin finish on Matte & Gloss finished systems

# POLES

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to stack back to the edge of the window.

Maximum pole length in one piece 4.0m (157"). ©

Poles exceeding the maximum length will be cut into equal parts unless otherwise specified. A pole joiner will be supplied.



<p><b>Size</b></p> <p>ø30mm (1 3/16")</p> <p>ø38mm (1 1/2")</p>	<p><b>Maximum distance between brackets</b></p> <p>1000mm (39")</p> <p>1000mm (39")</p>	<p><b>Minimum bend radius</b></p> <p>R300mm (12")</p> <p>R400mm (16")</p>
---	---	---

© Supplied in sections - Section lengths over 3.0m (118") will incur a handling charge  
For full technical information, sizes and weights please download the specification guide - [www.bradleycollection.com/specification-guides/](http://www.bradleycollection.com/specification-guides/)

## Draw Rods Seamless



**Draw rod length:**  
1000mm (39 3/8")  
Custom lengths available to order



**Pictured:**  
ø30mm (1 3/16") Pole • Seamless Finials • Antique Brass - Satin  
**Design inspired by:** Rogue Designs [www.rogue-designs.co.uk](http://www.rogue-designs.co.uk)  
**Photo styling inspired by:** Lucy Walters Photography