

GLIDE

THE **BRADLEY**
COLLECTION

SPECIFICATION GUIDE

SPECIFICATION GUIDE

This specification guide was designed to outline the main considerations that need to be made when quoting or ordering a system.

If any questions arise please call your local sales representative or contact The Bradley Collection directly.

System Information Page 3-17

POLES Page 4

JOINTING SYSTEM Page 5

BAYS & MINIMUM WALL SIZES Page 6

BRACKET ALIGNMENT Page 7

CUSTOM BRACKETS Page 8

CURTAIN DROPS Page 9-11

POLE CONFIGURATION Page 12

CURTAIN STACKS Page 13

GLIDING OPTIONS & CURTAIN HEADINGS Page 14-15

CURTAIN WEIGHTS Page 16

MAXIMUM WEIGHTS Page 17

Finishes Page 18-21

Finials Page 22-23

Poles Page 33-37

Brackets Page 38-47

Accessories Page 48-49

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to draw back to the edge of the window.


Maximum pole length in one piece 4.0m (157")[Ⓒ].

Poles exceeding the maximum length will be cut into equal parts unless otherwise specified.

Joining system will be supplied. (See page 5) Brackets should be placed at every join.

Ø30mm (1³/₁₆") • 38mm (1¹/₂")

The overall pole cost is rounded up in 300mm (1ft) increments.





Diameter	Maximum distance between brackets	Minimum bend radius
Ø30mm (1 ³ / ₁₆ ")	1000mm (39")	R300mm (12")
Ø38mm (1 ¹ / ₂ ")	1000mm (39")	R400mm (16")

PROVIDING POLE LENGTHS

Pole lengths can be specified in two ways.

OPTION A is our preferred method. This covers Pole length only. **OPTION B** combines pole and finial lengths.




GLIDE


JOINTING SYSTEM

Glide's jointing system ensures perfect alignment between pole sections.


Joints must always be supported by a bracket.




30mm (1 3/16")



38mm (1 1/2")



Bradley's bespoke service allows poles to be specifically made for unique bay windows and complex long span installations. Poles can be shaped to create a system that follows contours.





! Return bends are not available.

MINIMUM WALL SIZES

135° Bend Angles

90° Bend Angles



Diameter	Wall A - B	Wall B - C	Angle at B	Minimum Bend Radius	Minimum Projection
∅30mm (1 ³ / ₁₆ "	216mm (8 ¹ / ₂ "	216mm (8 ¹ / ₂ "	135°	300mm (12"	60mm (2 ³ / ₈ "
∅30mm (1 ³ / ₁₆ "	450mm (17 ¹ / ₁₆ "	450mm (17 ¹ / ₁₆ "	90°	300mm (12"	60mm (2 ³ / ₈ "
∅38mm (1 ¹ / ₂ "	316mm (12 ⁷ / ₁₆ "	316mm (12 ⁷ / ₁₆ "	135°	400mm (16"	100mm (4"
∅38mm (1 ¹ / ₂ "	550mm (21 ⁵ / ₈ "	550mm (21 ⁵ / ₈ "	90°	400mm (16"	100mm (4"

BRADLEY BAY CHECKER +


Bay Checker + is part of our Digital Toolbox, allowing you to check your measurement for bays and curves whilst onsite, as well as storing straight window dimensions for your projects.

Unlimited measurements may be saved locally to your device or shared to your colleagues.

Available as a free download for iOS or Android,


For more information on Bay Checker + and latest enhancements to our Digital Toolbox visit

www.bradleycollection.com/digital-toolbox/




The information below shows the relationship between the bracket backplate. this will enable easy alignments during instalation.


SINGLE SYSTEM - $\varnothing 30\text{mm}$ ($1\frac{3}{16}$ "



SINGLE SYSTEM - $\varnothing 38\text{mm}$ ($1\frac{1}{2}$ "



DOUBLE SYSTEMS



Glide can be customised to suit virtually any window. For simple projection changes between the Minimums and Maximums listed below brackets are charged at double their standard costs. For all other customisations an additional custom fee is applied per drawing



Custom Projection

Specify the exact projection needed.



Custom Fixing Plate

Relevant where space is restricted or weight is a concern.



Uplift

Helps negotiate cornice and similar architectural features.



Ceiling Brackets

Specify exact projection required from ceiling.



Angled Brackets

The solution for tight and awkward locations.


Minimum & Maximum Bracket Projections

Dimensions outside of these stated min/max projections may still be possible but will generate a design charge per drawing. See pricelist for details


Diameter	Type	Standard Projection(s)	Minimum Special Projection	Maximum Special Projection
∅30mm (1 ³ / ₁₆ "	Side	60mm (2 ³ / ₈ " • 100mm (4")	70mm (2 ³ / ₄ "	200mm (8")
∅30mm (1 ³ / ₁₆ "	Mid	60mm (2 ³ / ₈ " • 100mm (4")	70mm (2 ³ / ₄ "	200mm (8")
∅38mm (1 ¹ / ₂ "	Side	100mm (4")	83mm (3 ¹ / ₄ "	200mm (8")
∅38mm (1 ¹ / ₂ "	Mid	100mm (4")	83mm (3 ¹ / ₄ "	200mm (8")

The information below shows the relationship between the pole, brackets and gliders/rollers. This will enable the correlation between pole heights and curtain drops to be easily calculated.

SINGLE SYSTEM - $\varnothing 30\text{mm}$ ($1\frac{3}{16}$ "




DOUBLE SYSTEM - FRONT $\varnothing 30\text{mm}$ ($1\frac{3}{16}$ " BACK $\varnothing 30\text{mm}$ ($1\frac{3}{16}$ "




PIN HOOK MEASUREMENT

From bottom of the track




The information below shows the relationship between the pole, brackets and gliders/rollers. This will enable the correlation between pole heights and curtain drops to be easily calculated.


SINGLE SYSTEM - $\varnothing 38\text{mm}$ (1 1/2")



DOUBLE SYSTEM - FRONT $\varnothing 38\text{mm}$ (1 1/2") BACK $\varnothing 30\text{mm}$ (1 3/16")




DOUBLE SYSTEM - FRONT $\varnothing 38\text{mm}$ (1 1/2") BACK $\varnothing 38\text{mm}$ (1 1/2")



PIN HOOK MEASUREMENT

From bottom of the track





The information below shows the relationship between the pole, brackets and gliders/rollers. This will enable the correlation between pole heights and curtain drops to be easily calculated.





Partition Brackets can not be used around bay windows

DOUBLE PARTITION SYSTEM - FRONT $\varnothing 30\text{mm}$ ($1\frac{3}{16}$ ") BACK $\varnothing 30\text{mm}$ ($1\frac{3}{16}$ ")




DOUBLE PARTITION SYSTEM - FRONT $\varnothing 38\text{mm}$ ($1\frac{1}{2}$ ") BACK $\varnothing 38\text{mm}$ ($1\frac{1}{2}$ ")



PIN HOOK MEASUREMENT

From bottom of the track




Systems will be supplied as per the diagrams below.

GLIDER ACCESS


For single stack curtains a glider access point will be positioned the same side as the curtain stack.

For pair stack curtains the access point will be positioned on the right hand side, unless otherwise requested.




T-BAR ACCESS

For poles made in one piece, a T-Bar access point will positioned on the righthand side




GLIDE POLE SYSTEMS

GLIDERS • METALCOAT GLIDERS • SINE GLIDERS • METALCOAT SINE GLIDERS
 ROLLERS • RIPPLE ROLLERS • RIPPLEFOLD ROLLERS




SINGLE STACK →



SUPPLIED WITH

1x Internal End Stop • 1x Glider Access Block (Glider access will be positioned the same side as curtain stack)

PAIR STACK →←



SUPPLIED WITH

2x Internal End Stop • 1x Glider Access Block (Glider access will be positioned as standard on the right hand side)

STACK SIZES

This is the area where the curtains hang against the wall when they are pulled open. by covering the wall and not the glass, during the day, it allows more light into the room. Allow approximately 30% of the length of the track for curtain stacking, very full curtains (e.g. pencil pleat) will need more space than flatter ones. lined and interlined curtains will also require more stacking space than unlined.


SINGLE STACK →



PAIR STACK →←



STANDARD HEADINGS



GLIDERS • METALCOAT GLIDERS


Gliders are suitable for most installations. one glider is specified for every 100mm (4").

Glider Colour Options: Gypsum • Anthracite

Metalcoat Colour Options: System Colour © • Brushed Nickel


STANDARD

Fullness 1.5




PINCH PLEAT

Fullness 2.0




PENCIL PLEAT

Fullness 2.5 (Heavy)
Fullness 2.5 (Voiles)



Pencil pleats will have a larger stack back and performance may be reduced



ROLLERS

Rollers are preferred for heavy drapery. one roller is specified for every 100mm (4").

Roller Colour Options: White • Black


SINE & RIPPLE HEADINGS

Sine & Ripple headings are a simple S folded heading system consisting of rollers spaced by a cord and a special pocketed header tape that is sewn onto a flat panel curtain.track. it offers an elegant, contemporary look.

- Ideal for both residential and commercial settings.
- Drapery is constructed special pocketed header tape that is sewn onto a flat panel curtain
- Hooks are fitted to header tape at a set spacing shown below creating the ripple effect
- Fullness can be adjusted by changing the hook spacing.

SINE • RIPPLE

Fullness 2.3




FABRIC SUITABILITY

There is no standard test that will indicate whether a fabric is suitable for wave style. However, experience suggests it is normally suitable for:

✓ Voiles • Lined cotton • Interlined Silk • Blackout lining

The soft curves of Wave do not lend themselves to:

✗ Stiff fabrics • Heavy embroidery • Irregular vertical stripes • Metallic threads



SINE GLIDERS • METALCOAT SINE GLIDERS

Gliders are suitable for most installations.

Sine Pitch: 80mm (3 1/8")

Sine Glider Colour Options: Gypsum • Anthracite

Metalcoat Sine Colour Options: System Colour © • Brushed Nickel



RIPPLE ROLLERS

Rollers are preferred for heavy drapery.

Ripple Pitch: 80mm (3 1/8")

Ripple Roller Colour Options: White • Black


Glider • Roller Spacing	Curtain Hook Spacing	Approx. Curtain Fullness	Stack Depth per 1M (39 3/8") of pole	Min Bracket Projection
80mm (3 1/8")	160mm (6 3/16")	2.3	180mm (7 1/16")	100mm (4")

RIPPLEFOLD HEADING

Ripplefold pleat style is named for the soft, consistent ripples created by the drapery as it hangs from the track. It offers an elegant, contemporary look.

- Ideal for both residential and commercial settings.
- Drapery is constructed with snap tape (graber® is required) that allows the drapery to be snapped directly to the auxillary carriers on the track.
- Fullness of the drapery is determined by the spacing of the carriers in the track. the higher the fullness factor, the more full the draperies appear.
- 3 fullness factors are available

RIPPLEFOLD



RIPPLEFOLD ROLLERS

Rollers are preferred for heavy drapery.

Ripplefold® Fullness: 80% • 100% • 120%

Roller Colour Options: White

	Roller-Cord Spacing	Curtain Fullness	Stack Depth per 1M (39 3/8") of pole	Min Bracket Projection
	60mm (2 3/8")	80%	270mm (10 5/8")	100mm (4")
	55mm (2 1/8")	100%	310mm (12 3/16")	100mm (4")
	45mm (1 3/4")	120%	360mm (14 3/16")	100mm (4")



Roller pendants are pre-installed into the pole
Curtains need to be offered up to pole and snapped into place

Different types of fabric have widely differing weights. The type of curtain heading used (see below) will determine the fullness of the fabric used: this can be anything from 1.5 x the width of the pole to 3.0 x pole width.

The chart below assumes 100% fullness (2.0 x width of the pole) the weights are very approx and can vary for many reasons. Always check the expected and final total curtain weight with the curtain maker. Based on 1200mm (48") fabric width

Curtain Type	Width↓ /Drop→	1m (3.5')	2m (7')	3m (10.5')	4m (14')	5m (16.5')	6m (20')
Print Cotton (Light)	1m (3.5')	0.8kg (1.8lb)	1.7kg (3.7lb)	2.5kg (5.5lb)	3.4kg (7.4lb)	4.2kg (9.2lb)	5.0kg (11.1lb)
	2m (7')	1.3kg (2.8lb)	2.5kg (5.5lb)	3.8kg (8.3lb)	5kg (11.1lb)	6.3kg (13.9lb)	7.6kg (16.6lb)
	3m (10')	1.7kg (3.7lb)	3.4kg (7.4lb)	5kg (11.1lb)	6.7kg (14.8lb)	8.4kg (18.5lb)	10kg (22lb)
Linen (Medium)	1m (3.5')	1.1kg (2.3lb)	2.1kg (4.6lb)	3.2kg (6.9lb)	4.2kg (9.2lb)	5.3kg (11.6lb)	6.3kg (13.9lb)
	2m (7')	1.6kg (3.5lb)	3.2kg (6.9lb)	4.7kg (10.4lb)	6.3kg (13.9lb)	7.9kg (17.3lb)	9.5kg (20.8lb)
	3m (10')	2.1kg (4.6lb)	4.2kg (9.2lb)	6.3kg (13.9lb)	8.4kg (18.5lb)	10.5kg (23.1lb)	12.6kg (27.7lb)
Velvet (Heavy)	1m (3.5')	1.5kg (3.2lb)	3.2kg (6.5lb)	4.4kg (9.7lb)	5.9kg (12.9lb)	7.4kg (16.2lb)	8.8kg (19.4lb)
	2m (7')	2.2kg (4.9lb)	4.4kg (9.7lb)	6.7kg (12.6lb)	8.8kg (19.4lb)	11kg (24.3lb)	13.2kg (22lb)
	3m (10')	2.9kg (6.5lb)	5.9kg (12.9lb)	8.8kg (19.4lb)	11.8kg (26lb)	14.7kg (32.2lb)	17.6kg (39lb)


Maximum weight recommendations for all standard curtain types using gliders & roller are defined to ensure safe and proper function of the system. These must be adhered to. See table below for details of all options.

! Bends will considerably reduce the load bearing capability of any system.

GLIDERS • METALCOAT GLIDERS • SINE GLIDERS • METALCOAT SINE GLIDERS

Gliders One glider is specified for every 100mm (4").

Sine Gliders 80mm (3 1/8") spacing between the gliders.




System Width	Straight		1 Bend Bay		2 Bend Bay		Curved	
	Single Stack →	Pair Stack →←	Single Stack →	Pair Stack →←	Single Stack →	Pair Stack →←	Single Stack →	Pair Stack →←
1m (39 3/8")	9kg (19.8lb)	10kg (22lb)	7kg (15.4lb)	8kg (17.6lb)	4kg (8.8lb)	5kg (11lb)	3kg (6.6lb)	4kg (8.8lb)
2m (78 3/8")	9kg (19.8lb)	10kg (22lb)	7kg (15.4lb)	8kg (17.6lb)	4kg (8.8lb)	5kg (11lb)	3kg (6.6lb)	4kg (8.8lb)
3m (118 1/8")	8kg (17.6lb)	9kg (19.8lb)	6kg (12.2lb)	7kg (15.4lb)	3kg (6.6lb)	4kg (8.8lb)	2kg (4.4lb)	3kg (6.6lb)
4m (157 1/2")	8kg (17.6lb)	9kg (19.8lb)	6kg (12.2lb)	7kg (15.4lb)	3kg (6.6lb)	4kg (8.8lb)	2kg (4.4lb)	3kg (6.6lb)
5m (196 7/8")	7kg (15.4lb)	8kg (17.6lb)	5kg (11lb)	6kg (12.2lb)	2kg (4.4lb)	3kg (6.6lb)	1kg (2.2lb)	2kg (4.4lb)
6m (236 1/4")	7kg (15.4lb)	8kg (17.6lb)	5kg (11lb)	6kg (12.2lb)	2kg (4.4lb)	3kg (6.6lb)	1kg (2.2lb)	2kg (4.4lb)

ROLLERS • RIPPLE ROLLERS • RIPPLEFOLD ROLLERS

Rollers One roller is specified for every 100mm (4").

Ripple Rollers 80mm (3 1/8") spacing between the rollers.

Ripplefold Rollers Fullness options 80% • 100% • 120%



! Roller options not suitable for use on 38mm (1 1/2") bay/curved poles

System Width	Straight		1 Bend Bay		2 Bend Bay		Curved	
	Single Stack →	Pair Stack →←	Single Stack →	Pair Stack →←	Single Stack →	Pair Stack →←	Single Stack →	Pair Stack →←
1m (39 3/8")	12kg (26.5lb)	13kg (28.7lb)	9kg (19.8lb)	10kg (22lb)	6kg (12.2lb)	7kg (15.4lb)	5kg (11lb)	6kg (12.2lb)
2m (78 3/8")	11kg (24.3lb)	13kg (28.7lb)	8kg (17.6lb)	9kg (19.8lb)	5kg (11lb)	6kg (12.2lb)	4kg (8.8lb)	5kg (11lb)
3m (118 1/8")	11kg (24.3lb)	12kg (26.5lb)	8kg (17.6lb)	9kg (19.8lb)	5kg (11lb)	6kg (12.2lb)	4kg (8.8lb)	5kg (11lb)
4m (157 1/2")	11kg (24.3lb)	11kg (24.3lb)	8kg (17.6lb)	9kg (19.8lb)	5kg (11lb)	6kg (12.2lb)	4kg (8.8lb)	5kg (11lb)
5m (196 7/8")	10kg (22lb)	11kg (24.3lb)	7kg (15.4lb)	8kg (17.6lb)	4kg (8.8lb)	5kg (11lb)	3kg (6.6lb)	4kg (8.8lb)
6m (236 1/4")	10kg (22lb)	10kg (22lb)	7kg (15.4lb)	8kg (17.6lb)	4kg (8.8lb)	5kg (11lb)	3kg (6.6lb)	4kg (8.8lb)


All poles and components may be specified in this stunning palette of colours and finishes, with a choice of coat options throughout.

COAT OPTIONS




SHADES

A superb selection of opaque colours, all available in a choice of Matte, Satin or Gloss finish.



All poles and components may be specified in this stunning palette of colours and finishes, with a choice of coat options throughout.

COAT OPTIONS




METALLICS

High metallic fleck coatings with most available in Satin and Gloss sheen levels.



ANODIC METALS

A flat metal colour group, with an anodised style surface texture.



CUSTOM FINISHES

Can be specified from RAL K7 finish chart, subject to a per colour upcharge, which covers up to five poles. See pricelist for further details





COLOUR MATCHING

A colour matching service is offered, to match your scheme of fittings perfectly. See pricelist for further details

Metalcoat Gliders will be supplied with Gliders in either Gypsum or Anthracite to compliment the chosen finish. See table below

Coat Options Matte[®] • Satin[®] • Gloss[®]

System Finish	Gypsum 	Anthracite 
Alabaster ^{®®®}	✓	
Antique Brass ^{®®}		✓
Barley ^{®®®}	✓	
Bone ^{®®®}	✓	
Burnt Ash ^{®®®}		✓
Bronzed ^{®®}		✓
Ceramic ^{®®®}	✓	
Champagne ^{®®}		✓
Charcoal ^{®®®}		✓
Clay ^{®®®}		✓
Cloud ^{®®®}	✓	
Cocoa ^{®®®}		✓
Cognac ^{®®}		✓
Cream ^{®®®}	✓	
Damson ^{®®®}		✓
Dove ^{®®®}	✓	
Dusk ^{®®®}	✓	
Earth ^{®®®}		✓
Flint ^{®®®}		✓
Frame Grey ^{®®®}		✓
Glimmer		✓
Glow		✓
Gold ^{®®}		✓
Grey Moss ^{®®®}		✓
Gunmetal ^{®®}		✓
Lead ^{®®®}		✓
Midnight		✓
Millstone ^{®®®}		✓
Mineral ^{®®®}	✓	
Moss ^{®®®}		✓
Night Sky		✓
Oatmeal ^{®®®}		✓
Parchment ^{®®®}	✓	
Pewter ^{®®}		✓
Platinum ^{®®}		✓
Raven ^{®®®}		✓
Slate ^{®®®}		✓
Sky		✓
Smoke ^{®®®}		✓
Stone ^{®®®}		✓
Storm		✓
Sunrise		✓
Sunset		✓
Twilight		✓





The seamless finial is an integral part of the pole.

If this is selected optional finial details cannot be added at a later date.

FINISHES Coat Options Matte © Satin © Gloss ©	Shades ©©© © Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
	Metallics ©© Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
	Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
	Custom See page 20 for details

ø30mm (1 3/16")

ø38mm (1 1/2")







ⓘ Can only be added at point of order
 Final detail cannot be used with Flush Ceiling Brackets / Flush Partition Brackets

FINISHES Shades ☉☉☉ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
 Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
 Coat Options **Metallics** ☉☉ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Custom See page 20 for details
 Matte ☉
 Satin ☉
 Gloss ☉

∅30mm (1 3/16")

∅38mm (1 1/2")







⚠ Can only be added at point of order
 Finial detail cannot be used with Flush Ceiling Brackets / Flush Partition Brackets

FINISHES Shades @@@ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
 Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
 Coat Options **Metallics** @@ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Custom See page 20 for details
 Matte @
 Satin @
 Gloss @

ø30mm (1 3/16")

ø38mm (1 1/2")







! Can only be added at point of order

FINISHES Shades @@@ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
 Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
 Coat Options **Metallics** @@ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Custom See page 20 for details
 Matte @
 Satin @
 Gloss @

ø30mm (1 3/16")

ø38mm (1 1/2")







! Can only be added at point of order

FINISHES Shades @@@ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
 Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
 Coat Options **Metallics** @@ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Custom See page 20 for details
 Matte @
 Satin @
 Gloss @

∅30mm (1 3/16")

∅38mm (1 1/2")







ⓘ Can only be added at point of order
 Finial detail cannot be used with Flush Ceiling Brackets / Flush Partition Brackets

FINISHES Shades @@@ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
 Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
 Coat Options **Metallics** @@ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Custom See page 20 for details
 Matte @
 Satin @
 Gloss @

∅30mm (1 3/16")

∅38mm (1 1/2")







⚠ Can only be added at point of order
 Finial detail cannot be used with Flush Ceiling Brackets / Flush Partition Brackets

FINISHES Shades ☉☉☉ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
 Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
 Coat Options **Metallics** ☉☉ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Custom See page 20 for details
 Matte ☉
 Satin ☉
 Gloss ☉

∅30mm (1 3/16")

∅38mm (1 1/2")







ⓘ Can only be added at point of order
 Finial detail cannot be used with Flush Ceiling Brackets / Flush Partition Brackets

FINISHES Shades ☉☉☉ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
 Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
 Coat Options **Metallics** ☉☉ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
 Matte ☉ **Custom** See page 20 for details
 Satin ☉
 Gloss ☉

∅30mm (1 3/16")

∅38mm (1 1/2")







⚠ Can only be added at point of order
 Finial detail cannot be used with Flush Ceiling Brackets / Flush Partition Brackets

FINISHES Shades ⓂⓂⓂ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
 Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
 Coat Options **Metallics** ⓂⓂ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
 Matte Ⓜ **Custom** See page 20 for details
 Satin Ⓜ
 Gloss Ⓜ

∅30mm (1 3/16")

∅38mm (1 1/2")



The following finials from our other collections can be specified on request.



Finials listed below cannot be used with Flush Ceiling Brackets / Flush Partition Brackets

MIO

For specific please refer to the Mio Specification Guide.

Final	Diameter(s)
Stud	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Disc	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Faceted Disc	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Pebble	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Squat Disc	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Ball	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Crystal Ball	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")

ELYSIAN

For specific please refer to the Elysian Specification Guide.

Final	Diameter(s)
Halo	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Aura	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Orbit	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Discus	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Jewel	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Flute	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Squat Globe	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Globe	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Ribbed Globe	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Charm	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Templar	∅30mm (1 ³ / ₁₆ ") • ∅38mm (1 ¹ / ₂ ")
Crystal Templar	∅38mm (1 ¹ / ₂ ")


GLIDE

POLES



FINISHES **Shades** ☉☉☉ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
Coat Options Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
Matte ☉ **Metallics** ☉☉ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Satin ☉ **Anodic Metals** Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Gloss ☉ **Custom** See page 20 for details

ø30mm (1 3/16")



Glider Options Single Stack → • Pair Stack →←

GLIDER
 Colour options
 Gypsum • Anthracite

SINE GLIDER
 Colour options
 Gypsum • Anthracite

METALCOAT GLIDER
 Colour options
 System Colour ☉ • Brushed Nickel

METALCOAT SINE GLIDER
 Colour options
 System Colour ☉ • Brushed Nickel

Sine Pitch
 80mm

Sine Pitch
 80mm

Roller Options Single Stack → • Pair Stack →←

ROLLER
 Colour options
 White • Black

RIPPLEFOLD ROLLER
 Colour options
 White • Black

RIPPLEFOLD ROLLER
 Colour options
 White


Ripple Pitch
 80mm

Fullness options
 80% • 100% • 120%



FINISHES **Shades** ☉☉☉ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
Coat Options Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
Matte ☉ **Metallics** ☉☉ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Satin ☉ **Anodic Metals** Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Gloss ☉ **Custom** See page 20 for details

ø38mm (1 1/2")



Glider Options Single Stack → • Pair Stack →←

GLIDER
 Colour options
 Gypsum • Anthracite

SINE GLIDER
 Colour options
 Gypsum • Anthracite

METALCOAT GLIDER
 Colour options
 System Colour ☉ • Brushed Nickel

METALCOAT SINE GLIDER
 Colour options
 System Colour ☉ • Brushed Nickel

Sine Pitch
 80mm

Sine Pitch
 80mm

Roller Options Single Stack → • Pair Stack →←

ROLLER
 Colour options
 White • Black

RIPPLEFOLD ROLLER
 Colour options
 White • Black

RIPPLEFOLD ROLLER
 Colour options
 White

Ripple Pitch
 80mm

Fullness options
 80% • 100% • 120%

! **Roller options not suitable for use on 38mm (1 1/2") bay/curved poles**





Return bends are not available.

FINISHES **Shades** ☉☉☉ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
Coat Options **Metallics** ☉☉ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Custom See page 20 for details
Matte ☉
Satin ☉
Gloss ☉

ø30mm (1 3/16")

ø38mm (1 1/2")



Roller options not suitable for use on 38mm (1 1/2") bay poles



FINISHES

Coat Options

Matte ⊕

Satin ⊕

Gloss ⊕

Shades ⊕⊕⊕

Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven

Metallics ⊕⊕

Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed

Anodic Metals



Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight

Custom

See page 20 for details

∅30mm (1 3/16")

∅38mm (1 1/2")



Roller options not suitable for use on 38mm (1 1/2") curved poles





 Customised brackets available - See page 8

FINISHES **Shades** @@@ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
Coat Options **Metallics** @@ Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
Matte @ **Anodic Metals** @ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Satin @ **Custom** Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Gloss @ See page 20 for details

ø30mm (1 3/16")

ø38mm (1 1/2")









 Customised brackets available - See page 8

FINISHES **Shades** @@@ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
 Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
Coat Options **Metallics** @@ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Custom See page 20 for details
Matte @
Satin @
Gloss @

ø30mm (1 3/16")

ø38mm (1 1/2")








 Customised brackets available - See page 8

FINISHES **Shades** @@@ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
 Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
Coat Options **Metallics** @@ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Custom See page 20 for details
Matte @
Satin @
Gloss @

ø30mm (1 3/16")



ø38mm (1 1/2")





! Recess brackets are not suitable for use with flush ceiling brackets


FINISHES **Shades** ☉☉☉ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
Coat Options **Metallics** ☉☉ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Custom See page 20 for details
Matte ☉
Satin ☉
Gloss ☉






FINISHES Shades @@@ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
 Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
 Coat Options **Metallics** @@ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Custom See page 20 for details
 Matte @
 Satin @
 Gloss @

F30mm (1³/₁₆") B30mm (1³/₁₆")




F38mm (1¹/₂") B30mm (1³/₁₆")





FINISHES **Shades** ☉☉☉ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
Coat Options **Metallics** ☉☉ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Custom See page 20 for details
Matte ☉
Satin ☉
Gloss ☉

F38mm (1 1/2") B38mm (1 1/2")





FINISHES Shades ☉☉☉ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven

Coat Options


Metallics ☉☉ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed

Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight


Custom See page 20 for details

Matte ☉
Satin ☉
Gloss ☉

F30mm (1³/₁₆") B30mm (1³/₁₆")




F38mm (1¹/₂") B30mm (1³/₁₆")





FINISHES **Shades** ☉☉☉ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
 Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
Coat Options **Metallics** ☉☉ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Custom See page 20 for details
Matte ☉
Satin ☉
Gloss ☉


F38mm (1 1/2") B38mm (1 1/2")






FINISHES **Shades** @@@ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
 Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
Coat Options **Metallics** @@ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Custom See page 20 for details
Matte @
Satin @
Gloss @

F30mm (1³/₁₆") B30mm (1³/₁₆")




F38mm (1¹/₂") B38mm (1¹/₂")





FINISHES Shades @@@ Cloud • Alabaster • Bone • Barley • Dusk • Ceramic • Cream • Mineral • Dove • Parchment • Oatmeal • Millstone • Stone • Clay • Grey Moss
Slate • Cocoa • Moss • Damson • Smoke • Frame Grey • Lead • Earth • Burnt Ash • Flint • Charcoal • Raven
Coat Options **Metallics** @@ Platinum • Champagne • Gold • Cognac • Antique Brass • Gunmetal • Pewter • Bronzed
Anodic Metals Twilight • Glow • Sky • Sunrise • Storm • Glimmer • Sunset • Night Sky • Midnight
Custom See page 20 for details
Matte @
Satin @
Gloss @

Seamless



CONTACT

www.bradleycollection.com



UK & REST OF THE WORLD

+44 (0)1449 722 724
info@bradleycollection.com

USA & CANADA

+1 (310) 815 8255
info.us@bradleycollection.com

LONDON SHOWROOM

+44 (0)207 871 7793
showroom@studiotwochelsea.com

THE BRADLEY COLLECTION




Industry Partner
Supporting the interior design profession

CEDIA
MEMBER

Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard. Steel items are not recommended for damp conditions such as shower rooms. Crystal finials should not be positioned in direct sunlight, and are not suitable for use in conservatories. Fluid Metal items are supplied unlacquered and will tarnish over time.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement. Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988. Bradley®, The Bradley Collection® and  Logo are registered Community trademarks of The Bradley Collection Ltd. in Europe and registered trademarks of the Bradley Collection, Inc. in the USA.

The Bradley Collection Ltd Lion Barn • Maitland Road • Needham Market • Suffolk • IP6 8NS • UK