

CONTACT

www.bradleycollection.com



UK & REST OF THE WORLD

+44 (0)1449 722 724

info@bradleycollection.com

USA & CANADA

+1 (310) 815 8255

info.us@bradleycollection.com

LONDON SHOWROOM

+44 (0)207 871 7793

showroom@studiotwochelsea.com

THE BRADLEY COLLECTION



CEDIA
MEMBER

Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard.
Steel items are not recommended for damp conditions such as shower rooms.
Crystal finials should not be positioned in direct sunlight, and are not suitable for use in conservatories.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement. Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988.
Bradley® and The Bradley Collection® are registered Community trademarks of The Bradley Collection Ltd. in Europe and registered trademarks of the Bradley Collection, Inc. in the USA.
Gliderpole is a registered trademark of The Bradley Collection Ltd in the UK.

The Bradley Collection Ltd Lion Barn • Maitland Road • Needham Market • Suffolk • IP6 8NS • UK

The Bradley Collection Inc 10866 Washington Blvd #1275 • Culver City • CA 90232 • USA

Printed: 1025 • Copyright © The Bradley Collection Ltd. 2025



EDIT10N

25 | 27



⚡ ePOLE

ePole is a plug-and-play curtain pole with a quiet, powerful motor and sleek remote. A discreet USB bridge enables smartphone or voice operation. Simple to install, pairs perfectly with Gliderpole brackets and finials.

Smart design. Truly Plug & Play.

Pictured: ø38mm (1½") ePole • Discus • Antique Brass - Satin

PLUG & PLAY MOTORS

Engineered for ease, the system uses a quiet and powerful motor. The battery motor offers a simple, cable-free install, while the mains option requires a high-level wall socket.



CONTROLLED YOUR WAY

The system can be controlled via hand-held remote control, Smart device App or voice control.

Pairing and app connection is intuitive and straightforward.



DISCREET DESIGN

The 38mm (1½”) pole is paired with an embedded cartridge and a polymer motor adaptor, allowing single or twin drives to sit discreetly behind the curtain.



BRACKET SUITE

The ePole is compatible with the entire Gliderpole bracket suite, offering wall and ceiling fix, double brackets for layered shading and adjustable brackets for tricky installs.




EASIER INSTALLATION

The ePole utilises the brackets from the proven Gliderpole collection and incorporates the clever T-bar guide, which perfectly indexes the tapped hole and grub screw.




SMOOTH RUNNING

Gliders and Rollers are available in either Gypsum or Anthracite colours.



BENT OR CURVED TO SHAPE

ePole has been developed to fit any window shape. Precision bending and adjustable brackets ensure a perfect fit.



MODERN HEADINGS

Modern sinuous heading styles can be created, utilising either hook and tape or snap-tape components.



FINISHES

A full range of colours and finishes are available, with a choice of coat options throughout.


COAT OPTIONS



Pictured:
ø38mm (1½") ⚡ ePole • Flush End Cap • Dove - Matte


METALLICS

High metallic fleck coatings.
Available in Satin and Gloss sheen levels.




ANODICS

A flat metal colour group, with an anodised style surface texture.



SHADES

A superb selection of opaque colours, all available in a choice of Matte, Satin or Gloss finish.



Due to printing limitations colours in this brochure may not be accurate, Samples are available on request - www.bradleycollection.com/samples/

FINIALS

Clean & Understated

This design group is a thoughtfully scaled edit of the leading Gliderpole designs.

All finials are characterised by lightness, poise and simple lines.

Pictured:
ø38mm (1½") ⚡ | ePole • Flush Stud • Sunset



Flush End Cap *Supplied as standard*
Round ø38mm (1½") Inclusive Length 3mm (⅛")



Flush Stud
Round ø38mm (1½") Inclusive Length 18mm (⅞")



Stud
Round ø38mm (1½") Inclusive Length 18mm (⅞")



Disc
Round ø38mm (1½") Inclusive Length 12mm (½")



Squat Disc
Round ø38mm (1½") Inclusive Length 32mm (1¼")



Faceted Disc
Round ø38mm (1½") Inclusive Length 37mm (1½")



Pebble
Round ø38mm (1½") Inclusive Length 42mm (1⅝")



Ball
Round ø38mm (1½") Inclusive Length 66mm (2⅝")

FINIALS



Glamorous & Flamboyant
 Classical design cues have been re-interpreted to suit modern style sensitivity.

Pictured:
 ø38mm (1½") ⚡ | ePole • Jewel • Raven - Satin



Halo
 ø38mm (1½") Inclusive Length 2mm (⅛")



Aura
 ø38mm (1½") Inclusive Length 2mm (⅛")



Orbit
 ø38mm (1½") Inclusive Length 40mm (1⅝")



Discus
 ø38mm (1½") Inclusive Length 44mm (1¾")



Jewel
 ø38mm (1½") Inclusive Length 42mm (1⅝")



Flute
 ø38mm (1½") Inclusive Length 69mm (2⅞")



Squat Globe
 ø38mm (1½") Inclusive Length 63mm (2½")



Globe
 ø38mm (1½") Inclusive Length 92mm (3⅝")



Ribbed Globe
 ø38mm (1½") Inclusive Length 92mm (3⅝")



Charm
 ø38mm (1½") Inclusive Length 85mm (3⅜")



Templar
 ø38mm (1½") Inclusive Length 92mm (3⅝")



Crystal Templar*
 ø38mm (1½") Inclusive Length 92mm (3⅝")

*: Crystal Finials should not be positioned in direct sunlight
 For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

BRACKET OPTIONS

SINGLE *For straightforward applications.*

Side	Mid	Diameter	Projection from wall to pole centre	Side Fixing plate size	Mid Fixing plate size
		Round $\varnothing$ 38mm (1½")	60mm (2⅜") • 100mm (4")	w32mm (1¼") x h70mm (2¾")	w32mm (1¼") x h38mm (1½")
Side Heavy Duty	Mid Heavy Duty	Diameter	Projection from wall to pole centre	Side Fixing plate size	Mid Fixing plate size
		Round $\varnothing$ 38mm (1½")	100mm (4") • 140mm (5½")	w47mm (1⅞") x h76mm (3")	w47mm (1⅞") x h36mm (1⅞")
Flush Heavy Duty		Diameter	Drop from ceiling to top of pole	Fixing plate size	
		Round $\varnothing$ 38mm (1½")	3mm (⅛")	w40mm (1⅞") x L59mm (2⅝")	

RECESS *Designed for rebates.*

Recess <i>With hook stop</i>	Diameter	Depth off wall	Fixing plate size
	Round $\varnothing$ 38mm (1½")	14mm (⅝")	w50mm (2") x h41mm (1⅝")

ADJUSTABLE *Designed to give flexibility during installation.*

Side	Mid	Diameter	Projection from wall to pole centre	Side Fixing plate size	Mid Fixing plate size
		Round $\varnothing$ 38mm (1½")	Min.80mm (3⅜") Max.130mm (5⅝")	w47mm (1⅞") x h76mm (3")	w47mm (1⅞") x h36mm (1⅞")

DOUBLE *Designed for layered shading.*

Side	Mid	Diameter	Projection from wall to pole centre	Side Fixing plate size	Mid Fixing plate size
		Round $\varnothing$ 38mm (1½")	1140mm (5½") B 40-60mm (1⅞"-2⅜")	w47mm (1⅞") x h76mm (3")	w47mm (1⅞") x h36mm (1⅞")

CUSTOM BRACKETS *Specialist designs can be produced for awkward or unusual installations.*

Custom Projection	Custom Fixing Plate	Uplift	Ceiling Brackets	Angled Brackets
				
<i>Specify the exact projection needed.</i>	<i>Relevant where space is restricted or weight is a concern.</i>	<i>Helps negotiate cornice & similar architectural features.</i>	<i>Specify exact drop required from ceiling.</i>	<i>The solution for tight and awkward locations.</i>

Custom Brackets shown are for illustration purposes. Brackets are designed on a project basis to specific requirements.

SYSTEMS

Double ePole systems may be specified with a motor to front and rear.
It is also possible to specify a motor to the main curtain and a manual 38mm (1½") pole to the rear.



MOTOR

Key features

Maximum length: 6 Metres (19ft)Ⓢ

Suitable for Bay Windows: ✓

Suitable for Curved Windows: ✓

Header types: Standard, Sine and Ripplefold®


Power Options: Battery & Mains powered

Touch and go operation: ✓

Obstacle Detection: ✓

Manual operation during power failure: ✓

Noise level: at 1000mm (3') <35dBA



MOTOR OPTIONS

🔋 AM50 Motor



Plug & Play: Requires no pre-wiring.

Power Type: Battery - Recharable via USB-C
Control Type: Remote • App Control

⚡ AM50 Motor



Plug & Play: Requires high-level, adjacent power socket.

Power Type: Mains power - 1m (39") cable with regional plug
Plug Type: UK • North American
Control Type: Remote • App Control
Connectivity: Ethernet Port

CONTROL OPTIONS

Remote Controls

Multi-channel hand held remote as standard.



Channels: 6
Frequency: 433MHz
Colour Options: White

App & Voice Controls

App control via USB Hub & Tuya integration.



The system may be seamlessly controlled through the Tuya app for effortless convenience.

Tuya integration also allows linking voice control systems for ultimate freedom.



GLIDING OPTIONS

Glider



For standard headings.

Drop@: 20mm (13⁄16")
Colour Options: Gypsum • Anthracite

Roller



For standard headings.

Drop@: 20mm (13⁄16")
Colour Options: Gypsum • Anthracite

Sine Glider



For use with wave-style tape.

Drop@: 20mm (13⁄16")
Sine Pitch: 80mm (31⁄8")
Colour Options: Gypsum • Anthracite

Sine Roller



For use with wave-style tape.

Drop@: 20mm (13⁄16")
Sine Pitch: 60mm (23⁄8") • 80mm (31⁄8")
Colour Options: Gypsum • Anthracite

Ripplefold Roller



For use with snap tape.

Drop@: 20mm (13⁄16")
Ripplefold® Fullness: 80% • 100%
Colour Options: Gypsum • Anthracite

Ⓢ Glider/Roller drop from bottom of profile to bottom of eyelet • Ripplefold drop from bottom of profile to centre of eyelet.

POLES

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to stack back to the edge of the window.

Poles exceeding the maximum length will be cut into equal parts unless otherwise specified. A pole joiner will be supplied.



Size	Maximum distance between brackets	Maximum length in one piece	Standard Bend radius
ø38mm (1½")	1000mm (39")	4000mm (157")Ⓢ	Ⓢ400mm (16")

Ⓢ Supplied in sections - Section lengths over 3.0m (118") will incur a handling charge
For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/