# CONTACT

www.bradleycollection.com









UK & REST OF THE WORLD

USA & CANADA

← +44 (0) 1449 722 724

←1 (310) 815 8255

### LONDON SHOWROOM





The Bradley Collection Ltd Lion Barn • Maitland Road • Needham Market • Suffolk • IP6 8NS • UK The Bradley Collection Inc 10866 Washington Blvd #1275 • Culver City • CA 90232 • USA



EDIT10N 25 | 27



This sophisticated collection is the epitome of modern living. The design is sharp, streamlined and purposeful, whilst the choice of colour and finish ensures a truly individual result.


Streamlined, unmistakably individual

Pictured: Round Ø50mm (2") Gliderpole® - Hand Drawn • Flush Stud • Gold - Gloss Interior design: Jarvis Rayes | @jarvisrayes\_interiors | www.jarvisrayes.com Photography: Jake Fitzjones | @jakefitzjonesphotography

# **GLIDERPOLE®**


### **EASIER INSTALLATION**

Locating grub screws into the top fixing plate is simplified by our precision T-bar guide. Supplied as a complimentary tool with every Gliderpole order, it accurately aligns the tapped hole with the grub screw. An invaluable aid to installation, particularly in situations with limited or obstructed visibility.



## HAND DRAWN

The smooth running hand drawn option is available in five styles. All benefit from considered detailing, including concealed end stops.



## CORDED

The innovative, embedded cording solution is available in three options. All options may be specified with a single or twin cord, positioned discreetly behind the curtain. A colour-matched cord retainer is supplied as standard to ensure child safety compliance.



## ANY LENGTH

Gliderpole can be supplied to any length allowing the curtains to travel freely across even the longest systems.



### WAVE®

The ubiquitous Wave® heading is accommodated through all Gliderpole options.



## **BRACKET SUITE**

Available in wall, ceiling and double designs for layering. Adjustable brackets support complex bay window installations, while heavy-duty designs are offered to accommodate larger curtain weights. Custom projections and designs can be supplied.



## **BENT TO SHAPE**

Gliderpole is the optimal solution for bends and curves. Precision bending and smooth running gliding systems combine to provide superb functionality.





# GLIDERPOLE®

# **EDGE**

Gliderpole Edge is a modern, clean cut, return-to-wall concept with a more linear aesthetic.

The unique Edge bracket design gives a structured return to the wall for drapes and incorporates an adjustable return-to-wall hook eye.

Available in  $\emptyset$ 30mm (1 $^3/_{16}$ ") hand drawn.





# **FINISHES**

This stunning palette of colours and finishes is available on all Gliderpoles and components, with a choice of coat options throughout.

### **SHADES**


A superb selection of opaque colours, all available in a choice of Matte, Satin or Gloss finish.





### **METALLICS**

High metallic fleck coatings with most available in Satin and Gloss sheen levels.



### ANODICS

A flat metal colour group, with an anodised style.



### **BRIGHTS**

Gliderpole may be specified in bright aluminium finish, complemented by finials, brackets and components in a plated, Polished Nickel Finish.




### POLE ONLY FINISH

COMPONENT ONLY FINISH



Bright Aluminium ⊕⊗

Polished Nickel ⊕ ⊕





### Flush End Cap Supplied as standard

Square H27mm (11/16") Inclusive Length 3mm (1/8") Flat H36mm (17/16") Inclusive Length 3mm (1/8") Round ø23mm (15%6") Inclusive Length 3mm (1/8") Round ø30mm (13/16") Inclusive Length 3mm (1/8") Round ø50mm (2") Inclusive Length 3mm (\%")



Flush Stud

Square H27mm (11/16") Inclusive Length 12mm (1/2") Flat H36mm (17/16") Inclusive Length 12mm (1/2") Round **ø**23mm (15/16") Inclusive Length 10mm (3/8") Round ø30mm (131/6") Inclusive Length 12mm (1/2") Round ø50mm (2") Inclusive Length 18mm (11/16")



### Stud

Round ø23mm (15/16") Inclusive Length 10mm (3/8") Round **Ø**30mm (13/16") Inclusive Length 12mm (1/2") Round ø50mm (2") Inclusive Length 18mm (11/16")



### Disc

Round ø23mm (15/16") Inclusive Length 10mm (3/8") Round **ø**30mm (1%'') Inclusive Length 12mm (½") Round ø50mm (2") Inclusive Length 18mm (11/16")



### Squat Disc

Round ø30mm (13/16") Inclusive Length 32mm (11/4") Round ø50mm (2") Inclusive Length 58mm (25/16")



### Faceted Disc

Round ø30mm (13/16") Inclusive Length 37mm (11/2") Round ø50mm (2") Inclusive Length 69mm (211/16")



### Pebble

Round ø30mm (13/16") Inclusive Length 42mm (15/8") Round **ø**50mm (2") Inclusive Length 68mm (211/16")



### Ball

Round @30mm (13/16") Inclusive Length 66mm (25/8") Round **ø**50mm (2") Inclusive Length 112mm (47/8")

For full technical information, sizes and weights please download the specification guide





### Halo

Discus

ø30mm (1%6") Inclusive Length 39mm (1½")

ø50mm (2") Inclusive Length 58mm (25/16")

Squat Globe

**ø**30mm (13/6") **Inclusive Length** 53mm (21/6")

ø50mm (2") Inclusive Length 81mm (33/16")



Auro



Orbit

**ø**30mm (13/6") **Inclusive Length** 36mm (17/6") **ø**50mm (2") **Inclusive Length** 52mm (21/6")



Flute

ø30mm (13/6") Inclusive Length 73mm (27/6") ø50mm (2") Inclusive Length 114mm (4½")



Jewel

ø30mm (13/6") Inclusive Length 37mm (17/6")

ø50mm (2") Inclusive Length 55mm (2\%")

Globe

**ø**30mm (13/6") Inclusive Length 73mm (21/8") **ø**50mm (2") Inclusive Length 114mm (41/2")



Templar

ø30mm (131/6") Inclusive Length 79mm (31/8") ø50mm (2") Inclusive Length 119mm (411/6")



Ribbed Globe

ø30mm (1%6") Inclusive Length 73mm (2%0") ø50mm (2") Inclusive Length 114mm (4%1")



Crystal Templar\*

ø50mm (2") Inclusive Length 119mm (411/16")

\* Crystal Finials should not be positioned in direct sunlight

Charm

ø30mm (13/16") Inclusive Length 69mm (211/16")

ø50mm (2") Inclusive Length 117mm (45%")

# **BRACKET OPTIONS**

Round ø23mm (15/16")

Round ø30mm (13/16")

Round ø50mm (2")

Diameter

### **SINGLE** For straight forward applications.



### Diameter Projection from wall to pole centre Square H27mm (11/16") 60mm (23/8") • 100mm (4") Flat H36mm (17/16") 60mm (23/8") • 100mm (4")

60mm (2\%") • 100mm (4") 60mm (2%") • 100mm (4")

### Side Fixing plate size Mid Fixing plate size

| w32mm (1¼") x <b>H</b> 70mm (2¾") | w32mm (11/4") x H38mm (11/2")     |
|-----------------------------------|-----------------------------------|
| w32mm (1¼") x H70mm (2¾")         | w32mm (11/4") x H38mm (11/2")     |
| w32mm (1¼") x <b>H</b> 70mm (2¾") | w32mm (1¼") x <b>H</b> 38mm (1½") |
| w32mm (1¼") x <b>H</b> 70mm (2¾") | w32mm (1¼") x <b>H</b> 38mm (1½") |
| w32mm (1¼") x н70mm (2¾")         | w32mm (1½") x н38mm (1½")         |
|                                   |                                   |

### Flush Ceilina **Light Duty**



### Drop from ceiling to top of pole

100mm (4") • 140mm (5½")

Drop from ceiling to top of pole

60mm (23/8") • 100mm (4")

Square H27mm (11/16") 3mm (1/4") Flat H36mm (17/16") 3mm (%") Round ø23mm (15/16") 3mm (%") Round ø30mm (13/16") 3mm (1/8")

### Fixing plate size

w20mm (13/16") x L50mm (2") w20mm (13/16") x L50mm (2") w20mm (<sup>13</sup>/<sub>16</sub>") x ι50mm (2") w20mm (13/16") x L50mm (2")

Side Fixing plate size

SINGLE - HEAVY DUTY For heavier fabrics, where additional support is required.

**Heavy Duty** 





| ameter                         | Projection from wall to pe |
|--------------------------------|----------------------------|
| are н27mm (11/16")             | 100mm (4") • 140mm (5)     |
| <b>н</b> 36mm (17/6")          | 100mm (4") • 140mm (5)     |
| nd ø23mm ( <sup>15</sup> /16") | 100mm (4") • 140mm (5½     |

oole centre 51/2") 5½") 5½") Round ø30mm (13%") 100mm (4") • 140mm (5½")

w47mm (1%") x H76mm (3") w47mm (1%") x н76mm (3") w47mm (1%") x н36mm (1%")

### Mid Fixing plate size

w47mm (1<sup>7</sup>/<sub>8</sub>") х **н**36mm (1<sup>7</sup>/<sub>6</sub>") w47mm (1%") x H36mm (1%") w47mm (1%") x H36mm (1%6") w47mm (1%") x **H**36mm (1%")

### Flush Ceilina **Heavy Duty**



### Diameter

Round ø50mm (2")

Square H27mm (11/16") 3mm (1/4") Flat H36mm (17/16") 3mm (%") Round ø23mm (15/16") 3mm (1/4") Round ø30mm (13/16") 3mm (%") Round ø50mm (2") 3mm (%")

### Fixing plate size

w40mm (1%6") x L59mm (25%6") w40mm (1%6") x L59mm (25%6") w40mm (1%6") x L59mm (25%6") w40mm (1%6") x ι59mm (25/6") w40mm (1%6") x L59mm (25%6")

**RECESS** Designed for rebates.

Recess With hook stop



## Diameter

Depth off wall Square H27mm (11/16") 14mm (%6") Flat H36mm (17/16") 14mm (%6") Round Ø23mm (15/16") 14mm (%6") Round ø30mm (13/16") 14mm (%6") Round ø50mm (2") 14mm (%6")

For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

### Fixing plate size

w42mm (111/16") x н27mm (11/16") w31mm (11/4") x H36mm (11/16") w33mm (15%6") x H24mm (115%6") w40mm (1% ") x H31mm (1¼") w64mm (2½") x н51mm (2")

## **EDGE** A modern interpretation of French returns.

End⊕



Diameter Projection from wall to pole centre

Round ø30mm (13/16") 100mm (4")

### Fixing plate size

w32mm (11/4") x H70mm (23/4")

ADJUSTABLE Designed to give flexibility during installation.







Round ø50mm (2")

Square H27mm (11/16") Min.80mm (31%") Max.130mm (51%") Min.80mm (3\%") Max.130mm (5\%") Min.80mm (31/8") Max.130mm (51/8") Min.80mm (3\%") Max.130mm (5\%") Min.80mm (3\%") Max.130mm (5\%")

Projection from wall to pole centre

Side Fixing plate size Mid Fixing plate size w47mm (1%") x H76mm (3") w47mm (1%") x H36mm (1%") w47mm (1%") x H76mm (3") w47mm (17%") x H36mm (17%")

w47mm (11/8") x H76mm (3") w47mm (11/8") x H36mm (11/16") w47mm (11%") x H76mm (3") w47mm (11%") x H36mm (11%") w47mm (1%") x H76mm (3") w47mm (1%") x H36mm (1%")

**DOUBLE** Designed for layered shading.







Diameter

Flat H36mm (17/16")

**Square H27mm** (1%6'') **F140mm** (5%2'') **B40-60mm** (1%6-23/8'')

Projection from wall to pole centre

### Side Fixing plate size

w47mm (1%") x H76mm (3") w47mm (1%") x H36mm (1\%")

# Mid Fixing plate size

F140mm (5½") B 40-60mm (1½-2½") w47mm (1½") x H76mm (3") w47mm (1½") x H36mm (1½") Round @30mm (1%") F140mm (5½") B 40-60mm (11/6-2½") W47mm (1½") X H76mm (3") W47mm (11/6") X H36mm (11/6") Round Ø50mm (2") F140mm (51/2") B 40-60mm (11/6-23/8") W47mm (17/6") X H76mm (3") W47mm (17/6") X H36mm (17/6")

### CUSTOM BRACKETS Designed to suit any window.

**Custom Projection** 

Specify the exact

projection needed.





**Custom Fixing Plate** 





features.

& similar architectural

Helps negotiate cornice Specify exact drop required from ceiling.

Ceiling Brackets

# **Angled Brackets**



The solution for tight and awkward locations.

- Handed Item Left and Right version available
- G Custom Brackets shown are for illustration purposes. Brackets are designed on a project basis to specific requirements.

Relevant where space is

restricted or weight is a

concern.

# GLIDING OPTIONS



3 Glider/Roller drop from bottom of profile to bottom of eyelet

# **POLES**


Poles are cut, bent and curved to suit individual requirements When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to stack back to the edge of the window.

Poles exceeding the maximum length will be cut into equal parts unless otherwise specified. A pole joiner will be supplied.

Twin cord systems are always supplied in an even number of parts & will be supplied in a minimum of two sections.



# **ACCESSORIES**




Draw rod length: 1000mm (39<sup>3</sup>/<sub>8</sub>") Custom lengths available to order

### **Cord Retainer**

All corded tracks are supplied as standard with a regional compliant retainer. This ensures that all cords are safely secured to the wall for child safety.

This will be supplied in the same finish as the system, unless advised otherwise.



**UK & European Retainer** BS EN 13120:2009+A12014 Compliant

Fixing plate size: ø46mm (113/16")

North America Retainer 2022 ANSI/WCMA Compliant

Fixing plate size:

w30mm (13/6") x L76mm (3")

### **Cord Colour**

Cord systems come as standard with white cord. A black option is available on request.





⊕ Supplied in sections - Section lengths over 3.0m (118") will incur a handling charge 🕲 Supplied as standard on systems over 3.0m (118") with single stack curtains For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/