# CONTACT

www.bradleycollection.com









**UK & REST OF THE WORLD** 

**USA & CANADA** 

← +44 (0) 1449 722 724

←1 (310) 815 8255

#### LONDON SHOWROOM

**&** +44 (0)207 871 7793

THE **BRADLEY** COLLECTION



Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement. Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988.

Bradley® and The Bradley Collection® are registered Community trademarks of The Bradley Collection Ltd. in Europe and registered trademarks of the Bradley Collection, Inc. in the USA. Gliderpole is a registered trademark of The Bradley Collection Ltd in the UK.

The Bradley Collection Ltd Lion Barn • Maitland Road • Needham Market • Suffolk • IP6 8NS • UK The Bradley Collection Inc 10866 Washington Blvd #1275 • Culver City • CA 90232 • USA

Printed: 1025 • Copyright © The Bradley Collection Ltd. 2025

# 





Mio embodies modern sophistication, where laser-cut precision meets refined design.

Choose the cool, durable elegance of brushed stainless or the subtle warmth of contemporary finishes.

Mio. Sharp form. Pure intent

Pictured: ø25mm (1") French • Flint - Satin

**Drapery design:** Jim Davis Designs • USA | @ jimdavisdesigns • www.jimdavisdesigns.com **Interior design:** Anna King | @ annakingandco • www.annakingandco.com

# **STAINLESS**

All Mio designs are available in stainless steel. This corrosion resistant material makes the collection ideal for wet rooms and oceanfront properties.



# SCALE

With five pole diameters to choose from, Mio provides versatility in scale - from the refined simplicity of café rods to the dramatic presence of bold statement designs.




### ANY LENGTH

Poles can be cut to any length.  $\Theta$  On longer systems, the use of passing brackets & rings will allow uninterrupted travel of the drapes along the full length of the system.



# **BRACKET SUITE**

Bracket options include wall, ceiling and double designs. Each is fitted with a magnetic cover plate to hide fixings, with custom projections and configurations available upon request.



# **ADJUSTABLE**

No more compromises. Our adjustable brackets let you customise the projection, ensuring smooth curtain movement. Strong, stylish and simple to install.



# BENT TO SHAPE

A bespoke bay bending and curving® service is available on all diameters, to allow the perfect shaped pole for any window.







# MIO

The Mio French pole combines traditional elegance with modern engineering: sharp lines, lined rings for smooth running and cleverly concealed fixings.

# SINGLE FRENCH

A simple and elegant treatment, especially suited to taller, narrower windows.



## DOUBLE FRENCH

A smart design, improving installation and offering the benefits of the French look with the added privacy of a second layer of drapes.



# MIO

# CAFÉ RODS

Designed for privacy without sacrificing design, our café rods are ideal for windows that deserve a softer touch. Perfect for kitchens, bathrooms, or street-facing rooms, they support stylish lower-panel curtains that shield your space while keeping it bright and open.



Pictured: ø12.5mm (1/2") Café Rod • Brushed Stainless Steel



# d: ø50mm (2") Po may not be accurate, Samples are available on request - www.bradleycollection.com/samples/

# STAINLESS FINISHES

The intrinsic corrosion resistance of stainless steel makes it an ideal choice for oceanfront properties and for kitchens, bathrooms and wet rooms.

The iconic Brushed Stainless finish gives an industrial aesthetic, while stainless steel can also be coated on request for a softer look on this durable material.



Brushed Stainless ©

# **FINISHES**

Mio has an unparalleled selection of subtle colour coats, which can be specified in matte, satin or gloss finishes.

For more glamorous projects, metallic coats are featured in both satin and gloss.

#### SHADES


A superb selection of opaque colours, all available in a choice of Matte, Satin or Gloss finish.





#### **METALLICS**

High metallic fleck coatings with most available in Satin and Gloss sheen levels.




#### **ANODICS**

A flat metal colour group, with an anodised style.



#### **BRIGHTS**

Polished plated finishes provide a traditional sense of luxury.





Polished Nickel ⊕@





#### Flush Stud



#### Stud



Disc

ø 19mm (%4") Inclusive Length 2mm (%6") ø 25mm (1") Inclusive Length 3mm (%8") ø 38mm (1%2") Inclusive Length 3mm (%6") ø 50mm (2") Inclusive Length 4mm (%6")



#### Large Disc

**ø**19mm (¾") Inclusive Length 4mm (¾") **ø**25mm (1") Inclusive Length 4mm (¾") **ø**38mm (1½") Inclusive Length 6mm (¼") **ø**50mm (2") Inclusive Length 6mm (¼")



#### Squat Disc



#### Faceted Disc

**ø**19mm (¾") Inclusive Length 21mm (¹%") **ø**25mm (1") Inclusive Length 28mm (1½") **ø**38mm (1½") Inclusive Length 41mm (15%") **ø**50mm (2") Inclusive Length 54mm (2½")



#### Pebble

ø 19mm (3/4") Inclusive Length 25mm (1") ø 25mm (1") Inclusive Length 34mm (15/6") ø 38mm (1 $^{1/2}$ ") Inclusive Length 50mm (1 $^{15/6}$ ") ø 50mm (2") Inclusive Length 66mm (2 $^{9/6}$ ")



#### Ball

**ø**19mm (¾") Inclusive Length 50mm (2") **ø**25mm (1") Inclusive Length 63mm (2½") **ø**38mm (1½") Inclusive Length 83mm (3¼") **ø**50mm (2") Inclusive Length 104mm (4½")



#### Crystal Ball\*

**a**19mm (¾4") Inclusive Length 55mm (3¾6") **a**25mm (1") Inclusive Length 66mm (2¾6") **a**38mm (1½") Inclusive Length 85mm (3¾6") **a**50mm (2") Inclusive Length 108mm (4¼4")

# Passing fixing plate size

# **BRACKET OPTIONS**

**SINGLE** For straightforward applications.



#### Diameter Projection from wall to pole centre

40mm (1%6") 60mm (23/8") • 100mm (4") 60mm (2%") • 100mm (4") 100mm (4")

#### Fixing plate size

w23mm (1/8") x H50mm (2") w34mm (15/6") x H70mm (23/4") **w**34mm (15%") x **H**70mm (23/4") w52mm (21/16") х н104mm (41/8") w52mm (21/16") x H104mm (41/8")





#### Diameter Projection from wall to pole centre

100mm (4")

100mm (4")

100mm (4")

40mm (1%6") 60mm (23/8") • 100mm (4")

60mm (2¾") • 100mm (4") • 140mm (5½") <sup>(3)</sup> 100mm (4")

Fixing plate size

w50mm (2") x H23mm (1/8") w70mm (23/4") x H34mm (15/6") w70mm (23/4") x H34mm (15/6") w104mm (4%") x н52mm (2%6") w104mm (4%") x н52mm (2%6")

#### Ceilina

# **Passina**



#### Diameter

ø19mm (3/4") ø25mm (1") ø38mm (1½") ø50mm (2")

ø12.5mm (½")

ø19mm (3/4") ø25mm (1")

ø38mm (1½")

ø50mm (2")

ø12.5mm (½")

ø19mm (3/4")

ø25mm (1")

ø38mm (1½")

ø50mm (2")

#### Drop from ceiling to pole centre

60mm (23/8") • 100mm (4") 60mm (23/8") • 100mm (4") 100mm (4")

#### Fixing plate size

w70mm (23/4") x H34mm (15/16") w70mm (23/4") x H34mm (15/16") w104mm (4%") x н52mm (2%6") w104mm (4\%") x H52mm (2\%6")

**RECESS** Designed for rebates.

#### **Recess** With hook stop



#### Diameter

ø19mm (3/4") ø25mm (1") ø38mm (1½")

ø50mm (2")

#### Depth off wall

7mm (1/4") 8mm (5/16") 12mm (½") 15mm (%6")

#### Fixing plate size

ø26mm (1")

ø34mm (15/6") ø49mm (115/16")

ø64mm (2½")

ADJUSTABLE Designed to give flexibility during installation.



#### Diameter

ø19mm (3/4") ø25mm (1") ø38mm (1½")

#### Projection from wall to pole centre

Min.90mm (3%6") Max.110mm (45%6") Min.90mm (3%6") Max.110mm (45/6") Min.100mm (4") Max.120mm ( $4\frac{3}{4}$ ")

Projection from wall to pole centre

#### Fixing plate size

**w**34mm (15/4") x **H**70mm (23/4") w34mm (15/6") x H70mm (23/4") w52mm (21/16") x H104mm (41/8")

Passing



#### ø19mm (3/4") ø25mm (1") ø38mm (1½")

#### Diameter

Min.90mm (3%6") Max.110mm (45/16") Min.90mm (3%6") Max.110mm (45/16") Min.100mm (4") Max.120mm ( $4^{3}/_{4}$ ")

#### Fixing plate size

w70mm (23/4") x H34mm (15/16") w70mm (23/4") x H34mm (15/16") w104mm (4\%") x H52mm (2\%")

FRENCH For the classic French look.

#### Single - End®



ø25mm (1")

Projection from wall to pole centre

# 100mm (4″), 140mm (5½″) <sup>(9)</sup>

Fixing plate size

w26mm (1") x н80mm (3%")

#### Double - Ender®



Diameter **Fø**25mm (1") Bø19mm (3/4")

Projection from wall to pole centre

F160mm (65/16") **B**60mm (23/8")

Depth off wall

Fixing plate size

w74mm (215/16") x H113mm (47/16")

CAFÉ Designed for privacy.

Café - End

ø12.5mm (½")

Diameter

6mm (1/4")

Fixing plate size

ø42mm (15%")

Café - Face Drop in option available



Diameter

ø12.5mm (½")

Projection from wall to pole centre 25mm (1") • 40mm (1%6")

Fixing plate size

w30mm (13/6") x H80mm (3/6")

**DOUBLE** Designed for layered shading.

Diameter Projection from wall to pole centre **Fø**25mm (1") F160mm (65/16") Bø19mm (3/4") **B**60mm (2 3/8") F160mm (65/16") Fø38mm (1½") вø25mm (1") **B**60mm (2 3/8")

Fixing plate size w34mm (15/16") x

> H70mm (23/4") w52mm (21/16") x н104mm (4½")

**Custom Projection** 

Passing



Fø25mm (1") вø19mm (¾") Fø38mm (1½")

Diameter

вø25mm (1")

Projection from wall to pole centre F160mm (65/16") **B**60mm (2 3/8") F160mm (65/16")

**B**60mm (2 3/8")

Mid fixing plate size w70mm (23/4") x н34mm (15/6")


w104mm (4%") x **н**52mm (21/16")

w72mm (23/16") x н59mm (25/16") w52mm (21/16") x н104mm (41/8")

#### **CUSTOM BRACKETS**



Specify the exact projection needed.





Relevant where space is restricted or weight is a concern.

Uplift

Specialist designs can be produced for awkward or unusual installations.



Helps negotiate cornice and similar architectural features.

**Angled Brackets** 



The solution for tight and awkward locations.

140mm (51/2") Mid & Passing brackets only available on French poles | Passing option not available on 12.5mm (1/2")

Handed Item - Left and Right version available | © Not available with brushed finishes

# LINED RINGS

Mio rings pair geometric simplicity with a smart nylon liner, ensuring smooth and quiet curtain travel.



#### Ring @



#### Passing Ring ®



③ Ring drop from top of pole to bottom of ringlet | ⑤ Rings are unlined - Passing option not available on 12.5mm (½")

# **POLES**


Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to draw back to the edge of the window.


Poles exceeding the recommended maximum distance between brackets, will be cut into equal parts unless otherwise specified.

Pole joiners will be supplied.









Size	Recommended curtain type for pole diameter	Maximum distance between brackets	Maximum length in one piece	Standard Bend radius	French Pole Bend radius
ø12.5mm (½")	Light weight sheer & voile curtains	1200mm (47")	4000mm (157")⊖	<b>R</b> 75mm (3")	n/a
ø19mm (¾″)	Light to medium weight, lined & non interlined curtains	1800mm (71")	4000mm (157")⊖	<b>R</b> 75mm (3")	n/a
ø25mm (1")	Medium weight, lined & interlined curtains	2000mm (79")	4000mm (157″)⊖	R100mm (4")	<b>R</b> 75mm (3")
ø38mm (1½")	Medium to heavy weight, lined & interlined curtains	2200mm (87")	4000mm (157″)⊖	<b>R</b> 255mm (10")	n/a
ø50mm (2")	Heavy weight interlined curtains	2400mm (96")	4000mm (157″)⊖	<b>r</b> 255mm (10")	n/a

# **ACCESSORIES**

#### **Ombres**

Small



Internal projection from wall: 150mm (57/8")
Fixing plate size: ø19mm (3/4")

#### Large



Internal projection from wall: 150mm (5<sup>7</sup>/<sub>8</sub>") Fixing plate size: ø25mm (1")

#### Hold back



Internal measurement: 137mm (5% ") Fixing plate size: ø44mm (1¾ ")

#### Tie Back Hook



Projection: 29mm (11/6")
Fixing plate size: w25mm (1") x H74mm (215/16")

#### Drapery Arm

Drapery arms have been designed to work at dormer windrows, doorways & above beds.



Diameter: ø25mm (1") Fixing plate size: w34mm (15/16") x H156mm (61/8")

#### Draw Rods®

Fine Standard



**Draw rod length:** 1000mm (393/8") Custom lengths available to order