

CONTACT

www.bradleycollection.com



UK & REST OF THE WORLD

☎ +44 (0)1449 722 724

✉ info@bradleycollection.com

USA & CANADA

☎ +1 (310) 815 8255

✉ info.us@bradleycollection.com

LONDON SHOWROOM

☎ +44 (0)207 871 7793

✉ showroom@studiotwochelsea.com

MIO

THE BRADLEY COLLECTION



CEDIA
MEMBER

Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard. Steel items are not recommended for damp conditions such as shower rooms. Crystal finials should not be positioned in direct sunlight, and are not suitable for use in conservatories.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement. Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988. Bradley® and The Bradley Collection® are registered Community trademarks of The Bradley Collection Ltd. in Europe and registered trademarks of the Bradley Collection, Inc. in the USA. Gliderpole is a registered trademark of The Bradley Collection Ltd in the UK.

The Bradley Collection Ltd Lion Barn • Maitland Road • Needham Market • Suffolk • IP6 8NS • UK

The Bradley Collection Inc 10866 Washington Blvd #1275 • Culver City • CA 90232 • USA

Printed: 0226 • Copyright © The Bradley Collection Ltd. 2026

EDITION

25 | 27



MIO

Mio embodies modern sophistication, where laser-cut precision meets refined design.

Choose the cool, durable elegance of brushed stainless or the subtle warmth of contemporary finishes.

Mio. Sharp form. Pure intent

Pictured: ø25mm (1") French • Flint - Satin


Drapery design: Jim Davis Designs • USA | @ jimdavisdesigns • www.jimdavisdesigns.com

Interior design: Anna King | @ annakingandco • www.annakingandco.com

MIO

STAINLESS

All Mio designs are available in stainless steel. This corrosion resistant material makes the collection ideal for wet rooms and oceanfront properties.



ANY LENGTH

Poles can be cut to any length. On longer systems, the use of passing brackets & rings will allow uninterrupted travel of the drapes along the full length of the system.




ADJUSTABLE

No more compromises. Our adjustable brackets let you customise the projection, ensuring smooth curtain movement. Strong, stylish and simple to install.




SCALE

With five pole diameters to choose from, Mio provides versatility in scale - from the refined simplicity of café rods to the dramatic presence of bold statement designs.



BRACKET SUITE

Bracket options include wall, ceiling and double designs. Each is fitted with a magnetic cover plate to hide fixings, with custom projections and configurations available upon request.



BENT TO SHAPE

A bespoke bay bending and curving service is available on all diameters, to allow the perfect shaped pole for any window.



Pictured left to right:
ø30mm (1 1/4") • Faceted Disc • Burnt Ash - Matte
50mm (2") • Ball • Grey Moss - Matte
ø25mm (1") Large Disc • Charcoal - Matte
19mm (3/4") • Stud • Stone - Matte
ø38mm (1 1/2") • Pebble • Moss - Matte

MIO



Picture: ø25mm (1") French • Flint - Satin
Draper design: Jim Davis Designs • USA | @ jimdavisdesigns • www.jimdavisdesigns.com
Interior design: Anna King | @ annakingandco • www.annakingandco.com

MIO

The Mio French pole combines traditional elegance with modern engineering: sharp lines, lined rings for smooth running and cleverly concealed fixings.

SINGLE FRENCH

A simple and elegant treatment, especially suited to taller, narrower windows.



DOUBLE FRENCH

A smart design, improving installation and offering the benefits of the French look with the added privacy of a second layer of drapes.



MIO

CAFÉ RODS

Designed for privacy without sacrificing design, our café rods are ideal for windows that deserve a softer touch. Perfect for kitchens, bathrooms, or street-facing rooms, they support stylish lower-panel curtains that shield your space while keeping it bright and open.



Pictured: ø12.5mm (1/2") Café Rod • Brushed Stainless Steel





STAINLESS FINISHES

The intrinsic corrosion resistance of stainless steel makes it an ideal choice for oceanfront properties and for kitchens, bathrooms and wet rooms.

The iconic Brushed Stainless finish gives an industrial aesthetic, while stainless steel can also be coated on request for a softer look on this durable material.

Picture: ø50mm (2") Pole + Stud + Brushed Stainless
Interior design: Bayon Design Studio Inc. - California - USA



Brushed Stainless ©

© Not available with French poles options


FINISHES

Mio has an unparalleled selection of subtle colour coats, which can be specified in matte, satin or gloss finishes.

For more glamorous projects, metallic coats are featured in both satin and gloss.

SHADES

A superb selection of opaque colours, all available in a choice of Matte, Satin or Gloss finish.



COAT OPTIONS



METALLICS

High metallic fleck coatings with most available in Satin and Gloss sheen levels.




ANODICS

A flat metal colour group, with an anodised style.



BRIGHTS

Polished plated finishes provide a traditional sense of luxury.



FINIALS

Simplicity of design and purity of form.



Pictured left to right:
 ø25mm (1") | Flush Stud • Dove - Matte | Crystal Ball • Platinum - Satin
 Large Disc • Oatmeal - Satin | Squat Disc • Cocoa - Gloss | Faceted Disc • Bronzed - Gloss



Flush Stud

- ø19mm (¾") Inclusive Length 6mm (¼")
- ø25mm (1") Inclusive Length 6mm (¼")
- ø38mm (1½") Inclusive Length 8mm (⅜")
- ø50mm (2") Inclusive Length 8mm (⅜")



Stud

- ø12.5mm (½") Inclusive Length 2mm (⅛")
- ø19mm (¾") Inclusive Length 2mm (⅛")
- ø25mm (1") Inclusive Length 3mm (⅛")
- ø38mm (1½") Inclusive Length 3mm (⅛")
- ø50mm (2") Inclusive Length 4mm (⅜")



Disc

- ø19mm (¾") Inclusive Length 2mm (⅛")
- ø25mm (1") Inclusive Length 3mm (⅛")
- ø38mm (1½") Inclusive Length 3mm (⅛")
- ø50mm (2") Inclusive Length 4mm (⅜")



Large Disc

- ø19mm (¾") Inclusive Length 4mm (⅜")
- ø25mm (1") Inclusive Length 4mm (⅜")
- ø38mm (1½") Inclusive Length 6mm (¼")
- ø50mm (2") Inclusive Length 6mm (¼")



Squat Disc

- ø19mm (¾") Inclusive Length 17mm (⅙")
- ø25mm (1") Inclusive Length 23mm (⅞")
- ø38mm (1½") Inclusive Length 33mm (1⅜")
- ø50mm (2") Inclusive Length 44mm (1¾")



Faceted Disc

- ø19mm (¾") Inclusive Length 21mm (⅜")
- ø25mm (1") Inclusive Length 28mm (1⅛")
- ø38mm (1½") Inclusive Length 41mm (1⅝")
- ø50mm (2") Inclusive Length 54mm (2⅛")



Pebble

- ø19mm (¾") Inclusive Length 25mm (1")
- ø25mm (1") Inclusive Length 34mm (1⅝")
- ø38mm (1½") Inclusive Length 50mm (1⅞")
- ø50mm (2") Inclusive Length 66mm (2⅝")



Ball

- ø19mm (¾") Inclusive Length 50mm (2")
- ø25mm (1") Inclusive Length 63mm (2½")
- ø38mm (1½") Inclusive Length 83mm (3¼")
- ø50mm (2") Inclusive Length 104mm (4¼")








Crystal Ball*

- ø19mm (¾") Inclusive Length 55mm (3⅞")
- ø25mm (1") Inclusive Length 66mm (2⅞")
- ø38mm (1½") Inclusive Length 85mm (3⅜")
- ø50mm (2") Inclusive Length 108mm (4¼")


*: Crystal Finials should not be positioned in direct sunlight
 For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

BRACKET OPTIONS




SINGLE *For straightforward applications.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size	
	ø12.5mm (½") ø19mm (¾") ø25mm (1") ø38mm (1½") ø50mm (2")	40mm (1½") 60mm (2¾") • 100mm (4") 60mm (2¾") • 100mm (4") 100mm (4") 100mm (4")	w23mm (¾") x H50mm (2") w34mm (1½") x H70mm (2¾") w34mm (1½") x H70mm (2¾") w52mm (2½") x H104mm (4½") w52mm (2½") x H104mm (4½")	
Mid	Passing	Diameter	Projection from wall to pole centre	Fixing plate size
		ø12.5mm (½") ø19mm (¾") ø25mm (1") ø38mm (1½") ø50mm (2")	40mm (1½") 60mm (2¾") • 100mm (4") 60mm (2¾") • 100mm (4") • 140mm (5½") [Ⓞ] 100mm (4") 100mm (4")	w50mm (2") x H23mm (¾") w70mm (2¾") x H34mm (1½") w70mm (2¾") x H34mm (1½") w104mm (4½") x H52mm (2½") w104mm (4½") x H52mm (2½")
Ceiling	Passing	Diameter	Drop from ceiling to pole centre	Fixing plate size
		ø19mm (¾") ø25mm (1") ø38mm (1½") ø50mm (2")	60mm (2¾") • 100mm (4") 60mm (2¾") • 100mm (4") 100mm (4") 100mm (4")	w70mm (2¾") x H34mm (1½") w70mm (2¾") x H34mm (1½") w104mm (4½") x H52mm (2½") w104mm (4½") x H52mm (2½")





RECESS *Designed for rebates.*

Recess <i>With hook stop</i>	Diameter	Depth off wall	Fixing plate size
	ø19mm (¾") ø25mm (1") ø38mm (1½") ø50mm (2")	7mm (¼") 8mm (⅝") 12mm (½") 15mm (⅝")	ø26mm (1") ø34mm (1⅝") ø49mm (1⅞") ø64mm (2½")




ADJUSTABLE *Designed to give flexibility during installation.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size	
	ø19mm (¾") ø25mm (1") ø38mm (1½")	Min.90mm (3⅝") Max.110mm (4⅝") Min.90mm (3⅝") Max.110mm (4⅝") Min.100mm (4") Max.120mm (4¾")	w34mm (1½") x H70mm (2¾") w34mm (1½") x H70mm (2¾") w52mm (2½") x H104mm (4½")	
Mid	Passing	Diameter	Projection from wall to pole centre	Fixing plate size
		ø19mm (¾") ø25mm (1") ø38mm (1½")	Min.90mm (3⅝") Max.110mm (4⅝") Min.90mm (3⅝") Max.110mm (4⅝") Min.100mm (4") Max.120mm (4¾")	w70mm (2¾") x H34mm (1½") w70mm (2¾") x H34mm (1½") w104mm (4½") x H52mm (2½")


FRENCH *For the classic French look.*

Single - End [Ⓞ]	Diameter	Projection from wall to pole centre	Fixing plate size
	ø25mm (1")	100mm (4"), 140mm (5½") [Ⓞ]	w26mm (1") x H80mm (3⅝")
Double - End [Ⓞ]	Diameter	Projection from wall to pole centre	Fixing plate size
	Fø25mm (1") Bø19mm (¾")	F160mm (6⅝") B60mm (2⅝")	w74mm (2⅝") x H113mm (4⅞")
Café - End	Diameter	Depth off wall	Fixing plate size
	ø12.5mm (½")	6mm (¼")	ø42mm (1⅝")
Café - Face <i>Drop in option available</i>	Diameter	Projection from wall to pole centre	Fixing plate size
	ø12.5mm (½")	25mm (1") • 40mm (1⅝")	w23mm (¾") x H50mm (2")

DOUBLE *Designed for layered shading.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size		
	Fø25mm (1") Bø19mm (¾") Fø38mm (1½") Bø25mm (1")	F160mm (6⅝") B60mm (2⅝") F160mm (6⅝") B60mm (2⅝")	w34mm (1½") x H70mm (2¾") w52mm (2½") x H104mm (4½")		
Mid	Passing	Diameter	Projection from wall to pole centre	Mid fixing plate size	Passing fixing plate size
		Fø25mm (1") Bø19mm (¾") Fø38mm (1½") Bø25mm (1")	F160mm (6⅝") B60mm (2⅝") F160mm (6⅝") B60mm (2⅝")	w70mm (2¾") x H34mm (1½") w104mm (4½") x H52mm (2½")	w72mm (2⅝") x H59mm (2⅝") w52mm (2½") x H104mm (4½")

CUSTOM BRACKETS *Specialist designs can be produced for awkward or unusual installations.* [Ⓢ]


Custom Projection	Custom Fixing Plate	Uplift	Angled Brackets
			
<i>Specify the exact projection needed.</i>	<i>Relevant where space is restricted or weight is a concern.</i>	<i>Helps negotiate cornice and similar architectural features.</i>	<i>The solution for tight and awkward locations.</i>

Ⓞ 140mm (5½") Mid & Passing brackets only available on French poles | Ⓞ Passing option not available on 12.5mm (½")
 • Handed Item - Left and Right version available | Ⓞ Not available with brushed finishes

Ⓢ Custom Brackets shown are for illustration purposes. Brackets are designed on a project basis to specific requirements.
 For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

LINED RINGS

Mio rings pair geometric simplicity with a smart nylon liner, ensuring smooth and quiet curtain travel.



Ring ⊕



⊕12.5mm (½") Ring drop⊕: 39mm (1½")
 ⊕19mm (¾") Ring drop⊕: 44mm (1¾")
 ⊕25mm (1") Ring drop⊕: 53mm (2¼")
 ⊕38mm (1½") Ring drop⊕: 66mm (2⅝")
 ⊕50mm (2") Ring drop⊕: 80mm (3⅛")

Passing Ring ⊕



⊕12.5mm (½"): n/a
 ⊕19mm (¾") Ring drop⊕: 44mm (1¾")
 ⊕25mm (1") Ring drop⊕: 53mm (2¼")
 ⊕38mm (1½") Ring drop⊕: 66mm (2⅝")
 ⊕50mm (2") Ring drop⊕: 80mm (3⅛")


⊕ Ring drop from top of pole to bottom of ringlet | ⊕ Rings are unlined - Passing option not available on 12.5mm (½")

POLES

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to draw back to the edge of the window.

Poles exceeding the recommended maximum distance between brackets, will be cut into equal parts unless otherwise specified.

Pole joiners will be supplied.



Size	Recommended curtain type for pole diameter	Maximum distance between brackets	Maximum length in one piece	Standard Bend radius	French Pole Bend radius
⊕12.5mm (½")	Light weight sheer & voile curtains	1200mm (47")	4000mm (157")⊕	⊕75mm (3")	n/a
⊕19mm (¾")	Light to medium weight, lined & non interlined curtains	1800mm (71")	4000mm (157")⊕	⊕75mm (3")	n/a
⊕25mm (1")	Medium weight, lined & interlined curtains	2000mm (79")	4000mm (157")⊕	⊕100mm (4")	⊕75mm (3")
⊕38mm (1½")	Medium to heavy weight, lined & interlined curtains	2200mm (87")	4000mm (157")⊕	⊕255mm (10")	n/a
⊕50mm (2")	Heavy weight interlined curtains	2400mm (96")	4000mm (157")⊕	⊕255mm (10")	n/a

⊕ Section lengths over 2.4m (94") will incur a handling charge
 For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

ACCESSORIES

Ombres

Small



Internal projection from wall: 150mm (5⅞")
 Fixing plate size: ⊕19mm (¾")

Large



Internal projection from wall: 150mm (5⅞")
 Fixing plate size: ⊕25mm (1")

Hold back



Internal measurement: 137mm (5⅜")
 Fixing plate size: ⊕44mm (1¾")

Tie Back Hook



Projection: 29mm (1⅛")
 Fixing plate size: w25mm (1") x h74mm (2⅝⅙")

Drapery Arm

Drapery arms have been designed to work at dormer windows, doorways & above beds.



Diameter: ⊕25mm (1")
 Fixing plate size: w34mm (1⅝⅙") x h156mm (6⅞")

Draw Rods⊕

Fine



Standard



Draw rod length: 1000mm (39⅜")
 Custom lengths available to order

⊕ Not recommended for use with passing rings.