

CONTACT

www.bradleycollection.com



UK & REST OF THE WORLD

+44 (0)1449 722 724

info@bradleycollection.com

USA & CANADA

+1 (310) 815 8255

info.us@bradleycollection.com

LONDON SHOWROOM

+44 (0)207 871 7793

showroom@studiotwochelsea.com

THE BRADLEY COLLECTION



CEDIA
MEMBER

Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard. Steel items are not recommended for damp conditions such as shower rooms. Crystal finials should not be positioned in direct sunlight, and are not suitable for use in conservatories.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement. Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988. Bradley® and The Bradley Collection® are registered Community trademarks of The Bradley Collection Ltd. in Europe and registered trademarks of the Bradley Collection, Inc. in the USA. Gliderpole is a registered trademark of The Bradley Collection Ltd in the UK.

The Bradley Collection Ltd Lion Barn • Maitland Road • Needham Market • Suffolk • IP6 8NS • UK

The Bradley Collection Inc 10866 Washington Blvd #1275 • Culver City • CA 90232 • USA

Printed: 0226 • Copyright © The Bradley Collection Ltd. 2026

STEEL

EDITION

25 | 27



STEEL

The Steel Collection remains a byword in elegance. Historical design cues, high quality materials and traditional artisan skills are all on display in this timeless classic.

Timeless elegance, forged by Tradition

Pictured: ø25mm (1") Pole • Flared Disc • Brass Toned
Interior design: Georgia Victoria • Edinburgh - UK

STEEL

PURE FORM

Crafted in five pole diameters, the Steel Collection offers scale and proportion to suit every interior - from the delicate café rod to the most dramatic centrepiece.



ANY LENGTH

Poles can be cut to any length.Ⓒ On longer systems, the use of passing brackets & rings will allow uninterrupted travel of the drapes along the full length of the system.



FUNCTION

Brackets are designed for easy installation, with an optional magnetic cover plate. Brackets can be supplied to custom projections and designs.



CRAFTED IN SUFFOLK

A picture of elegance, the Steel Collection blends innovative design with quality craftsmanship.



ON THE FORGE

Authentic, hand-forged Steel - subtle hammer marks preserved, proportions meticulously refined.



ADJUSTABLE

Crafted for flexibility, tailored projection when working around window frames, radiators, or unique architectural details. These brackets adapt to your space.



BENT TO SHAPE

A bespoke bay bending and curvingⒸ service is available on all diameters to allow the perfect shaped pole to fit any bay window.



Ⓒ Supplied in sections - Maximum section per length 4.0m (157") - Section lengths over 2.4m (94") will incur a handling charge | Ⓒ Curving option not available on 12.5mm (1/2")



Pictured: ø25mm (1") French Pole • Flared Disc • Flint - Satin
Interior design: Sue Bond Interiors - UK
Drapery design: The Curtain Tailor - UK

STEEL

FRENCH POLES

The French pole from the Steel Collection is an iconic design favourite. A simple and sophisticated way to adorn windows.



End Bracket



Covered End Bracket

STEEL

CAFÉ RODS

Whether a public space or a kitchen window, our café rods provide the perfect balance of privacy and light.

Designed to support half-length curtains, they offer the coverage you desire - without obstructing natural light or beautiful views.



Pictured: ø12.5mm (1/2") Café Rod · Oil Rubbed



FINISHES



Pictured left to right: ø25mm (1") Pole | Medium Stud • Natural Steel | Ball & Collar • Oil Rubbed Standard Stud • Brass Toned | Button Stud • Waxed | Large Stud • Bronzed - Satin Ribbed Ball & Collar • Antique Brass - Satin | Pebble • Polished | Flared Disc • Flint - Satin Hammered Stud • Matte Brass Toned


Signature translucent finishes of the Steel Collection allow the beauty of steel to shine through.



Polished

Natural Steel

Brass Toned



Matte Brass Toned

Antique Brass ©

Bronzed ©

Oil Rubbed

Waxed

Flint ©

© Satin Coat

Due to printing limitations colours in this brochure may not be accurate Samples are available on request - www.bradleycollection.com/samples/

FINIALS

Simplicity is the watchword for this grouping of stud, disc and ball designs.



Standard Stud

- ∅12.5mm (1/2") Inclusive Length 3mm (1/8")
- ∅19mm (3/4") Inclusive Length 6mm (1/4")
- ∅25mm (1") Inclusive Length 8mm (5/16")
- ∅38mm (1 1/2") Inclusive Length 10mm (3/8")
- ∅50mm (2") Inclusive Length 12mm (1/2")



Medium Stud

- ∅19mm (3/4") Inclusive Length 6mm (1/4")
- ∅25mm (1") Inclusive Length 8mm (5/16")
- ∅38mm (1 1/2") Inclusive Length 10mm (3/8")
- ∅50mm (2") Inclusive Length 12mm (1/2")



Forged Disc

- ∅19mm (3/4") Inclusive Length 2mm (1/16")
- ∅25mm (1") Inclusive Length 3mm (1/8")
- ∅38mm (1 1/2") Inclusive Length 3mm (1/8")
- ∅50mm (2") Inclusive Length 4mm (3/16")



Hammered Disc

- ∅19mm (3/4") Inclusive Length 2mm (1/16")
- ∅25mm (1") Inclusive Length 3mm (1/8")
- ∅38mm (1 1/2") Inclusive Length 3mm (1/8")
- ∅50mm (2") Inclusive Length 4mm (3/16")



Large Stud

- ∅19mm (3/4") Inclusive Length 6mm (1/4")
- ∅25mm (1") Inclusive Length 8mm (5/16")
- ∅38mm (1 1/2") Inclusive Length 10mm (3/8")
- ∅50mm (2") Inclusive Length 12mm (1/2")



Hammered Stud

- ∅19mm (3/4") Inclusive Length 10mm (3/8")
- ∅25mm (1") Inclusive Length 12mm (1/2")
- ∅38mm (1 1/2") Inclusive Length 16mm (5/8")
- ∅50mm (2") Inclusive Length 20mm (13/16")



Ball & Collar

- ∅19mm (3/4") Inclusive Length 55mm (2 3/16")
- ∅25mm (1") Inclusive Length 65mm (2 5/16")
- ∅38mm (1 1/2") Inclusive Length 75mm (2 9/16")
- ∅50mm (2") Inclusive Length 103mm (4 1/16")



Crystal Ball & Collar*

- ∅19mm (3/4") Inclusive Length 65mm (2 5/16")
- ∅25mm (1") Inclusive Length 75mm (2 9/16")
- ∅38mm (1 1/2") Inclusive Length 103mm (4 1/16")



Button Stud

- ∅19mm (3/4") Inclusive Length 26mm (1")
- ∅25mm (1") Inclusive Length 40mm (1 5/16")
- ∅38mm (1 1/2") Inclusive Length 59mm (2 3/16")
- ∅50mm (2") Inclusive Length 69mm (2 11/16")



Pebble

- ∅19mm (3/4") Inclusive Length 27mm (1 1/16")
- ∅25mm (1") Inclusive Length 31mm (1 1/4")
- ∅38mm (1 1/2") Inclusive Length 48mm (1 7/8")



Hammered Ball & Collar

- ∅19mm (3/4") Inclusive Length 55mm (2 3/16")
- ∅25mm (1") Inclusive Length 65mm (2 9/16")



Ball & Claw

- ∅19mm (3/4") Inclusive Length 75mm (2 9/16")
- ∅25mm (1") Inclusive Length 90mm (3 9/16")
- ∅38mm (1 1/2") Inclusive Length 120mm (4 3/4")



Flared Stud

- ∅19mm (3/4") Inclusive Length 12mm (1/2")
- ∅25mm (1") Inclusive Length 14mm (9/16")
- ∅38mm (1 1/2") Inclusive Length 26mm (1")



Flared Disc

- ∅19mm (3/4") Inclusive Length 17mm (11/16")
- ∅25mm (1") Inclusive Length 21mm (7/8")
- ∅38mm (1 1/2") Inclusive Length 34mm (1 5/16")



Ribbed Ball & Collar

- ∅19mm (3/4") Inclusive Length 60mm (2 3/8")
- ∅25mm (1") Inclusive Length 80mm (2 3/4")



Twisted Knot

- ∅19mm (3/4") Inclusive Length 90mm (3 3/8")
- ∅25mm (1") Inclusive Length 95mm (3 9/16")
- ∅38mm (1 1/2") Inclusive Length 150mm (5 7/8")

☞ Due to manufacturing process's size and shape may vary slightly to images above | * Crystal Finials should not be positioned in direct sunlight
For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

FINIALS

The true craft of the artisan is on display with these designs.

Pictured left to right: ø25mm (1") Pole | Jacobs Horn • Waxed Curling Leaf • Bronzed - Satin | Loop • Antique Brass - Satin
 Buffon Stud • Matte Brass Toned | Pebble • Natural Steel



Hammered Spear 🖐️

ø19mm (¾") Inclusive Length 122mm (4⅞")
 ø25mm (1") Inclusive Length 150mm (5⅞")



Double Ball Basket 🖐️

ø19mm (¾") Inclusive Length 142mm (5⅝")
 ø25mm (1") Inclusive Length 146mm (5¾")
 ø38mm (1½") Inclusive Length 205mm (8⅛")



Loop 🖐️

ø19mm (¾") Inclusive Length 115mm (4½")
 ø25mm (1") Inclusive Length 135mm (5⅝")
 ø38mm (1½") Inclusive Length 180mm (7⅙")



Curling Leaf 🖐️👤

ø19mm (¾") Inclusive Length 110mm (4⅝")
 ø25mm (1") Inclusive Length 140mm (5½")
 ø38mm (1½") Inclusive Length 200mm (8")



Tusk 🖐️👤

ø19mm (¾") Inclusive Length 118mm (4⅝")
 ø25mm (1") Inclusive Length 141mm (5⅝")



Jacob's Horn 🖐️👤

ø19mm (¾") Inclusive Length 105mm (4⅞")
 ø25mm (1") Inclusive Length 130mm (5⅝")
 ø38mm (1½") Inclusive Length 180mm (7⅙")



Square Ram's Horn 🖐️

ø19mm (¾") Inclusive Length 120mm (4¾")
 ø25mm (1") Inclusive Length 135mm (5⅝")








Reverse Square Ram's Horn 🖐️👤

ø19mm (¾") Inclusive Length 55mm (2⅜")
 ø25mm (1") Inclusive Length 55mm (2⅜")

🖐️ Due to manufacturing process's size and shape may vary slightly to images above | 👤 Handed Item - Left and Right version available
 For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

BRACKET OPTIONS


SINGLE *For straightforward applications.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size	Covered Fixing plate size	
	<ul style="list-style-type: none"> ø12.5mm (½") ø19mm (¾") ø25mm (1") ø38mm (1½") ø50mm (2") 	<ul style="list-style-type: none"> 40mm (1½") 60mm (2½") • 100mm (4") 60mm (2½") • 100mm (4") 100mm (4") 100mm (4") 	<ul style="list-style-type: none"> w18mm (⅞") x h63mm (2½") w20mm (⅞") x h84mm (3⅝") w25mm (1") x h102mm (4") w30mm (1¼") x h117mm (4⅝") w30mm (1¼") x h117mm (4⅝") 	<ul style="list-style-type: none"> n/a w24mm (1⅝") x h88mm (3⅞") w29mm (1⅞") x h106mm (4⅞") w34mm (1⅞") x h121mm (4⅞") w34mm (1⅝") x h121mm (4⅞") 	
Mid	Passing Ⓞ	Diameter	Projection from wall to pole centre	Fixing plate size	Covered fixing plate size
		<ul style="list-style-type: none"> ø12.5mm (½") ø19mm (¾") ø25mm (1") ø38mm (1½") ø50mm (2") 	<ul style="list-style-type: none"> 40mm (1½") 60mm (2½"), 100mm (4") 60mm (2½") • 100mm (4") • 140mm (5½") Ⓞ 100mm (4") 100mm (4") 	<ul style="list-style-type: none"> w50mm (2") x h18mm (⅞") w55mm (2⅜") x h20mm (⅞") w60mm (2⅜") x h25mm (1") w80mm (3⅞") x h30mm (1¼") w80mm (3⅞") x h30mm (1¼") 	<ul style="list-style-type: none"> n/a w59mm (2⅝") x h24mm (1⅝") w64mm (2½") x h29mm (1⅞") w84mm (3⅞") x h34mm (1⅝") w84mm (3⅝") x h34mm (1⅝")
Ceiling	Passing	Diameter	Drop from ceiling to pole centre	Fixing plate size	
		<ul style="list-style-type: none"> ø19mm (¾") ø25mm (1") ø38mm (1½") 	<ul style="list-style-type: none"> 60mm (2½") • 100mm (4") 60mm (2½") • 100mm (4") 100mm (4") 	<ul style="list-style-type: none"> w55mm (2⅜") x h20mm (⅞") w60mm (2⅜") x h25mm (1") w80mm (3⅞") x h30mm (1¼") 	



RECESS *Designed for rebates.*

Recess <i>With hook stop</i>	Diameter	Depth off wall	Fixing plate size
	<ul style="list-style-type: none"> ø19mm (¾") ø25mm (1") ø38mm (1½") ø50mm (2") 	<ul style="list-style-type: none"> 4mm (⅜") 4mm (⅜") 4mm (⅜") 4mm (⅜") 	<ul style="list-style-type: none"> ø42mm (1⅝") ø50mm (2") ø72mm (2⅜") ø72mm (2⅜")

FRENCH *For the classic French look.*




French - End	Diameter	Projection from wall to pole centre	Fixing plate size	Covered fixing plate size
	<ul style="list-style-type: none"> ø25mm (1") 	<ul style="list-style-type: none"> 100mm (4"), 140mm (5½") Ⓞ 	<ul style="list-style-type: none"> w30mm (1¼") x h80mm (3⅞") 	<ul style="list-style-type: none"> w33mm (1⅝") x h83mm (3¼")

CAFÉ BRACKETS *Designed for privacy.*




Café - End	Diameter	Depth off wall	Fixing plate size
	<ul style="list-style-type: none"> ø12.5mm (½") 	<ul style="list-style-type: none"> 6mm (¼") 	<ul style="list-style-type: none"> ø25mm (1")
Café - Face <i>Drop in option available</i>	Diameter	Projection from wall to pole centre	Fixing plate size
	<ul style="list-style-type: none"> ø12.5mm (½") 	<ul style="list-style-type: none"> 25mm (1") • 40mm (1⅝") 	<ul style="list-style-type: none"> w18mm (⅞") x h63mm (2½")

Ⓞ 140mm (5½") Mid & Passing brackets only available on French poles. | Ⓞ Passing option not available on 12.5mm (½")
 For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/






ADJUSTABLE *Designed to give flexibility during installation.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size	
	<ul style="list-style-type: none"> ø19mm (¾") ø25mm (1") ø38mm (1½") 	<ul style="list-style-type: none"> Min.90mm (3⅞") Max.110mm (4⅝") Min.90mm (3⅞") Max.110mm (4⅝") Min.100mm (4") Max.120mm (4¾") 	<ul style="list-style-type: none"> w55mm (2⅜") x h84mm (3⅝") w60mm (2⅜") x h102mm (4") w80mm (3⅞") x h117mm (4⅝") 	
Mid	Passing	Diameter	Projection from wall to pole centre	Fixing plate size
		<ul style="list-style-type: none"> ø19mm (¾") ø25mm (1") ø38mm (1½") 	<ul style="list-style-type: none"> Min.90mm (3⅞") Max.110mm (4⅝") Min.90mm (3⅞") Max.110mm (4⅝") Min.100mm (4") Max.120mm (4¾") 	<ul style="list-style-type: none"> w55mm (2⅜") x h20mm (⅞") w60mm (2⅜") x h25mm (1") w80mm (3⅞") x h30mm (1¼")

DOUBLE *Designed for layered shading.*

Side	Diameter	Projection from wall to pole centre	Fixing plate size		
	<ul style="list-style-type: none"> Fø25mm (1") Bø19mm (¾") Fø38mm (1½") Bø25mm (1") 	<ul style="list-style-type: none"> F160mm (6⅝") B60mm (2⅜") F160mm (6⅝") B60mm (2⅜") 	<ul style="list-style-type: none"> w25mm (1") x h102mm (4") w30mm (1¼") x h117mm (4⅝") 		
Mid	Passing	Diameter	Projection from wall to pole centre	Mid fixing plate size	Passing fixing plate size
		<ul style="list-style-type: none"> Fø25mm (1") Bø19mm (¾") Fø38mm (1½") Bø25mm (1") 	<ul style="list-style-type: none"> F160mm (6⅝") B60mm (2⅜") F160mm (6⅝") B60mm (2⅜") 	<ul style="list-style-type: none"> w60mm (2⅜") x h25mm (1") w80mm (3⅞") x h30mm (1¼") 	<ul style="list-style-type: none"> w112mm (4⅞") x h50mm (2") w122mm (4⅞") x h60mm (2⅜")

CUSTOM BRACKETS *Specialist designs can be produced for awkward or unusual installations. ↗*

Custom Projection	Custom Fixing Plate	Uplift	Arm	Angled Brackets
				
<i>Specify the exact projection needed.</i>	<i>Relevant where space is restricted or weight is a concern.</i>	<i>Helps negotiate cornice and similar architectural features.</i>	<i>For really tricky installations, arms without backplates can be designed for direct fixing.</i>	<i>The solution for tight and awkward locations.</i>

↗ Custom Brackets shown are for illustration purposes. Brackets are designed on a project basis to specific requirements

CLASSIC RINGS

Steel rings are of a classic, unlined nature reflecting the authenticity of the collection.



Ring



⌀12.5mm (½") Ring dropⓄ 38mm (1½")
 ⌀19mm (¾") Ring dropⓄ 44mm (1¾")
 ⌀25mm (1") Ring dropⓄ 49mm (1⅝")
 ⌀38mm (1½") Ring dropⓄ 63mm (2½")
 ⌀50mm (2") Ring dropⓄ 82mm (3¼")

Passing Ring Ⓞ



⌀12.5mm (½") n/a
 ⌀19mm (¾") Ring dropⓄ 49mm (1⅝")
 ⌀25mm (1") Ring dropⓄ 54mm (2⅞")
 ⌀38mm (1½") Ring dropⓄ 71mm (2⅜")
 ⌀50mm (2") Ring dropⓄ 89mm (3½")


Ⓞ Ring drop from top of pole to bottom of ringlet | Ⓞ Passing option not available on 12.5mm (½")

POLES

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to draw back to the edge of the window.

Poles exceeding the recommended maximum distance between brackets, will be cut into equal parts unless otherwise specified.

Pole joiners will be supplied.



Size	Recommended curtain type for pole diameter	Maximum distance between brackets	Maximum length in one piece	Standard Bend radius	French Pole Bend radius
⌀12.5mm (½")	Light weight sheer & voile curtains	1200mm (47")	4000mm (157")Ⓞ	Ⓡ75mm (3")	n/a
⌀19mm (¾")	Light to medium weight, lined & non interlined curtains	1800mm (71")	4000mm (157")Ⓞ	Ⓡ75mm (3")	n/a
⌀25mm (1")	Medium weight, lined & interlined curtains	2000mm (79")	4000mm (157")Ⓞ	Ⓡ100mm (4")	Ⓡ75mm (3")
⌀38mm (1½")	Medium to heavy weight, lined & interlined curtains	2200mm (87")	4000mm (157")Ⓞ	Ⓡ255mm (10")	n/a
⌀50mm (2")	Heavy weight interlined curtains	2400mm (96")	4000mm (157")Ⓞ	Ⓡ255mm (10")	n/a

Ⓞ Section lengths over 2.4m (94") will incur a handling charge
For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/downloads/

ACCESSORIES

Ombres

Large Stud



Internal projection from wall: 125mm (4⅝")
Fixing plate size: Ⓞ60mm (2⅞")

Ball & Collar



Internal projection from wall: 125mm (4⅝")
Fixing plate size: Ⓞ60mm (2⅞")

Hold back

Standard Stud



Internal measurement: 134mm (5¼")
Fixing plate size: w20mm (⅜") x h56mm (2⅜")

Ball & Collar



Tie Back Hook



Internal measurement: 27mm (1⅛")
Fixing plate size: w20mm (⅜") x h78mm (3⅛")

Drapery Arm

Drapery arms have been designed to work at dormer windows, doorways & above beds.



Diameter: Ⓞ25mm (1")
Fixing plate size: w30mm (1⅜") x h185mm (7¼")

Draw RodsⓄ

Standard Stud



Ball & Collar



Draw rod length: 1000mm (39⅜")
 Custom lengths available to order

Ⓞ Not recommended for use with passing rings.