DRIVE (2)

THE **BRADLEY** COLLECTION

SPECIFICATION GUIDE

DRIVE(2)

SPECIFICATION GUIDE

This specification guide was designed to outline the main considerations that need to be made when quoting or ordering a system.

Please use this alongside the Electric Technical Guides.
There is a guide for Silent Gliss • Somfy • Lutron system options which deal with specific details of those systems.

If any questions arise please call your local sales representative or contact The Bradley Collection directly.

System Information Page 3-36

- POLES Page 4
- DRIVE OPTIONS Page 5
- JOINTING SYSTEM Page 6
- BAYS & MINIMUM WALL SIZES Page 7
- BRACKET ALIGNMENT Page 8
- CUSTOM BRACKETS Page 9
- CURTAIN DROPS Page 10-11
- SYSTEM CONFIGURATION Page 12-16
- POLE CONFIGURATION Page 17-22
- CURTAIN STACKS Page 23
- GLIDING OPTIONS & CURTAIN HEADINGS Page 24-26
- CURTAIN WEIGHTS Page 27
- MAXIMUM WEIGHTS Page 28-30
- OVERLAP ARMS Page 31-36

Finishes Page 37-41

Finials Page 42-52

Poles Page 53-65

Brackets Page 66-75

Electrical installations must be carried out by qualified professionals in accordance with the relevant wiring diagrams and local regulations.

THE **BRADLEY** COLLECTION

SYSTEM INFORMATION

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow a tolerance beyond the width of the frame for the curtains to draw back to the edge of the window.

Maximum pole length in one piece is 4.0m (157")⊖.
Poles exceeding the maximum length will be cut into equal parts unless otherwise specified.
Jointing system will be supplied. (See page 6) Brackets should be placed at every join.

Ø38mm (1½")
The overall pole cost is rounded up in 300mm (1ft) increments.

38mm (1½")

Size	Maximum distance between brackets	Maximum length in one piece	Standard Bend radius
ø38mm (1½")	1000mm (39")	4000mm (157")⊖	R400mm (16")

⊖ Supplied in sections - Section lengths over 3.0m (118") will incur a handling charge

PROVIDING POLE LENGTHS

Pole lengths can be specified in two ways.
OPTION A is our preferred method. This covers Pole length only. **OPTION B** combines pole and finial lengths.

A - PREFERRED OPTION



B



⊖ Supplied in sections - Section lengths over 3.0m (118") will incur a handling charge

SELECT TRACK TYPE & MOTOR

Specify your **DRIVE** from a choice from the leading motor brands. This provides power and control options ranging from standalone battery powered systems to fully integrated home automation solutions.

LUTRON somfy SilentGliss

For double configurations a second **DRIVE** system can be specified.
It is also possible to specify a motor to the main curtain and a manual pole to the rear. Simply select DRIVE for the front pole and either **GLIDE** Ø30mm ($1^{3}/_{16}$") or 38mm ($1^{1}/_{2}$") for the rear.

LUTRON

1 MOTOR OPTIONS
- **D105**
- **D145**
- **D175**

Radio dongle required for use to wireless control options

2 CONTROL OPTIONS

Remote Control
Single hand held remote control option available.

App Control - RA2 Select
The system can be controlled with the Lutron app or through smart devices & Amazon Alexa.

Automation Systems
The system can also be integrated with all major home control systems.Ⓐ

SOMFY

1 MOTOR OPTIONS
- **Glydea Ultra 60e WT**
- **Glydea Ultra 60e RTS**
- **Glydea Ultra 60e ZIGBEE 3.0**
- **Irismo 45 WF RTS**
- **Movelite 35 WT**
- **Movelite 35 RTS**
- **Movelite 35 WF RTS**ⓦ

RTS required for use to wireless control options

2 CONTROL OPTIONS

Remote Control
Single channel & Multi-channel hand held remote control options available.

App Control - Tahoma
The system can be controlled with th Somfy Tahoma app or through smart devices & Amazon Alexa.

Automation Systems
The system can also be integrated with all major home control systems.Ⓐ

SILENT GLISS

1 MOTOR OPTIONS
- **9060 Motor**
- **9060 Motor with radio module**

Radio modulerequired for use to wireless control options

2 CONTROL OPTIONS

Remote Control
Single & Multi-channel hand held remote control options available.

App Control - Move
The system can be controlled with the Silent Gliss Moveⓜapp to allow control on smart devices.

Automation Systems
The system can also be integrated with all major home control systems, and via Silent Gliss Smartⓢ system allowing two way integration with all major home control systemsⒶ

Mains Power | Battery Power | Ⓐ Specialist support & additional components required | ⓦ Movelite35 WF is not suitable for bay bends
ⓜ Move server set 9960 is required for use with this app | ⓢ Smart only available in United Kingdom, requires Smart Expansion Module

JOINTING SYSTEM

Drive's jointing system ensures perfect alignment between pole sections.

Joins must always be supported by a bracket.



38mm (1½")



BAYS & MINIMUM WALL SIZES

Bradley's bespoke service allows poles to be specifically made for unique bay windows and complex long span installations.
Poles can be shaped to create a system that follows contours.

One Bend Bay

Two Bend Bay

Square Bay

Four Bend Bay
(Twin Drive)
Made of 2x two Bend Bays

Continuous Curve

Return bends are not available.

MINIMUM WALL SIZES

The table below is a guide for the minimum wall size required.

The standard bend radius shown is the minimum radius achievable.

Note: changes in angles and projections will alter the minimum wall sizes required

135° Bend Angles



90° Bend Angles



Diameter	Wall A - B	Wall B - C	Angle at B	Standard Bend Radius	Projection
ø38mm (1½")	408mm (16")	367mm (14 7/16")	135°	400mm (16")	100mm (4")
ø38mm (1½")	700mm (27 9/16")	660mm (26")	90°	400mm (16")	100mm (4")

BRADLEY BAY CHECKER +

Bay Checker + is part of our Digital Toolbox, allowing you to check your measurement for bays and curves whilst onsite, as well as storing straight window dimensions for your projects.

Unlimited measurements may be saved locally to your device or shared to your colleagues.

Available as a free download for iOS or Android,

For more information on Bay Checker + and latest enhancements to our Digital Toolbox visit

www.bradleycollection.com/digital-toolbox/



BRACKET ALIGNMENT

The information below shows the relationship between the bracket backplate. this will enable easy alignment during installation.

SINGLE SYSTEM - ø38mm (1 1/2")

Top of brackets

SIDE BRACKET

MID BRACKET



DOUBLE SYSTEMS

Top of brackets

SIDE BRACKET

MID BRACKET



CUSTOM BRACKETS

Drive can be customised to suit virtually any window. For simple projection changes between the minimums and maximums listed above, brackets are charged at double their standard cost. For all other customisations an additional up-charge and custom fee is applied per drawing.

Custom Projection

Specify the exact projection needed.

Custom Fixing Plate

Relevant where space is restricted or weight is a concern.

Uplift

Helps negotiate cornice and similar architectural features.

Ceiling Brackets

Specify exact projection required from ceiling.

Angled Brackets

The solution for tight and awkward locations.

MINIMUM & MAXIMUM BRACKET PROJECTIONS

Dimensions outside of these stated min/max projections may still be possible but will generate a design charge per drawing. See pricelist for details

Diameter	Type	Standard Projection(s)	Minimum Special Projection	Maximum Special Projection
ø38mm (1½")	Side	100mm (4")	83mm (3¼")	200mm (8")
ø38mm (1½")	Mid	100mm (4")	83mm (3¼")	200mm (8")

The information below shows the relationship between the pole, brackets and gliders/rollers.
This will enable the correlation between pole heights and curtain drops to be easily calculated.

SINGLE SYSTEM - ø38mm (1 1/2")



DOUBLE SYSTEM - FRONT ø38mm (1 1/2") BACK ø38mm (1 1/2")



PIN HOOK MEASUREMENT *From bottom of the track*



CURTAIN DROPS - PARTITION BRACKETS

The information below shows the relationship between the pole, brackets and gliders/rollers.
This will enable the correlation between pole heights and curtain drops to be easily calculated.

Partition Brackets can not be used around bay windows
Motors must be positioned at opposite ends, as show below.



DOUBLE PARTITION SYSTEM - FRONT ø38mm (1 1/2") BACK ø38mm (1 1/2")





PIN HOOK MEASUREMENT *From bottom of the track*



CONFIGURATION

A looped driving belt runs around the motor and along the pole. This is attached to the pilot header which in turn is attached to the lead glider/roller.

SINGLE DRIVE - *Single Stack* ▶

On single stack systems the motor is always positioned on the stacking side. Allowing the motor to be hidden behind the curtain.

SINGLE DRIVE - *Pair Stack* ▶|◀

Pair stack curtains can have the motor positioned at either end of the pole. Curtains must be equal in length

TWIN DRIVE - *Pair Stack* ▶|◀

Twin Drive systems have the motor positioned at both ends of the pole. And are pair stack curtains only which can be different in length

MOTOR POSITIONING

Mains powered motor's needs to be positioned on same side of the window as the power supply.

Wiring diagrams are available on request

Motorised systems are unsuitable for use outdoors or in damp environments such as shower rooms and bathrooms.

MAINS POWERED SYSTEMS



BATTERY POWERED SYSTEMS

SOMFY® MOVELITE & IRISMO ONLY



LEFT HAND MOTOR

RIGHT HAND MOTOR

TWIN MOTORS

LUTRON CONFIGURATION

Motor adaptors are supplied to match system colour. Motors can be positioned either perpendicular or in-line with the track.
A gliding option is assembled between the motor adaptor and the end of the pole, serving as a curtain hook point.

MOTOR END - PERPENDICULAR *Default*

As standard motor position is set perpendicular to the pole.
Minimising non functioning gliding area.
Optimal for Sine and Ripplefold headings.





MOTOR END - IN-LINE *Option*

As an option motor position can be set in-line with the pole.
Allowing for the system to sit closer to the wall where space is limited.
This increases the non-functioning gliding area.

Not recommended for Sine and Ripplefold headings.





RETURN END - SINGLE STACK ▶

Single stack systems utilise a smaller return cartridge embedded in the profile.
Master carriers are designed to allow curtains travel to the end of the system.



RETURN END - PAIR STACK ▶|◀

Pair stack systems use the standard return cartridge embedded within the profile.
A gliding option is assembled between the cartridge and the end of the pole, serving as a curtain hook point.



TWIN END - PAIR STACK ▶|◀

Twin systems are supplied in a minimum of two sections, with an internal return cartridge, in the end of each section.

Mid brackets can be fitted on join



SOMFY CONFIGURATION

Motor adaptors are supplied to match system colour. Motors can be positioned either perpendicular or in-line with the track.
A gliding option is assembled between the motor adaptor and the end of the pole, serving as a curtain hook point.

MOTOR END - PERPENDICULAR *Default*

As standard motor position is set perpendicular to the pole.
Minimising non functioning gliding area.
Optimal for Sine and Ripplefold headings.





MOTOR END - IN-LINE *Option*

As an option the motor adaptor position can be set in-line with the pole.
Allowing for the system to sit closer to the wall where space is limited.
This increases the non-functioning gliding area.

Not recommended for Sine and Ripplefold headings.





RETURN END - SINGLE STACK ►

Single stack systems utilise a smaller return cartridge embedded in the profile.
Master carriers are designed to allow curtains travel to the end of the system.



RETURN END - PAIR STACK ►|◄

Pair stack systems use the standard return cartridge embedded within the profile.
A gliding option is assembled between the cartridge and the end of the pole, serving as a curtain hook point.



TWIN END - PAIR STACK ►|◄

Twin systems are supplied in a minimum of two sections, with an internal return cartridge, in the end of each section.

Mid brackets can be fitted on join



SILENT GLISS CONFIGURATION

Motor adaptors are supplied to match system colour. Motors can be positioned either perpendicular or in-line with the track.
A gliding option is assembled between the motor adaptor and the end of the pole, serving as a curtain hook point.

MOTOR END - PERPENDICULAR *Default*

As standard motor position is set perpendicular to the pole.
Minimising non functioning gliding area.
Optimal for Sine and Ripplefold headings.





MOTOR END - IN-LINE *Option*

As an option motor position can be set in-line with the pole.
Allowing for the system to sit closer to the wall where space is limited.
This increases the non-functioning gliding area.

Not recommended for Sine and Ripplefold headings.





RETURN END - SINGLE STACK ►

Single stack systems utilise a compact return cartridge embedded in the profile.
Master carriers are designed to allow curtains travel to the end of the system.



RETURN END - PAIR STACK ►|◄

Pair stack systems use the standard return cartridge embedded within the profile.
A gliding option is assembled between the cartridge and the end of the pole, serving as a curtain hook point.



TWIN END - PAIR STACK ►|◄

Twin systems are supplied in a minimum of two sections, with an compact return cartridge, in the end of each section.

Mid brackets can be fitted on join



GLIDER/ROLLER ACCESS

Gliding options can be added/removed by removing the access plate



Systems will be supplied as per the diagrams below.

DRIVE POLE SYSTEMS

Gliders • Rollers • Metalcoat Rollers



SINGLE DRIVE - *Single Stack* ▶



SUPPLIED WITH

1x Motor Adaptor & Cartridge • 1x Compact Return Cartridge • 1x Single stack Overlap Arm

SINGLE DRIVE - *Pair Stack* ▶|◀



SUPPLIED WITH

1x Motor Adaptor & Cartridge • 1x Return Cartridge • 2x Pair stack Overlap Arm

TWIN DRIVE - *Pair Stack* ▶|◀



SUPPLIED WITH

2x Motor Adaptor & Cartridge • 2x Compact Return Cartridge • 2x Pair stack Overlap Arm

For Specification info on Overlap master carrier see page 31.

Systems will be supplied as per the diagrams below.

DRIVE POLE SYSTEMS

Rings



SINGLE DRIVE - *Single Stack* ▶



SUPPLIED WITH

1x Motor Adaptor & Cartridge • 1x Compact Return Cartridge • 1x Single stack Arm • 1x Ring with Glider Body *(See Pink)*

SINGLE DRIVE - *Pair Stack* ▶|◀



SUPPLIED WITH

1x Motor Adaptor & Cartridge • 1x Return Cartridge • 2x Pair stack Arm

TWIN DRIVE - *Pair Stack* ▶|◀



SUPPLIED WITH

2x Motor Adaptor & Cartridge • 2x Compact Return Cartridge • 2x Single stack Arm • 2x Ring with Glider Body *(See Pink)*

! **Systems with Sine Rings not available in Chromatic or Ceramic finishes.**

For Specification info on Overlap master carrier see page 33.

POLE CONFIGURATION

Systems will be supplied as per the diagrams below.

DRIVE POLE SYSTEMS

Sine Gliders • Sine Rollers • Metalcoat Sine Rollers



SINGLE DRIVE - *Single Stack* ▶



SUPPLIED WITH

1x Motor Adaptor & Cartridge • 1x Compact Return Cartridge • 1x Single stack Sine Arm

SINGLE DRIVE - *Pair Stack* ▶|◀



SUPPLIED WITH

1x Motor Adaptor & Cartridge • 1x Return Cartridge • 2x Pair stack Sine Butt Arm

TWIN DRIVE - *Pair Stack* ▶|◀



SUPPLIED WITH

2x Motor Adaptor & Cartridge • 2x Compact Return Cartridge • 2x Single stack Sine Arm

For Specification info on Sine master carrier see page 32

Systems will be supplied as per the diagrams below.

DRIVE POLE SYSTEMS

Sine Rings



SINGLE DRIVE - *Single Stack* ▶



SUPPLIED WITH

1x Motor Adaptor & Cartridge • 1x Compact Return Cartridge • 1x Single stack Sine Ring Arm • 1x Ring with Glider Body (See Pink)

SINGLE DRIVE - *Pair Stack* ▶|◀



SUPPLIED WITH

1x Motor Adaptor & Cartridge • 1x Return Cartridge • 2x Pair stack Sine Ring Butt Arm

TWIN DRIVE - *Pair Stack* ▶|◀



SUPPLIED WITH

2x Motor Adaptor & Cartridge • 2x Compact Return Cartridge • 2x Single stack Sine Ring Arm • 2x Ring with Glider Body (See Pink)

! Systems with Sine Rings not available in Chromatic or Ceramic finishes.

For Specification info on Sine master carrier see page 34

Systems will be supplied as per the diagrams below.

DRIVE POLE SYSTEMS

Metalcoat Ripplefold Rollers



SINGLE DRIVE - *Single Stack* ▶



SUPPLIED WITH

1x Motor Adaptor & Cartridge • 1x Compact Return Cartridge • 1x Single stack Ripplefold Arm

SINGLE DRIVE - *Pair Stack* ▶|◀



SUPPLIED WITH

1x Motor Adaptor & Cartridge • 1x Return Cartridge • 2x Pair stack Ripplefold Butt Arm

TWIN DRIVE - *Pair Stack* ▶|◀



SUPPLIED WITH

2x Motor Adaptor & Cartridge • 2x Compact Return Cartridge • 2x Single stack Ripplefold Arm

For Specification info on Ripplefold master carrier see page 35

STACK SIZES

This is the area where the curtains hang against the wall when they are pulled open. by covering the wall and not the glass, during the day, it allows more light into the room. Allow approximately 30% of the length of the track for curtain stacking. very full curtains (e.g. pencil pleat) will need more space than flatter ones. lined and interlined curtains will also require more stacking space than unlined.

Single Stack ►

Pair Stack ►|◄

STANDARD HEADINGS

GLIDERS

Gliders are suitable for most installations

One glider is specified for every 100mm (4")

Glider Colour Options: Gypsum • Anthracite



ROLLERS • METALCOAT ROLLERS

Rollers are preferred for heavy drapery & Systems with joins

One roller is specified for every 100mm (4")

Roller Colour Options: Gypsum • Anthracite

Metalcoat Colour Options: System Colour ⓢ



RING

One roller is specified for every 100mm (4").

Roller Colour Options: Gypsum • Anthracite

Metalcoat Colour Options: System Colour ⓢ

STANDARD
Fullness 1.5



PINCH PLEAT
Fullness 2.0



PENCIL PLEAT
Fullness 2.5 (Heavy)
Fullness 2.5 (Voiles)



Pencil pleats will have a larger stack back and performance may be reduced

Systems with Rings not available in Chromatic or Ceramic finishes.

ⓢ Metalcoat Rollers, supplied in satin finish on Matte & Gloss finished systems - See page 21 for polymer body and cord colour

SINE HEADINGS

Sine headings are a simple **S** folded heading system consisting of rollers spaced by a cord and a special pocketed header tape that is sewn onto a flat panel curtain.track. it offers an elegant, contemporary look.

- Ideal for both residential and commercial settings.
- Drapery is constructed using special pocketed header tape that is sewn onto a flat panel curtain
- Hooks are fitted to header tape at a set spacing shown below creating the ripple effect
- Fullness can be adjusted by changing the hook spacing.

SINE
Fullness 2.3



FABRIC SUITABILITY

There is no standard test that will indicate whether a fabric is suitable for wave style. However, experience suggests it is normally suitable for:

✓ Voiles • Lined cotton • Interlined Silk • Blackout lining

The soft curves of Sine do not lend themselves to:

✕ Stiff fabrics • Heavy embroidery • Irregular vertical stripes • Metallic threads

SINE GLIDERS

Gliders are suitable for most installations

Sine Pitch: 80mm (3⅛")

Sine Glider Colour Options: Gypsum - White Cord • Anthracite - White Cord

Glider-Cord Spacing	Curtain Hook Spacing	Approx. Curtain Fullness	Stack Depth per 1M (39⅜") of pole	Min Bracket Projection
80mm (3⅛")	160mm (6⁵⁄₁₆")	2.3	180mm (7¹⁄₁₆")	100mm (4")



SINE ROLLERS • METALCOAT SINE ROLLERS

Rollers are preferred for heavy drapery & Systems with joins

Sine Pitch: 60mm (2⅜") • 80mm (3⅛")

Sine Roller Colour Options: Gypsum - White Cord • Anthracite - Black Cord

Metalcoat Sine Roller Colour Options: System Colour ⓢ

Roller-Cord Spacing	Curtain Hook Spacing	Approx. Curtain Fullness	Stack Depth per 1M (39⅜") of pole	Min Bracket Projection
60mm (2³⁄₁₆")	120mm (4¾")	2.3	230mm (9¹⁄₁₆")	100mm (4")
80mm (3⅛")	160mm (6⁵⁄₁₆")	2.3	180mm (7¹⁄₁₆")	100mm (4")



SINE RINGS

Sine Pitch: 80mm (3⅛")

Sine Roller Colour Options: Gypsum - White Cord • Anthracite - Black Cord

Roller-Cord Spacing	Curtain Hook Spacing	Approx. Curtain Fullness	Stack Depth per 1M (39⅜") of pole	Min Bracket Projection
80mm (3⅛")	160mm (6⁵⁄₁₆")	2.3	180mm (7¹⁄₁₆")	100mm (4")

! **Systems with Sine Rings not available in Chromatic or Ceramic finishes.**

ⓢ Metalcoat Rollers, supplied in satin finish on Matte & Gloss finished systems - See page 41 for polymer body and cord colour

RIPPLEFOLD HEADING

Ripplefold pleat style is named for the soft, consistent ripples created by the drapery as it hangs from the track. It offers an elegant, contemporary look.

- Ideal for both residential and commercial settings.
- Drapery is constructed with snap tape (Graber®/Kirsch) that allows the drapery to be snapped directly to the auxillary carriers on the track.
- Fullness of the drapery is determined by the spacing of the carriers in the track. the higher the fullness factor, the more full the draperies appear.
- 3 fullness factors are available

RIPPLEFOLD





RIPPLEFOLD ROLLERS

Rollers are preferred for heavy drapery & Systems with joins

Ripplefold® Fullness: 80% •100% •120%

Metalcoat Ripplefold® Roller Colour Options: System Colour ⓢ

	Roller-Cord Spacing	Curtain Fullness	Stack Depth *per 1M (39 3/8") of pole*	Min Bracket Projection
	60mm (2 3/8")	80%	270mm (10 5/8")	100mm (4")
	55mm (2 3/16")	100%	310mm (12 3/16")	100mm (4")
	45mm (1 3/4")	120%	360mm (14 3/16")	100mm (4")

ⓢ Metalcoat Rollers, supplied in satin finish on Matte & Gloss finished systems - See page 41 for polymer body and cord colour

CURTAIN WEIGHTS

Different types of fabric have widely differing weights. The type of curtain heading used (see below) will determine the fullness of the fabric used: this can be anything from 1.5 x the width of the pole to 3.0 x pole width.

The chart below assumes 100% fullness (2.0 x width of the pole) the weights are approximate and can vary for many reasons. Always check the expected and final total curtain weight with the curtain maker. Based on 1200mm (48") fabric width

Curtain Type	Width↔/Drop↕	1m (3.5')	2m (7')	3m (10.5')	4m (14')	5m (16.5')	6m (20')
Print Cotton *(Light)*	1m (3.5')	0.8kg (1.8lb)	1.7kg (3.7lb)	2.5kg (5.5lb)	3.4kg (7.4lb)	4.2kg (9.2lb)	5.0kg (11.1lb)
	2m (7')	1.3kg (2.8lb)	2.5kg (5.5lb)	3.8kg (8.3lb)	5kg (11.1lb)	6.3kg (13.9lb)	7.6kg (16.6lb)
	3m (10')	1.7kg (3.7lb)	3.4kg (7.4lb)	5kg (11.1lb)	6.7kg (14.8lb)	8.4kg (18.5lb)	10kg (22lb)
Linen *(Medium)*	1m (3.5')	1.1kg (2.3lb)	2.1kg (4.6lb)	3.2kg (6.9lb)	4.2kg (9.2lb)	5.3kg (11.6lb)	6.3kg (13.9lb)
	2m (7')	1.6kg (3.5lb)	3.2kg (6.9lb)	4.7kg (10.4lb)	6.3kg (13.9lb)	7.9kg (17.3lb)	9.5kg (20.8lb)
	3m (10')	2.1kg (4.6lb)	4.2kg (9.2lb)	6.3kg (13.9lb)	8.4kg (18.5lb)	10.5kg (23.1lb)	12.6kg (27.7lb)
Velvet *(Heavy)*	1m (3.5')	1.5kg (3.2lb)	3.2kg (6.5lb)	4.4kg (9.7lb)	5.9kg (12.9lb)	7.4kg (16.2lb)	8.8kg (19.4lb)
	2m (7')	2.2kg (4.9lb)	4.4kg (9.7lb)	6.7kg (14.8 lb)	8.8kg (19.4lb)	11kg (24.3lb)	13.2kg (29.1lb)
	3m (10')	2.9kg (6.5lb)	5.9kg (12.9lb)	8.8kg (19.4lb)	11.8kg (26lb)	14.7kg (32.2lb)	17.6kg (39lb)

MAXIMUM WEIGHTS - GLIDERS

Maximum weight recommendations for all standard curtain types using gliders & roller are defined to ensure safe and proper function of the system. These limits must be adhered to. See table below for details of all options.

Bends will considerably reduce the load bearing capability of any system.

GLIDERS • SINE GLIDERS

Gliders One glider is specified for every 100mm (4").
Sine Gliders 80mm (3⅛") spacing between the gliders.



Motor Type	System Width	Straight Single Motor Single Stack ▸ Pair Stack ▸|◂	Straight Twin Motor Pair Stack ▸|◂	1 Bend Bay Single Motor Single Stack ▸ Pair Stack ▸|◂	1 Bend Bay Twin Motor Pair Stack ▸|◂	2 Bend Bay Single Motor Single Stack ▸ Pair Stack ▸|◂	2 Bend Bay Twin Motor Pair Stack ▸|◂	4 Bend Bay Twin Motor Pair Stack ▸|◂	Curved Bay Single Motor Single Stack ▸ Pair Stack ▸|◂	Curved Bay Twin Motor Pair Stack ▸|◂
LUTRON D105	6m (236 1/4")	27kg (60lb)	54kg (120lb)	Gliders not suitable for system with bends						
	12m (472 1/2")	—	64kg (140lb)							
LUTRON D145	6m (236 1/4")	47kg (102lb)	94kg (204lb)							
	12m (472 1/2")	—	94kg (204lb)							
LUTRON D175	6m (236 1/4")	67kg (149lb)	134kg (298lb)							
	12m (472 1/2")	—	84kg (185lb)							
SOMFY GLYDEA ULTRA 60E	6m (236 1/4")	51kg (112lb)	102kg (224lb)							
	12m (472 1/2")	—	102kg (224lb)							
SOMFY IRISMO 45 WF	6m (236 1/4")	45kg (99lb)	90kg (198lb)							
	12m (472 1/2")	—	90kg (198lb)							
SOMFY MOVELITE 35	6m (236 1/4")	30kg (65lb)	60kg (131lb)							
	12m (472 1/2")	—	60kg (131lb)							
SOMFY MOVELITE 35 WF	6m (236 1/4")	30kg (65lb)	60kg (131lb)							
	12m (472 1/2")	—	60kg (131lb)							
SILENT GLISS 9060	6m (236 1/4")	38kg (84lb)	77kg (168lb)							
	12m (472 1/2")	—	77kg (168lb)							

MAXIMUM WEIGHTS - ROLLERS

Maximum weight recommendations for all standard curtain types using gliders & roller are defined to ensure safe and proper function of the system. These limits must be adhered to. See table below for details of all options.

! Bends will considerably reduce the load bearing capability of any system.

ROLLERS • SINE ROLLERS
METALCOAT ROLLERS • METALCOAT SINE ROLLERS • METALCOAT RIPPLEFOLD ROLLERS

Rollers One roller is specified for every 100mm (4").
Sine Rollers 60mm (2⅜") • 80mm (3⅛") spacing between the rollers.
Ripplefold Rollers Fullness options 80% • 100% • 120%



Motor Type	System Width	Straight Single Motor Single Stack ▸ Pair Stack ▸|◂	Straight Twin Motor Pair Stack ▸|◂	1 Bend Bay Single Motor Single Stack ▸ Pair Stack ▸|◂	1 Bend Bay Twin Motor Pair Stack ▸|◂	2 Bend Bay Single Motor Single Stack ▸ Pair Stack ▸|◂	2 Bend Bay Twin Motor Pair Stack ▸|◂	4 Bend Bay Twin Motor Pair Stack ▸|◂.	Curved Bay Single Motor Single Stack ▸ Pair Stack ▸|◂	Curved Bay Twin Motor Pair Stack ▸|◂
LUTRON D105	6m (236 1/4")	32kg (70lb)	64kg (140lb)	23kg (50lb)	46kg (100lb)	**!** Motor not suitable for system with multiple bends				
	12m (472 1/2")	—	64kg (140lb)	—	46kg (100lb)					
LUTRON D145	6m (236 1/4")	55kg (120lb)	110kg (240lb)	43kg (95lb)	86kg (190lb)	25kg (55lb)	50kg (110lb)	50kg (110lb)	25kg (55lb)	50kg (110lb)
	12m (472 1/2")	—	110kg (240lb)	—	86kg (190lb)	—	50kg (110lb)	50kg (110lb)	—	50kg (110lb)
LUTRON D175	6m (236 1/4")	79kg (175lb)	158kg (350lb)	59kg (130lb)	118kg (260lb)	54kg (120lb)	108kg (240lb)	108kg (240lb)	54kg (120lb)	108kg (240lb)
	12m (472 1/2")	—	84kg (185lb)	—	118kg (260lb)	—	108kg (240lb)	108kg (240lb)	—	108kg (240lb)
SOMFY GLYDEA ULTRA 60E	6m (236 1/4")	60kg (132lb)	120kg (264lb)	45kg (99lb)	90kg (198lb)	35kg (77lb)	70kg (154lb)	70kg (154lb)	35kg (77lb)	70kg (154lb)
	12m (472 1/2")	—	120kg (264lb)	—	90kg (198lb)	—	70kg (154lb)	70kg (154lb)	—	70kg (154lb)
SOMFY IRISMO 45 WF	6m (236 1/4")	45kg (99lb)	90kg (198lb)	45kg (99lb)	90kg (198lb)	30kg (66lb)	60kg (132lb)	60kg (132lb)	20kg (44lb)	40kg (44lb)
	12m (472 1/2")	—	90kg (198lb)	—	90kg (198lb)	—	60kg (132lb)	60kg (132lb)	—	40kg (44lb)
SOMFY MOVELITE 35	6m (236 1/4")	35kg (77lb)	70kg (154lb)	25kg (55lb)	50kg (110lb)	10kg (22lb)	20kg (44lb)	20kg (44lb)	10kg (22lb)	20kg (44lb)
	12m (472 1/2")	—	70kg (154lb)	—	50kg (110lb)	—	20kg (44lb)	20kg (44lb)	—	20kg (44lb)
SOMFY MOVELITE 35 WF	6m (236 1/4")	35kg (77lb)	70kg (154lb)	**!** Motor not suitable for system with bends						
	12m (472 1/2")	—	70kg (154lb)							
SILENT GLISS 9060	6m (236 1/4")	45kg (99lb)	90kg (198lb)	35kg (77lb)	70kg (154lb)	30kg (66lb)	60kg (132lb)	60kg (132lb)	20kg (44lb)	40kg (44lb)
	12m (472 1/2")	—	90kg (198lb)	—	70kg (154lb)	—	60kg (132lb)	60kg (132lb)	—	40kg (44lb)

MAXIMUM WEIGHTS - RINGS

Maximum weight recommendations for all standard curtain types using gliders & roller are defined to ensure safe and proper function of the system. These limits must be adhered to. See table below for details of all options.

! Bends will considerably reduce the load bearing capability of any system.

RINGS • SINE RINGS

Rings One roller is specified for every 100mm (4").
Sine Rings 80mm (3 1/8") spacing between the rings.



Motor Type	System Width	Straight Single Motor Single Stack ▸ Pair Stack ▸|◂	Straight Twin Motor Pair Stack ▸|◂	1 Bend Bay Single Motor Single Stack ▸ Pair Stack ▸|◂	1 Bend Bay Twin Motor Pair Stack ▸|◂	2 Bend Bay Single Motor Single Stack ▸ Pair Stack ▸|◂	2 Bend Bay Twin Motor Pair Stack ▸|◂	4 Bend Bay Twin Motor Pair Stack ▸|◂.	Curved Bay Single Motor Single Stack ▸ Pair Stack ▸|◂	Curved Bay Twin Motor Pair Stack ▸|◂
LUTRON D105	6m (236 1/4")	27kg (60lb)	54kg (120lb)	20kg (43lb)	40kg (44lb)	**!** Motor not suitable for system with multiple bends				
	12m (472 1/2")	—	64kg (140lb)	—	40kg (44lb)					
LUTRON D145	6m (236 1/4")	47kg (102lb)	94kg (204lb)	37kg (81lb)	73kg (162lb)	21kg (47lb)	43kg (94lb)	43kg (94lb)	21kg (47lb)	43kg (94lb)
	12m (472 1/2")	—	94kg (204lb)	—	73kg (162lb)	—	43kg (94lb)	43kg (94lb)	—	43kg (94lb)
LUTRON D175	6m (236 1/4")	67kg (149lb)	134kg (298lb)	50kg (111lb)	100kg (221lb)	46kg (102lb)	92kg (204lb)	92kg (204lb)	46kg (102lb)	92kg (204lb)
	12m (472 1/2")	—	84kg (185lb)	—	100kg (221lb4	—	92kg (204lb)	92kg (204lb)	—	92kg (204lb)
SOMFY GLYDEA ULTRA 60E	6m (236 1/4")	51kg (112lb)	102kg (224lb)	45kg (99lb)	90kg (198lb)	35kg (77lb)	70kg (154lb)	70kg (154lb)	35kg (77lb)	70kg (154lb)
	12m (472 1/2")	—	102kg (224lb)	—	90kg (198lb)	—	70kg (154lb)	70kg (154lb)	—	70kg (154lb)
SOMFY IRISMO 45 WF	6m (236 1/4")	45kg (99lb)	90kg (198lb)	38kg (84lb)	77kg (168lb)	26kg (5a6lb)	51kg (112lb)	51kg (112lb)	17kg (37lb)	34kg (75lb)
	12m (472 1/2")	—	90kg (198lb)	—	90kg (198lb)	—	51kg (112lb)	51kg (112lb)	—	34kg (75lb)
SOMFY MOVELITE 35	6m (236 1/4")	30kg (65lb)	60kg (131lb)	21kg (47lb)	43kg (94lb)	9kg (19lb)	17kg (37lb)	17kg (37lb)	9kg (19lb)	17kg (37lb)
	12m (472 1/2")	—	60kg (131lb)	—	43kg (94lb)	—	17kg (37lb)	17kg (37lb)	—	17kg (37lb)
SOMFY MOVELITE 35 WF	6m (236 1/4")	30kg (65lb)	60kg (131lb)	**!** Motor not suitable for system with bends						
	12m (472 1/2")	—	60kg (131lb)							
SILENT GLISS 9060	6m (236 1/4")	38kg (84lb)	77kg (168lb)	30kg (65lb)	60kg (131lb)	26kg (56lb)	51kg (112lb)	51kg (112lb)	17kg (37lb)	34kg (75lb)
	12m (472 1/2")	—	77kg (168lb)	—	60kg (131lb)	—	51kg (112lb)	51kg (112lb)	—	34kg (75lb)

! Systems with Rings or Sine Rings not available in Chromatic or Ceramic finishes.

Master carriers are composed of a polymer body, and a metal arm.
The polymer body is supplied in either Gypsum or Anthracite complement the system colour (see page 41 for details).
The metal arms are coated to match the system.

OVERLAP ARM - *Single Stack* ▶





Supplied on single stack systems with Gliders/Rollers

OVERLAP ARM - *Pair Stack* ▶|◀





 # Subject to curtain makeup and fabric thickness

SINE MASTER CARRIERS

Master carriers are composed of a polymer body, and a metal arm.
The polymer body is supplied in either Gypsum or Anthracite complement the system colour (see page 41 for details).
The metal arms are coated to match the system.

SINE ARM - *Single Stack* ▶





Supplied on single stack systems with Sine Gliders/Rollers



60mm (2 3/8") SINE BUTT ARM - *Pair Stack* ▶|◀





Supplied on pair stack systems with Sine Rollers



80mm (3 1/8") SINE BUTT ARM - *Pair Stack* ▶|◀





Supplied on pair stack systems with Sine Gliders/Rollers



RING MASTER CARRIERS

Master carriers are composed of a polymer body, and a metal arm.
The polymer body is supplied in either Gypsum or Anthracite complement the system colour (see page 41 for details).
The metal arms are coated to match the system.

RING ARM - *Single Stack* ▶



Supplied on single stack systems with Rings

RING ARM - *Pair Stack* ▶|◀



Supplied on pair stack systems with Rings

SINE RING MASTER CARRIERS

Master carriers are composed of a polymer body, and a metal arm.
The polymer body is supplied in either Gypsum or Anthracite complement the system colour (see page 41 for details).
The metal arms are coated to match the system.

SINE RING ARM - *Single Stack* ►



Supplied on single stack systems with Sine Rings

SINE RING BUTT ARM - *Pair Stack* ►|◄



Supplied on pair stack systems with Sine Rings

RIPPLEFOLD MASTER CARRIERS

Master carriers are composed of a polymer body, and a metal arm.
The polymer body is supplied in either Gypsum or Anthracite to complement the system colour (see page 41 for details).
The metal arms are coated to match the system.

RIPPLEFOLD ARM - *Single Stack* ▶







Supplied on single stack systems with Ripplefold Rollers

RIPPLEFOLD BUTT ARM - *Pair Stack* ▶|◀







Supplied on pair stack systems with Ripplefold Rollers

Master carriers are composed of a polymer body, and a metal arm.
The polymer body is supplied in either Gypsum or Anthracite to complement the system colour (see page 41 for details).
The metal arms are coated to match the system.

OPTIONAL OVERLAP ARM - *Single Stack* ▶



Can be supplied as an option on single stack Ripplefold systems. Subject to surcharge

OPTIONAL OVERLAP ARM - *Pair Stack* ▶|◀



Can be supplied as an option on pair stack Ripplefold systems. Subject to surcharge

Subject to curtain makeup and fabric thickness

All poles and components may be specified in this stunning palette of colours and finishes, with a choice of coat options throughout.

SHADES

A superb selection of opaque colours, all available in a choice of Matte, Satin or Gloss finish.

COAT OPTIONS

Matte Ⓜ Satin Ⓢ Gloss Ⓖ

Cloud ⓂⓈⓖ Alabaster ⓂⓈⓖ Bone ⓂⓈⓖ Barley ⓂⓈⓖ Dusk ⓂⓈⓖ Mineral ⓂⓈⓖ

Cream ⓂⓈⓖ Dove ⓂⓈⓖ Parchment ⓂⓈⓖ Millstone ⓂⓈⓖ Oatmeal ⓂⓈⓖ Stone ⓂⓈⓖ



Clay ⓂⓈⓖ Grey Moss ⓂⓈⓖ Cocoa ⓂⓈⓖ Moss ⓂⓈⓖ Smoke ⓂⓈⓖ Frame Grey ⓂⓈⓖ



Lead ⓂⓈⓖ Earth ⓂⓈⓖ Burnt Ash ⓂⓈⓖ Flint ⓂⓈⓖ Charcoal ⓂⓈⓖ Raven ⓂⓈⓖ

METALLICS

High metallic fleck coatings with all available in Satin and Gloss sheen levels.

COAT OPTIONS



Satin Ⓢ Gloss Ⓖ



Platinum Ⓢⓖ Champagne Ⓢⓖ Gold Ⓢⓖ Cognac Ⓢⓖ Antique Brass Ⓢⓖ Gunmetal Ⓢⓖ



Bronzed Ⓢⓖ Pewter Ⓢⓖ

Due to screen limitations, colours shown may not be accurate. Samples are available on request - **www.bradleycollection.com/samples/**

ANODICS

A flat metal colour group, with an anodised style surface texture.

Twilight

Glow

Sky

Sunrise

Storm

Glimmer

Sunset


Night Sky

Midnight

ORGANICS

A textured finish, inspired by nature.

Ash Stone

Sand Stone

Iron

Obsidian

⊕ A finishing charge will apply | ⊘ Not available with Drive rings
Due to screen limitations, colours shown may not be accurate. Samples are available on request - **www.bradleycollection.com/samples/**

CUSTOM FINISHES

Can be specified from RAL K7 finish chart, subject to a per colour upcharge.
Which covers up to five poles. See price list for further details

COLOUR MATCHING

A colour matching service is offered, to match your scheme of fittings perfectly . See price list for further details

Metalcoat Rollers & Rings will be supplied with bodies in either Gypsum or Anthracite bodies to compliment the chosen finish.
See table below **Coat Options** Matte Ⓜ • Satin Ⓢ • Gloss Ⓖ

SHADES • METALLICS • ANODICS • ORGANICS

System Finish	Gypsum	Anthracite
Alabaster ⓂⓈⓖ	✓	
Antique Brass Ⓢⓖ		✓
Ashstone		✓
Barley ⓂⓈⓖ	✓	
Bone ⓂⓈⓖ	✓	
Burnt Ash ⓂⓈⓖ		✓
Bronzed Ⓢⓖ		✓
Champagne Ⓢⓖ		✓
Charcoal ⓂⓈⓖ		✓
Clay ⓂⓈⓖ		✓
Cloud ⓂⓈⓖ	✓	
Cocoa ⓂⓈⓖ		✓
Cognac Ⓢⓖ		✓
Cream ⓂⓈⓖ	✓	
Dove ⓂⓈⓖ	✓	
Dusk ⓂⓈⓖ	✓	
Earth ⓂⓈⓖ		✓
Flint ⓂⓈⓖ		✓
Frame Grey ⓂⓈⓖ		✓
Glimmer		✓
Glow		✓
Gold Ⓢⓖ		✓
Grey Moss ⓂⓈⓖ		✓
Gunmetal Ⓢⓖ		✓
Iron		✓
Lead ⓂⓈⓖ		✓
Midnight		✓
Millstone ⓂⓈⓖ		✓
Mineral ⓂⓈⓖ	✓	
Moss ⓂⓈⓖ		✓
Night Sky		✓
Oatmeal ⓂⓈⓖ		✓
Obsidian		✓
Parchment ⓂⓈⓖ	✓	
Pewter Ⓢⓖ		✓
Platinum Ⓢⓖ		✓
Raven ⓂⓈⓖ		✓
Sand Stone		✓
Sky		✓
Smoke ⓂⓈⓖ		✓
Stone ⓂⓈⓖ		✓
Storm		✓
Sunrise		✓
Sunset		✓
Twilight		✓

The seamless finial is an integral part of the pole.
If this is selected optional finial details cannot be added at a later date.

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")



© THE **BRADLEY** COLLECTION

Can only be added at the point of order
Finial detail cannot be used with flush ceiling or flush partition brackets

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")



ORBIC GRAND

Can only be added at the point of order
Finial detail cannot be used with flush ceiling or flush partition brackets

FINISHES

Coat Options
Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")



© THE **BRADLEY** COLLECTION

Can only be added at the point of order

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")



© THE **BRADLEY** COLLECTION

TULIP

Can only be added at the point of order

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")



© THE **BRADLEY** COLLECTION

Can only be added at the point of order
Finial detail cannot be used with flush ceiling or flush partition brackets

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")



© THE **BRADLEY** COLLECTION

Can only be added at the point of order
Finial detail cannot be used with flush ceiling or flush partition brackets

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")



© THE **BRADLEY** COLLECTION

ELLIPSE

Can only be added at the point of order
Finial detail cannot be used with flush ceiling or flush partition brackets

FINISHES

Coat Options
Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")



© THE **BRADLEY** COLLECTION

Can only be added at the point of order
Finial detail cannot be used with flush ceiling or flush partition brackets

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1 1/2")



© THE **BRADLEY** COLLECTION

OPTIONAL FINIALS

The following finials from our other collections can be specified on request.

Finials listed below cannot be used with Flush Ceiling Brackets / Flush Partition Brackets

MIO

For specifications, please refer to the Mio Specification Guide.

Final	Diameter(s)
Stud	ø38mm (1½")
Disc	ø38mm (1½")
Faceted Disc	ø38mm (1½")
Pebble	ø38mm (1½")
Squat Disc	ø38mm (1½")
Ball	ø38mm (1½")
Crystal Ball	ø38mm (1½")

ELYSIAN

For specifications, please refer to the Elysian Specification Guide.

Final	Diameter(s)
Halo	ø38mm (1½")
Aura	ø38mm (1½")
Orbit	ø38mm (1½")
Discus	ø38mm (1½")
Jewel	ø38mm (1½")
Flute	ø38mm (1½")
Squat Globe	ø38mm (1½")
Globe	ø38mm (1½")
Ribbed Globe	ø38mm (1½")
Charm	ø38mm (1½")
Templar	ø38mm (1½")
Crystal Templar	ø38mm (1½")

POLE - LUTRON

FINISHES

Coat Options
Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½") - Left Hand Drive



Glider Options

SINGLE STACK ▶ • PAIR STACK ▶|◀

GLIDER
Colour options:
Gypsum • Anthracite

SINE GLIDER
Colour options:
Gypsum • Anthracite

Sine Pitch:
80mm (3⅛")

Gliders not suitable for use on bay/curved poles

Roller Options

SINGLE STACK ▶ • PAIR STACK ▶|◀

ROLLER
Colour options:
Gypsum • Anthracite

SINE ROLLER
Colour options:
Gypsum • Anthracite

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")

Ring Options

SINGLE STACK ▶ • PAIR STACK ▶|◀

RING
Colour options:
System Colour Ⓢ

SINE RING
Colour options:
System Colour Ⓢ

Sine Pitch:
80mm (3⅛")

Systems with Rings/Sine Rings not available in Chromatic or Ceramic finishes

METALCOAT ROLLER
Colour options:
System Colour Ⓢ

METALCOAT SINE ROLLER
Colour options:
System Colour Ⓢ

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")



METALCOAT RIPPLEFOLD ROLLER
Colour options:
System Colour Ⓢ

Fullness:
80% •100% •120%

© THE **BRADLEY** COLLECTION

POLE - LUTRON

FINISHES

Coat Options
Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½") - Right Hand Drive



Glider Options

SINGLE STACK ▶ • PAIR STACK ▶|◀

GLIDER
Colour options:
Gypsum • Anthracite

SINE GLIDER
Colour options:
Gypsum • Anthracite

Sine Pitch:
80mm (3⅛")

Gliders not suitable for use on bay/curved poles

Roller Options

SINGLE STACK ▶ • PAIR STACK ▶|◀

ROLLER
Colour options:
Gypsum • Anthracite

SINE ROLLER
Colour options:
Gypsum • Anthracite

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")

Ring Options

SINGLE STACK ▶ • PAIR STACK ▶|◀

RING
Colour options:
System Colour Ⓢ

SINE RING
Colour options:
System Colour Ⓢ

Sine Pitch:
80mm (3⅛")

Systems with Rings/Sine Rings not available in Chromatic or Ceramic finishes

METALCOAT ROLLER
Colour options:
System Colour Ⓢ

METALCOAT SINE ROLLER
Colour options:
System Colour Ⓢ

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")



METALCOAT RIPPLEFOLD ROLLER
Colour options:
System Colour Ⓢ

Fullness:
80% •100% •120%

© THE **BRADLEY** COLLECTION

POLE - LUTRON

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½") - Twin Drive



Glider Options

SINGLE STACK ▶ • PAIR STACK ▶|◀

GLIDER
Colour options:
Gypsum • Anthracite

SINE GLIDER
Colour options:
Gypsum • Anthracite

Sine Pitch:
80mm (3⅛")

Gliders not suitable for use on bay/curved poles

Roller Options

SINGLE STACK ▶ • PAIR STACK ▶|◀

ROLLER
Colour options:
Gypsum • Anthracite

SINE ROLLER
Colour options:
Gypsum • Anthracite

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")

Ring Options

SINGLE STACK ▶ • PAIR STACK ▶|◀

RING
Colour options:
System Colour Ⓢ

SINE RING
Colour options:
System Colour Ⓢ

Sine Pitch:
80mm (3⅛")

Systems with Rings/Sine Rings not available in Chromatic or Ceramic finishes

METALCOAT ROLLER
Colour options:
System Colour Ⓢ

METALCOAT SINE ROLLER
Colour options:
System Colour Ⓢ

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")



METALCOAT RIPPLEFOLD ROLLER
Colour options:
System Colour Ⓢ

Fullness:
80% •100% •120%

© THE **BRADLEY** COLLECTION

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½") - Left Hand Drive



Glider Options

SINGLE STACK ▶ • PAIR STACK ▶|◀

GLIDER
Colour options:
Gypsum • Anthracite

SINE GLIDER
Colour options:
Gypsum • Anthracite

Sine Pitch:
80mm (3⅛")

Gliders not suitable for use on bay/curved poles

Roller Options

SINGLE STACK ▶ • PAIR STACK ▶|◀

ROLLER
Colour options:
Gypsum • Anthracite

SINE ROLLER
Colour options:
Gypsum • Anthracite

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")

Ring Options

SINGLE STACK ▶ • PAIR STACK ▶|◀

RING
Colour options:
System Colour Ⓢ

SINE RING
Colour options:
System Colour Ⓢ

Sine Pitch:
80mm (3⅛")

Systems with Rings/Sine Rings not available in Chromatic or Ceramic finishes

METALCOAT ROLLER
Colour options:
System Colour Ⓢ

METALCOAT SINE ROLLER
Colour options:
System Colour Ⓢ

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")



METALCOAT RIPPLEFOLD ROLLER
Colour options:
System Colour Ⓢ

Fullness:
80% •100% •120%

© THE **BRADLEY** COLLECTION

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½") - Right Hand Drive



Glider Options

SINGLE STACK ► • PAIR STACK ►|◄

GLIDER
Colour options:
Gypsum • Anthracite

SINE GLIDER
Colour options:
Gypsum • Anthracite

Sine Pitch:
80mm (3⅛")

Gliders not suitable for use on bay/curved poles

Ring Options

SINGLE STACK ► • PAIR STACK ►|◄

RING
Colour options:
System Colour Ⓢ

SINE RING
Colour options:
System Colour Ⓢ

Sine Pitch:
80mm (3⅛")

Systems with Rings/Sine Rings not available in Chromatic or Ceramic finishes

Roller Options

SINGLE STACK ► • PAIR STACK ►|◄

ROLLER
Colour options:
Gypsum • Anthracite

SINE ROLLER
Colour options:
Gypsum • Anthracite

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")

METALCOAT ROLLER
Colour options:
System Colour Ⓢ

METALCOAT SINE ROLLER
Colour options:
System Colour Ⓢ

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")



METALCOAT RIPPLEFOLD ROLLER
Colour options:
System Colour Ⓢ

Fullness:
80% •100% •120%

© THE **BRADLEY** COLLECTION

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½") - Twin Drive



Glider Options

SINGLE STACK ► • PAIR STACK ►|◄

GLIDER
Colour options:
Gypsum • Anthracite

SINE GLIDER
Colour options:
Gypsum • Anthracite

Sine Pitch:
80mm (3⅛")

Gliders not suitable for use on bay/curved poles

Roller Options

SINGLE STACK ► • PAIR STACK ►|◄

ROLLER
Colour options:
Gypsum • Anthracite

SINE ROLLER
Colour options:
Gypsum • Anthracite

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")

Ring Options

SINGLE STACK ► • PAIR STACK ►|◄

RING
Colour options:
System ColourⓈ

SINE RING
Colour options:
System ColourⓈ

Sine Pitch:
80mm (3⅛")

Systems with Rings/Sine Rings not available in Chromatic or Ceramic finishes

METALCOAT ROLLER
Colour options:
System ColourⓈ

METALCOAT SINE ROLLER
Colour options:
System ColourⓈ

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")



METALCOAT RIPPLEFOLD ROLLER
Colour options:
System ColourⓈ

Fullness:
80% •100% •120%

© THE **BRADLEY** COLLECTION

POLE - SILENT GLISS 9060

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½") - Left Hand Drive



Glider Options

SINGLE STACK ► • PAIR STACK ►|◄

GLIDER
Colour options:
Gypsum • Anthracite

SINE GLIDER
Colour options:
Gypsum • Anthracite

Sine Pitch:
80mm (3⅛")

Gliders not suitable for use on bay/curved poles

Ring Options

SINGLE STACK ► • PAIR STACK ►|◄

RING
Colour options:
System Colour Ⓢ

SINE RING
Colour options:
System Colour Ⓢ

Sine Pitch:
80mm (3⅛")

Systems with Rings/Sine Rings not available in Chromatic or Ceramic finishes

Roller Options

SINGLE STACK ► • PAIR STACK ►|◄

ROLLER
Colour options:
Gypsum • Anthracite

SINE ROLLER
Colour options:
Gypsum • Anthracite

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")

METALCOAT ROLLER
Colour options:
System Colour Ⓢ

METALCOAT SINE ROLLER
Colour options:
System Colour Ⓢ

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")



METALCOAT RIPPLEFOLD ROLLER
Colour options:
System Colour Ⓢ

Fullness:
80% •100% •120%

© THE **BRADLEY** COLLECTION

POLE - SILENT GLISS 9060

FINISHES

Coat Options
Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½") - Right Hand Drive



Glider Options

SINGLE STACK ► • PAIR STACK ►|◄

GLIDER
Colour options:
Gypsum • Anthracite

SINE GLIDER
Colour options:
Gypsum • Anthracite

Sine Pitch:
80mm (3⅛")

Gliders not suitable for use on bay/curved poles

Ring Options

SINGLE STACK ► • PAIR STACK ►|◄

RING
Colour options:
System Colour Ⓢ

SINE RING
Colour options:
System Colour Ⓢ

Sine Pitch:
80mm (3⅛")

Systems with Rings/Sine Rings not available in Chromatic or Ceramic finishes

Roller Options

SINGLE STACK ► • PAIR STACK ►|◄

ROLLER
Colour options:
Gypsum • Anthracite

SINE ROLLER
Colour options:
Gypsum • Anthracite

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")

METALCOAT ROLLER
Colour options:
System Colour Ⓢ

METALCOAT SINE ROLLER
Colour options:
System Colour Ⓢ

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")



METALCOAT RIPPLEFOLD ROLLER
Colour options:
System Colour Ⓢ

Fullness:
80% •100% •120%

© THE **BRADLEY** COLLECTION

POLE - SILENT GLISS 9060

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½") - Twin Drive



Glider Options

SINGLE STACK ► • PAIR STACK ►|◄

GLIDER
Colour options:
Gypsum • Anthracite

SINE GLIDER
Colour options:
Gypsum • Anthracite

Sine Pitch:
80mm (3⅛")

Gliders not suitable for use on bay/curved poles

Ring Options

SINGLE STACK ► • PAIR STACK ►|◄

RING
Colour options:
System Colour Ⓢ

SINE RING
Colour options:
System Colour Ⓢ

Sine Pitch:
80mm (3⅛")

Systems with Rings/Sine Rings not available in Chromatic or Ceramic finishes

Roller Options

SINGLE STACK ► • PAIR STACK ►|◄

ROLLER
Colour options:
Gypsum • Anthracite

SINE ROLLER
Colour options:
Gypsum • Anthracite

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")

METALCOAT ROLLER
Colour options:
System Colour Ⓢ

METALCOAT SINE ROLLER
Colour options:
System Colour Ⓢ

Sine Pitch:
60mm (2⅜") • 80mm (3⅛")



METALCOAT RIPPLEFOLD ROLLER
Colour options:
System Colour Ⓢ

Fullness:
80% •100% •120%

© THE **BRADLEY** COLLECTION

BAY BEND

Return bends are not available.

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")

BEND RADIUS
400mm (16")



Glider options not suitable for use on bay/curved poles

© THE **BRADLEY** COLLECTION

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")

300mm (12")



Glider options not suitable for use on bay/curved poles

© THE **BRADLEY** COLLECTION

MITRE

Motor and Return Cartridges can be positioned at the mitre.
Highlighted grey area is a non running space.

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½") - Motor Cartridges



ø38mm (1½") - Return Cartridges



© THE **BRADLEY** COLLECTION

SINGLE BRACKET - SIDE

Customised brackets available, See page 9

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")



© THE **BRADLEY** COLLECTION

SINGLE BRACKET - MID

Customised brackets available, See page 9

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")



© THE **BRADLEY** COLLECTION

ADJUSTABLE BRACKET - SIDE

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")



© THE **BRADLEY** COLLECTION

ADJUSTABLE BRACKET - MID

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")



© THE **BRADLEY** COLLECTION

SINGLE BRACKET - FLUSH CEILING

Customised brackets available, See page 9

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")



© THE **BRADLEY** COLLECTION

RECESS BRACKET



Recess brackets are not suitable for use with flush ceiling brackets

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

ø38mm (1½")



© THE **BRADLEY** COLLECTION

DOUBLE BRACKET - SIDE

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

FRONT ø38mm (1 1/2") BACK ø38mm (1 1/2")



© THE **BRADLEY** COLLECTION

DOUBLE BRACKET - MID

FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

FRONT ø38mm (1 1/2") BACK ø38mm (1 1/2")



© THE **BRADLEY** COLLECTION

DOUBLE BRACKET - FLUSH PARTITION



FINISHES

Coat Options

Matte Ⓜ
Satin Ⓢ
Gloss Ⓖ

Shades ⓂⓈⓖ Alabaster • Barley • Bone • Burnt Ash • Charcoal • Clay • Cloud • Cocoa • Cream • Dove • Dusk • Earth • Flint • Frame Grey • Grey Moss Lead • Millstone • Mineral • Moss • Oatmeal • Parchment • Raven • Smoke • Stone

Metallics ⓢⓖ Antique Brass • Bronzed • Champagne • Cognac • Gold • Gunmetal • Pewter • Platinum

Anodics Glimmer • Glow • Midnight • Night Sky • Sky •Storm • Sunrise • Sunset • Twilight

Organics Ash Stone • Iron • Obsidian • Sand Stone

FRONT ø38mm (1 1/2") BACK ø38mm (1 1/2")



© THE **BRADLEY** COLLECTION

CONTACT

www.bradleycollection.com

UK & REST OF THE WORLD

+44 (0)1449 722 724
info@bradleycollection.com

USA & CANADA

+1 (310) 815 8255
info.us@bradleycollection.com

LONDON SHOWROOM

+44 (0)207 871 7793
showroom@studiotwochelsea.com

THE **BRADLEY** COLLECTION

Industry Partner
Supporting the interior design profession

CEDIA MEMBER

Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard.
Steel items are not recommended for damp conditions such as shower rooms.
Crystal finials should not be positioned in direct sunlight, and are not suitable for use in conservatories.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement. Due to printing limitations, colours in this brochure may not be accurate.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988.
Bradley® and The Bradley Collection® are registered Community trademarks of The Bradley Collection Ltd. in Europe and registered trademarks of the Bradley Collection, Inc. in the USA.
Gliderpole is a registered trademark of The Bradley Collection Ltd in the UK.

The Bradley Collection Ltd Lion Barn • Maitland Road • Needham Market • Suffolk • IP6 8NS • UK
The Bradley Collection Inc 10866 Washington Blvd #1275 • Culver City • CA 90232 • USA

Published: 1026 • Copyright © The Bradley Collection Ltd. 2026